

# AddisonRyne.github.io — multi-page starter

Below is a complete, minimal site you can drop into your `AddisonRyne.github.io` repo. It has:

- **Home page** with hero, About Me, and **clickable boxes** that link to subpages
- Subpages: **CV, Research, Projects, Contact**
- Shared header/footer, responsive layout, and simple dark theme
- Ready for a future **Blog** (optional)

Personalize: replace all placeholder text (name, bio, links) and drop your `cv.pdf` in the repo root.

---

## File tree

```
AddisonRyne.github.io/
├── index.html
├── cv.html
├── research.html
├── projects.html
├── contact.html
├── styles.css
├── script.js
├── cv.pdf          # <-- add your real CV file
└── assets/
    ├── headshot.jpg   # <-- add your photo
    └── hero.svg        # optional decorative art
└── 404.html
```

## index.html (Home)

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width,initial-scale=1" />
  <title>Addison Ryne</title>
  <meta name="description" content="Addison Ryne - portfolio and research." />
  <link href="https://fonts.googleapis.com/css2?
family=Inter:wght@400;600;800&display=swap" rel="stylesheet">
  <link rel="stylesheet" href="styles.css" />
```

```

    </head>
<body>
  <header class="site-header">
    <a class="logo" href="/">Addison Ryne</a>
    <button class="menu-btn" aria-expanded="false" aria-controls="nav"
id="menuBtn">Menu</button>
    <nav id="nav" class="nav">
      <a href="/">Home</a>
      <a href="/cv.html">CV</a>
      <a href="/research.html">Research</a>
      <a href="/projects.html">Projects</a>
      <a href="/contact.html">Contact</a>
    </nav>
  </header>

  <main>
    <section class="hero">
      <div class="hero-inner">
        <h1>Hi, I'm Addison.</h1>
        <p>I'm a <strong>[your role]</strong> focused on <strong>[areas of
interest]</strong>. I enjoy turning ideas into usable things and sharing what I
learn.</p>
        <div class="cta">
          <a class="btn primary" href="/cv.html">View CV</a>
          <a class="btn" href="/research.html">See Research</a>
        </div>
      </div>
      
    </section>

    <section class="section about">
      <div class="about-wrap">
        
        <div>
          <h2>About me</h2>
          <p>
            Write 3-5 lines that cover where you are, what you work on, and what
you're looking for.
            Example: "I'm a PhD candidate at X University studying Y. My
research explores Z. I like
              building tools that make [domain] more approachable."
          </p>
          <p class="muted">Currently: <em>[role / institution]</em> • Based in
<em>[city]</em></p>
        </div>
      </div>
    </section>
  
```

```

<section class="section">
  <h2>Explore</h2>
  <div class="grid cards">
    <a class="card card-link" href="/cv.html">
      <h3>CV</h3>
      <p>Education, positions, publications, talks.</p>
    </a>
    <a class="card card-link" href="/research.html">
      <h3>Research</h3>
      <p>Active projects, papers, datasets, and code.</p>
    </a>
    <a class="card card-link" href="/projects.html">
      <h3>Projects</h3>
      <p>Selected builds and open-source work.</p>
    </a>
    <a class="card card-link" href="/contact.html">
      <h3>Contact</h3>
      <p>How to reach me and elsewhere on the web.</p>
    </a>
  </div>
</section>
</main>

<footer class="site-footer">
  <p>© <span id="year"></span> Addison Ryne · <a
  href="mailto:addison@example.com">addison@example.com</a></p>
</footer>

<script src="/script.js"></script>
</body>
</html>

```

## cv.html

```

<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width,initial-scale=1" />
  <title>CV · Addison Ryne</title>
  <link href="https://fonts.googleapis.com/css2?
family=Inter:wght@400;600;800&display=swap" rel="stylesheet">
  <link rel="stylesheet" href="/styles.css" />

```

```

</head>
<body>
  <header class="site-header">
    <a class="logo" href="/">Addison Ryne</a>
    <button class="menu-btn" aria-expanded="false" aria-controls="nav"
id="menuBtn">Menu</button>
    <nav id="nav" class="nav">
      <a href="/">Home</a>
      <a class="active" href="/cv.html">CV</a>
      <a href="/research.html">Research</a>
      <a href="/projects.html">Projects</a>
      <a href="/contact.html">Contact</a>
    </nav>
  </header>

  <main class="section narrow">
    <h1>Curriculum Vitae</h1>
    <p><a class="btn" href="/cv.pdf" target="_blank" rel="noopener">Download
PDF</a></p>

    <h2>Education</h2>
    <ul class="list-plain">
      <li><strong>[Degree]</strong>, [Institution] – [Year]</li>
      <li><strong>[Degree]</strong>, [Institution] – [Year]</li>
    </ul>

    <h2>Experience</h2>
    <ul class="list-plain">
      <li><strong>[Role]</strong>, [Company] – [Years] · one-line impact
statement.</li>
      <li><strong>[Role]</strong>, [Company] – [Years] · one-line impact
statement.</li>
    </ul>

    <h2>Publications</h2>
    <ol>
      <li>Author, <em>Title</em>, Venue, Year. <a class="link" href="#">pdf</a>
· <a class="link" href="#">code</a></li>
    </ol>

    <h2>Talks</h2>
    <ul class="list-plain">
      <li>Title – Event, Year. <a class="link" href="#">slides</a></li>
    </ul>
  </main>

  <footer class="site-footer">

```

```

<p>© <span id="year"></span> Addison Ryne</p>
</footer>
<script src="/script.js"></script>
</body>
</html>

```

## research.html

```

<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width,initial-scale=1" />
  <title>Research · Addison Ryne</title>
  <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;600;800&display=swap" rel="stylesheet">
  <link rel="stylesheet" href="/styles.css" />
</head>
<body>
  <header class="site-header">
    <a class="logo" href="/">Addison Ryne</a>
    <button class="menu-btn" aria-expanded="false" aria-controls="nav" id="menuBtn">Menu</button>
    <nav id="nav" class="nav">
      <a href="/">Home</a>
      <a href="/cv.html">CV</a>
      <a class="active" href="/research.html">Research</a>
      <a href="/projects.html">Projects</a>
      <a href="/contact.html">Contact</a>
    </nav>
  </header>

  <main class="section">
    <h1>Research</h1>
    <p class="muted">Summarize your research agenda in 2-4 sentences.</p>

    <div class="grid papers">
      <article class="card">
        <h3>Paper/Project Title</h3>
        <p>Short 1-2 sentence abstract in plain language.</p>
        <p class="muted">Authors: You, Collaborator · Venue Year</p>
        <div class="row">
          <a class="btn" href="#">PDF</a>
          <a class="btn" href="#">Code</a>
        </div>
      </article>
    </div>
  </main>
</body>

```

```

        <a class="btn" href="#">Poster</a>
    </div>
</article>
<!-- Duplicate .card blocks per paper/project -->
</div>
</main>

<footer class="site-footer">
    <p>© <span id="year"></span> Addison Ryne</p>
</footer>
<script src="/script.js"></script>
</body>
</html>

```

## projects.html

```

<!doctype html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width,initial-scale=1" />
    <title>Projects · Addison Ryne</title>
    <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;600;800&display=swap" rel="stylesheet">
    <link rel="stylesheet" href="/styles.css" />
</head>
<body>
    <header class="site-header">
        <a class="logo" href="/">Addison Ryne</a>
        <button class="menu-btn" aria-expanded="false" aria-controls="nav" id="menuBtn">Menu</button>
        <nav id="nav" class="nav">
            <a href="/">Home</a>
            <a href="/cv.html">CV</a>
            <a href="/research.html">Research</a>
            <a class="active" href="/projects.html">Projects</a>
            <a href="/contact.html">Contact</a>
        </nav>
    </header>

    <main class="section">
        <h1>Projects</h1>
        <div class="grid">
            <article class="card">

```

```

        <h3>Project Name</h3>
        <p>What it is, what it does, why it matters.</p>
        <a class="link" href="#">View</a>
    </article>
</div>
</main>

<footer class="site-footer">
    <p>© <span id="year"></span> Addison Ryne</p>
</footer>
<script src="/script.js"></script>
</body>
</html>

```

## contact.html

```

<!doctype html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width,initial-scale=1" />
    <title>Contact · Addison Ryne</title>
    <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;600;800&display=swap" rel="stylesheet">
    <link rel="stylesheet" href="/styles.css" />
</head>
<body>
    <header class="site-header">
        <a class="logo" href="/">Addison Ryne</a>
        <button class="menu-btn" aria-expanded="false" aria-controls="nav" id="menuBtn">Menu</button>
        <nav id="nav" class="nav">
            <a href="/">Home</a>
            <a href="/cv.html">CV</a>
            <a href="/research.html">Research</a>
            <a href="/projects.html">Projects</a>
            <a class="active" href="/contact.html">Contact</a>
        </nav>
    </header>

    <main class="section narrow">
        <h1>Contact</h1>
        <p>Best way to reach me is email: <a class="link" href="mailto:addison@example.com">addison@example.com</a></p>

```

```

<form class="contact-form" action="https://formspre.io/f/your-id"
method="POST">
  <label>
    Name
    <input type="text" name="name" required />
  </label>
  <label>
    Email
    <input type="email" name="email" required />
  </label>
  <label>
    Message
    <textarea name="message" rows="5" required></textarea>
  </label>
  <button class="btn primary" type="submit">Send</button>
</form>
</main>

<footer class="site-footer">
  <p>© <span id="year"></span> Addison Ryne</p>
</footer>
<script src="/script.js"></script>
</body>
</html>

```

## styles.css (shared styles)

```

:root{
  --bg: #0b0f14;
  --panel: #111827;
  --text: #e5e7eb;
  --muted: #9ca3af;
  --accent: #60a5fa;
  --accent-2: #22d3ee;
  --radius: 16px;
}
* { box-sizing: border-box; }
html, body { margin: 0; padding: 0; }
body {
  font-family: "Inter", system-ui, -apple-system, Segoe UI, Roboto, Arial, sans-serif;
  color: var(--text);
  background: radial-gradient(1200px 800px at 80% -10%, rgba(34,211,238,.12),

```

```

transparent 50%),
            radial-gradient(1200px 800px at -10% 20%, rgba(96,165,250,.12),
transparent 50%),
            var(--bg);
line-height: 1.6;
}
.site-header {
display: flex; align-items: center; justify-content: space-between;
padding: 16px 20px; position: sticky; top: 0; backdrop-filter: blur(8px);
background: rgba(11,15,20,0.6); z-index: 1000; border-bottom: 1px solid
rgba(255,255,255,0.06);
}
.logo { font-weight: 800; letter-spacing: .5px; color: var(--text); text-
decoration: none; }
.menu-btn { display: none; background: none; border: 1px solid rgba(255,255,
255,.15); color: var(--text); padding: 8px 12px; border-radius: 10px; }
.nav a { color: var(--text); text-decoration: none; margin-left: 18px;
opacity: .9; }
.nav a:hover, .nav a.active { color: white; opacity: 1; }
.hero {
display: grid; grid-template-columns: 1.2fr .8fr; gap: 32px; align-items:
center;
padding: 64px 20px; max-width: 1100px; margin: 0 auto;
}
.hero-inner h1 { font-size: clamp(2rem, 4vw, 3.2rem); margin: 0 0 12px; }
.hero-inner p { color: var(--muted); margin: 0 0 24px; }
.cta .btn { margin-right: 10px; }
.hero-art { width: 100%; max-width: 520px; border-radius: var(--radius); box-
shadow: 0 10px 30px rgba(0,0,0,.4); background: var(--panel); }
.section { max-width: 1100px; margin: 0 auto; padding: 56px 20px; }
.section h2 { font-size: clamp(1.6rem, 3vw, 2.2rem); margin: 0 0 16px; }
.grid { display: grid; gap: 20px; grid-template-columns: repeat(3, minmax(0,
1fr)); }
.cards .card { transition: transform .15s ease, box-shadow .15s ease; }
.card { background: linear-gradient(180deg, rgba(255,255,255,.04), rgba(255,255,
255,.02));
border: 1px solid rgba(255,255,255,.08); border-radius: var(--radius);
padding: 20px; }
.card-link { text-decoration: none; color: inherit; }
.card-link:hover { transform: translateY(-2px); box-shadow: 0 10px 24px rgba(0,
0,0,.25); }
.list-plain { list-style: none; padding: 0; margin: 0; }
.row { display: flex; gap: 10px; flex-wrap: wrap; }
.about .about-wrap { display: grid; grid-template-columns: 140px 1fr; gap:
20px; align-items: center; }
.headshot { width: 140px; height: 140px; object-fit: cover; border-radius: 50%;
border: 2px solid rgba(255,255,255,.2); }
.narrow { max-width: 820px; }

```

```

.contact-form { display: grid; gap: 12px; max-width: 520px; }
label { display: grid; gap: 6px; font-weight: 600; }
input, textarea {
  background: var(--panel); color: var(--text); border: 1px solid rgba(255,255,255,.12);
  border-radius: 12px; padding: 12px 14px; outline: none;
}
input:focus, textarea:focus { border-color: var(--accent); }
.btn {
  display: inline-block; padding: 10px 16px; border-radius: 999px; border: 1px solid rgba(255,255,255,.12);
  background: transparent; color: var(--text); text-decoration: none; font-weight: 600;
}
.btn.primary { background: linear-gradient(135deg, var(--accent), var(--accent-2)); border: none; color: #0b0f14; }
.btn:hover { transform: translateY(-1px); }
.site-footer { max-width: 1100px; margin: 0 auto; padding: 40px 20px; color: var(--muted); border-top: 1px solid rgba(255,255,255,.06); text-align: center; }
@media (max-width: 900px){ .hero { grid-template-columns: 1fr; } }
@media (max-width: 720px){
  .menu-btn { display: inline-block; }
  .nav { display: none; }
  .nav.open { display: block; position: absolute; top: 62px; right: 20px; background: var(--panel); padding: 12px; border-radius: 12px; }
  .nav a { display: block; margin: 8px 0; }
  .grid { grid-template-columns: 1fr; }
  .about .about-wrap { grid-template-columns: 1fr; }
}
}

```

## script.js (small enhancements)

```

// Mobile menu toggle
const btn = document.getElementById('menuBtn');
const nav = document.getElementById('nav');
btn?.addEventListener('click', () => {
  const open = nav.classList.toggle('open');
  btn.setAttribute('aria-expanded', open ? 'true' : 'false');
});
// Current year in footer
document.getElementById('year').textContent = new Date().getFullYear();

```

## 404.html (optional custom not-found page)

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width,initial-scale=1" />
  <title>Not Found · Addison Ryne</title>
  <link rel="stylesheet" href="/styles.css" />
</head>
<body>
  <main class="section narrow">
    <h1>Page not found</h1>
    <p>Oops – that URL doesn't exist. Head back <a class="link" href="/">home</a>.</p>
  </main>
</body>
</html>
```

## How to publish (quick)

1. In your repo, click **Add file** → **Upload files** and upload all the files above (keep the same structure).  
Or clone locally and push.
2. Go to **Settings** → **Pages**.
3. **Source:** Deploy from a branch
4. **Branch:** `main` (folder: `/root`)
5. Save; after the build, your site will be live at <https://AddisonRyne.github.io/>.
6. Optional: add a custom domain in **Settings** → **Pages**, then set DNS and enable **Enforce HTTPS**.

## Nice future upgrades (optional)

- Add a **Blog** with a `blog/` folder and simple `index.html` list of posts.
- Add Google Scholar/ORCID badges and social links in the footer.
- Use a form handler (Formspree/Getform) for the contact form; replace `action` with your endpoint.
- Add analytics (e.g., Plausible) by dropping their script in `<head>`.