

FOR AFFILIATE MANAGERS & TECH SUPPORT

Param Decoder

How to use it

Paste a link, get the answer. A five-minute walkthrough of every mode.

START HERE

Which mode do I use?

Match what you're holding to a mode:

One offer or **checkout link**



Inspect

Two links to compare



Compare

A whole **column of links**



Batch

A tracker's **postback URL**



Postback

A **decline code** from a failed charge



Decline

Read & repair one link.

- 1 **Paste** any offer or checkout URL — even messy, encoded, or with a Base64 redirect.
- 2 **Read** the plain-English table — every param labelled, flagged **red** / **amber** / **green**.
- 3 **Fix** inline — one-click repairs for an empty `aff_id`, a typo'd param, a bad UTM.
- 4 **Copy** the clean rebuilt link, or the **ticket-ready diagnosis**.

One vs one, or all at once.

COMPARE

Why does one track and the other doesn't?

Two links side by side, merged by param. Differences in `aff_id` and `subid` jump out — the fastest answer to a tracking mystery.

BATCH

Audit a campaign in one paste

Drop a whole spreadsheet column of links → a green/red pass-fail table.
Export CSV, bulk-fill a missing `aff_id`, jump into any row.

Set up a tracker postback right.

Paste the tracker's postback URL to check it against the tokens BuyGoods actually fills — then copy the exact template for the affiliate's tracker:

- **Voluum** — `cid` carries the click ID, `payout` the revenue, `txid` the order ID.
- **CPV Lab** — `subid` + `revenue`, called at `adclick.php`.
- **AnyTrack** — `click_id` + `value` + `transactionId`.

Each one sourced from the tracker's own docs, with a copy button.

Explain a failed payment.

A decline code comes from the **transaction** — the backoffice, the gateway response, the customer's error — **not** from a URL. Paste the *code*:

insufficient_funds

soft · worth a retry

SOFT

Temporary

A retry can still go through — insufficient funds, issuer busy.

HARD

Permanent for this card

Expired, lost / stolen, do-not-honor — ask for a different card.

Tip: if a failure URL *does* carry the code, Inspect spots it inline.

What the colours & badges mean.

Flags

- **Error** — broken; usually a missing `aff_id`.
- **Warning** — worth a look, won't block.
- **OK** — recognised and valid.
- **Heads-up** — commission vs click-ID note.

Trust badges

- CONFIRMED** Team-trusted meaning.
- INFERRED** A best guess — not yet verified.
- NOTED** A meaning you saved on this device.

REMEMBER

Paste live links safely.

Everything runs in your browser — nothing you paste is sent, stored, or logged. Customer and order links are safe.

`adelinalipsa.github.io/param-decoder` open it and start pasting