

INTERNAL TOOL · AFFILIATE MANAGERS & TECH SUPPORT

Param Decoder

Read, validate, and fix any BuyGoods link, postback, or decline code — in one glance, in the browser.

100% `client-side` nothing you paste ever leaves your browser

THE PROBLEM

Reading a BuyGoods link takes a veteran.

A support person stares at a wall of `aff_id`, `subid`, `pfnid`, Base64 redirects and decline codes — and has to pull in an affiliate manager just to answer “why isn’t this tracking?” or “why did this charge fail?”

Tribal knowledge

The meaning of each param lives in a few people’s heads.

Slow tickets

Every broken link is a back-and-forth with an AM.

Risky tools

Generic online parsers POST live customer links to a server.

WHAT IT IS


A parameter utility — nothing more, on purpose.

It reads, validates, fixes, and compares BuyGoods URLs, checks tracker postbacks, and explains decline codes. Analytics and reporting stay in the company's own **clickcrm.com** platform — this tool doesn't duplicate them.

- So a junior can paste a link and get the right answer **without a veteran AM**.
- And paste **live customer / order links safely** — it never phones home.

It knows BuyGoods — the two jobs of every link.

A single click does two separate jobs. Telling them apart is the whole point.



A link can pay the affiliate yet never report back — or track perfectly yet earn no commission. **Different breakage, different fix.**

ONE TOOL, FIVE JOBS

The modes.

INSPECT

Read & fix one link

Plain-English param table, red/amber/green flags, inline fixes, a clean rebuilt link, and a ticket-ready diagnosis.

COMPARE

Two links, merged

See exactly why one tracks and the other doesn't.

BATCH

A column of links

Green/red pass-fail audit across a whole campaign.

POSTBACK

Tracker postbacks

Validate tokens + copy the right per-tracker template.

DECLINE

Failed payments

~190 codes explained: soft/hard, retry, customer message.

+ Help

A built-in, animated guide for the whole team.

AUTHORITATIVE, NOT A GUESS

Decline codes, sourced from the processors.

~190 codes transcribed verbatim from each payment processor's own docs — every result cites its source. No invented codes.

Stripe · 50 codes

Braintree / PayPal · full 2xxx

NMI · response codes

SOFT

Temporary — a retry can work

Insufficient funds, issuer busy, processing error.

HARD

Permanent for this card

Expired, lost / stolen, do-not-honor — use another card.

The right postback, per tracker.

Each tracker's own param names, mapped to the BuyGoods token that fills them — sourced from the tracker's docs, copy-ready.

- **Voluum** `cid={SUBID}&payout={COMMISSION_AMOUNT}&txid={ORDERID}`
- **CPV Lab** `subid={SUBID}&revenue={COMMISSION_AMOUNT}`
- **AnyTrack** `click_id={SUBID}&value={COMMISSION_AMOUNT}`

A living dictionary the team grows.

Every param carries a trust level, so an AM always knows what to rely on:

CONFIRMED

Shipped, team-trusted — no badge in the table.

INFERRED

A best guess from real links — flagged as not-yet-verified.

NOTED

A meaning **you** captured on this device — it then explains itself on every link.

Describe an unknown param or confirm an inferred one, and the dictionary gets smarter — **without a deploy**.

WHY NOT A GENERIC URL DECODER?

It explains; a parser only echoes.

GENERIC DECODER

```
aff_id = 162939
subid2 = {clickid}
```

echoes the keys back

PARAM DECODER

- **aff_id** — earns the affiliate's commission
- **subid2** — click ID, reports the sale to their tracker

explains, flags & fixes — in BuyGoods terms

WHERE IT LIVES

One file. No install. Always current.

A single self-contained page, hosted on GitHub Pages —
open it and paste.

298

passing tests

~190

sourced decline codes

0

bytes sent to any server

`adelinalipsa.github.io/param-decoder`