

Adverse selection in tokenized carbon markets: who profited from the first pool collapse

Wei Cai^{1*} and Adeline Wen¹

*Corresponding author(s). E-mail(s): weicaics@uw.edu;
Contributing authors: ywen8@uw.edu;

overnments and corporations spend billions of dollars on carbon credits to offset their emissions, yet many of these credits may not represent real climate benefits. When credits of widely varying quality trade at a single price, economic theory predicts that low-quality assets will crowd out high-quality ones, but direct evidence for this dynamic in carbon markets has been absent. Here, we reconstruct every transaction in the largest pooled carbon credit market (22 million tonnes) and show that its collapse was driven by renewable energy credits with near-zero additionality (the requirement that emission reductions would not have occurred without carbon revenue; 69.1% of pool content), not by forest conservation credits (4.2%) as widely claimed. Two nearly separate populations (1.4% overlap) operated on opposite sides: sellers deposited credits indiscriminately, while a small group of informed buyers extracted the credits that retained value elsewhere, earning an estimated \$4–\$8 million. Meanwhile, 9.6 million tonnes of low-quality credits remain permanently stranded. A natural experiment comparing identical credits across two pools with different quality screens confirms that market design, not credit type, is the primary determinant of asset fate. Uniform pricing of heterogeneous carbon credits produces systematic quality collapse even when quality differences are publicly observable.

Introduction

Every year, companies and governments purchase carbon credits worth billions of dollars to compensate for their greenhouse gas emissions. A carbon credit represents one tonne of CO₂ theoretically prevented from entering the atmosphere, but the climate value of individual credits varies enormously. The central question for any carbon market is whether it can reliably distinguish credits that represent genuine emission reductions from those that do not. When market design fails to price these quality differences, the result is adverse selection (a dynamic in which low-quality goods crowd

out high-quality ones, first formalized by Akerlof in 1970 as the “lemons problem”) ^{12,3}. The voluntary carbon market (VCM), valued at over \$2 billion annually, faces exactly this risk: recent empirical work estimates that fewer than 16% of credits from investigated projects represent genuine reductions ⁴, with at least 52% of Indian wind power offsets going to projects that would have been built regardless of carbon revenue ⁵.

Blockchain-based tokenization promised to solve this problem through radical transparency. By recording every transaction on a public ledger, tokenized carbon pools would, in theory, allow any participant to verify credit quality before trading. The first and largest such experiment — and the only tokenized carbon pool to have completed a full price-collapse cycle with auditable data — was Toucan Protocol’s Base Carbon Tonne (BCT) pool: a smart contract (an automated program on a blockchain, a tamper-proof digital ledger shared across thousands of computers) that accepted verified carbon credits from the Verra registry (the world’s largest carbon credit standard) and issued fungible tokens (interchangeable units, each representing one tonne) at a single price, regardless of the underlying credit’s quality. BCT’s price collapsed from approximately \$7 per token in late 2021 to below \$0.50 by mid-2023. Industry commentary and academic analyses attributed this collapse to low-quality forest conservation credits (specifically REDD+, a program that pays landowners to avoid deforestation) flooding the pool ^{2,6,7,8,9}. This narrative drew support from the broader literature documenting REDD+ crediting problems ^{4,10,11} but was never tested against the pool’s actual credit-level composition data, which are publicly recorded and straightforward to query — the blockchain records every transaction with exact timestamps, enabling complete forensic reconstruction.

Here, we analyze every deposit (1,187), every withdrawal (35,432), every credit token (161), and every market participant (509 depositors, 28,897 redeemers) across BCT’s entire operating history. The data contradict the prevailing narrative. BCT was 69.1% renewable energy credits, predominantly wind farms and solar installations with near-zero additionality (meaning the projects would have been built with or without carbon revenue), and just 4.2% REDD+. Five accounts extracted 1.55 million tonnes of high-demand credits at an estimated profit of \$4–\$8 million, while 9.6 million tonnes of low-quality renewables remain permanently stranded.

A natural experiment comparing identical credits across two pools with different quality screens reveals that the same credits were 100% extracted from BCT but only 28.5% extracted from a quality-gated pool, indicating that pool design rather than credit quality is the primary determinant of asset fate. Unlike prior work that quantifies overcrediting at the project level ^{4,5}, we trace how overcredited assets produce participant-level profits and systematic quality collapse once they enter a pooled market, even when quality differences are publicly observable. We term this outcome *design-enabled adverse selection*: distinct from Akerlof’s classical lemons problem (which requires private information about quality), this mechanism operates through architectural pricing constraints. Quality information is available to all participants but is not reflected in prices because the pool’s smart contract treats every deposited credit as identical — a participant who wants to buy a specific high-quality credit cannot do so; they can only buy a generic pool token whose price reflects the pool

average, not the quality of any individual credit. Thus, uniform pricing of heterogeneous assets under voluntary participation is sufficient to produce market failure. For the \$10 billion tokenized real-world asset sector and for the Article 6.4 crediting mechanism (a new international carbon trading system being negotiated under the Paris Agreement), the implication is direct: transparency alone does not prevent quality collapse without quality-differentiated pricing.

Results

BCT's real composition contradicts the REDD+ narrative

The first step is to establish what BCT actually contained. We extracted all 1,187 deposit records from BCT's public transaction ledger, covering 168 unique Verra VCS projects and approximately 22 million tonnes of tokenized carbon credits (see Methods for data collection).

The composition was dominated by renewable energy credits (Fig. 1): 69.1% of total deposited tonnage consisted of grid-connected wind, hydro, and solar projects from China and India, registered between 2008 and 2013. These renewable energy projects are precisely the categories from the CDM era (the Clean Development Mechanism, a now-defunct UN crediting program that ran from 2006 to 2020) that the ICVCM (Integrity Council for the Voluntary Carbon Market, the sector's main governance body) has declined to approve for its Core Carbon Principles label, and that multiple independent studies have documented as having near-zero additionality: Cames et al.¹² and Schneider et al.¹³ in program-level assessments, Probst et al.⁴ in a meta-analysis finding no statistically significant emission reductions from wind power CDM projects, and Cael et al.⁵ in a project-level study estimating 52% non-additionality among Indian wind offsets. The projects would have been built regardless of carbon revenue. An illustrative satellite-based cross-check of 28 Indian CDM renewable energy projects in the BCT pool is consistent with this assessment: comparing country-level CDM-claimed emission factors (the amount of CO₂ assumed to be displaced per unit of electricity generated) against Ember's observed grid emission factors for the same vintage years (the year in which the emission reductions were claimed to have occurred) reveals a mean overclaim of 26.5% (range 23.6–28.8%), with aggregate claimed emissions of 3.39 million tCO₂ versus 2.70 million tCO₂ consistent with observed grid data (see Supplementary Methods). Additionally, an illustrative Sentinel-5P TROPOMI (a satellite instrument that measures atmospheric methane concentrations from space) methane column analysis of 9 BCT waste/methane projects found 5 of 9 (56%) with site-level methane concentrations not significantly below background, though TROPOMI spatial resolution (5.5 km) limits project-level attribution.

REDD+ credits, widely blamed for BCT's collapse, constituted just 4.2% of the pool, more than 16 times smaller than the renewable share. Even combining all nature-based categories (REDD+, ARR (afforestation, reforestation, and revegetation), and IFM (improved forest management)), the total is approximately 10% versus 69.1% for renewables alone.

Base-rate selection: BCT over-selected renewables at $1.87\times$ the registry rate

Having established BCT’s composition, the next question is whether this pattern reflects the broader carbon credit supply or a selection effect. BCT’s renewable dominance could, in principle, reflect the shape of the VCS-eligible universe. We obtained Verra VCS issuance data from MSCI (2024) and Ecosystem Marketplace (2023) indicating that renewable energy credits constitute approximately 37% of total VCS issuance by volume (we adopt this as the central estimate because it represents the most recent comprehensive survey; we test robustness across the full sensitivity range of 26–48%).

BCT’s renewable share (69.1% by tonnage; 78.5% by deposit count) yields a selection coefficient of $1.87\times$ the VCS base rate. Because deposits are clustered by account (509 accounts, Gini coefficient = 0.94 indicating high concentration, effective $N = 83.5$ by HHI, the Herfindahl–Hirschman Index of market concentration), we use account-clustered inference rather than a naive binomial test. An account-level permutation test (10,000 iterations, resampling accounts with their full deposit portfolios under the null $P(\text{renewable}) = 0.37$) produces $p < 0.0001$; 89.0% of accounts have majority-renewable portfolios. The selection coefficient with account-level bootstrap 95% CI is 0.522 [0.496, 0.547] (excess renewable share above the 37% null). Under conservative base-rate assumptions (post-2008 VCS at 55%), the selection coefficient remains $1.43\times$ ($p < 10^{-64}$). Over-selection becomes non-significant only at base rates exceeding 78.5%, an implausible assumption.

Conversely, REDD+ is under-represented at $0.2\times$ the VCS base rate (BCT 4.2% vs. VCS $\sim 17\%$), directly contradicting the narrative that REDD+ credits overwhelmed the pool.

Bridge-level decomposition. Enumerating all TCO2 tokens created by Toucan’s factory contract reveals 369 unique tokens bridged before 2023, of which 345 (93.5%) were deposited into BCT. Only 24 bridged tokens never entered the pool. By tonnage, the pass-through is even more extreme: BCT absorbed 21.98 million of 22.07 million bridged tonnes (99.6%), with the 24 non-BCT tokens holding a combined 86,683 tonnes (0.4%). This near-complete pass-through indicates that the $1.87\times$ over-selection relative to the VCS base rate is primarily a bridge-level phenomenon (Toucan’s permissionless bridge disproportionately attracted renewable energy credits from Verra) rather than depositors selectively choosing renewables from a diverse bridged universe. Pool-level selection space was essentially zero.

Price-quality feedback loop: composition predicts price collapse

Composition alone does not explain a market collapse; the missing link is whether quality degradation is connected to price. The preceding sections establish *what* BCT contained and that its composition reflects selection. The critical question is whether quality composition is connected to BCT’s price trajectory.

We obtained daily BCT prices in US-dollar terms (828 daily observations, October 2021 – July 2024; see Methods for data sources) and merged with daily cumulative quality metrics computed from the deposit stream ($n = 331$ overlapping days).

Correlation. BCT’s price and cumulative Pool Quality Deficit (PQD, where higher values indicate worse quality; defined in Methods) are strongly correlated (Pearson $r = 0.774$, $p < 10^{-66}$): as the pool’s quality declined, its price declined proportionally. In a first-differenced OLS regression (a method that analyses day-to-day changes rather than levels, the credible specification for non-stationary series), changes in renewable share predict price changes ($\beta = -1.8$, $p < 0.001$): each percentage-point increase in the renewable share of deposits is associated with a \$1.80 decrease in BCT’s price.

Granger causality (a test of whether past values of one variable help predict another, chosen because it can distinguish the direction of temporal precedence between price and quality changes). At weekly frequency ($n = 55$), we find asymmetric bidirectional Granger causality (Fig. 2). The dominant channel is price-to-quality: price changes precede quality changes ($F = 16.08$, $p < 10^{-5}$ at lag 1–2), consistent with the hypothesis that lower prices attracted lower-quality deposits. The reverse channel (quality composition changes preceding price movements) is significant but $2.5\times$ weaker ($F = 6.32$, $p = 0.004$). This asymmetry is consistent with the design-enabled framing: the pool’s architecture established the initial quality composition (see base-rate selection above), which set a price level that then became the dominant driver of further quality deterioration. The architecture initiated the collapse; the market’s price discovery amplified it. We note the small sample ($n = 55$ weeks) limits statistical power for Granger tests, and the first-differenced daily regression ($n = 330$, $\beta = -1.8$, $p < 0.001$) provides a more powerful confirmation that quality and price co-move at the expected sign. Rolling 30-day quality metrics show no Granger causality in either direction, confirming that the feedback operates through accumulated pool composition rather than marginal deposit quality. Given the small-sample limitations, we present the Granger analysis as exploratory evidence; the primary identification relies on the within-token cross-pool comparison and the first-differenced daily regression.

Redemption-side evidence. Analysis of 35,432 Transfer events from the BCT pool contract reveals that the selection dynamic operated on both sides. Non-renewable credits were preferentially redeemed out of the pool (Table 1): industrial gas 100% redeemed, REDD+ 99.8%, IFM 93.0%, ARR 91.3%, compared with just 3.7% of renewable credits. The tonnage-weighted mean quality of redeemed credits (38.7) exceeded that of deposited credits (31.7) by 7 points. The type-level redemption differentials (3.7% vs. 91–100%) are self-evidently large and do not require a formal significance test. As a result, BCT’s net renewable share increased from 71% to 76% over the pool’s lifetime.

The exit followed a type-level Gresham sequence (Fig. 2b): the most valuable credit types were extracted first. ARR credits exited earliest (median March 2022), followed by industrial gas (July), IFM (October), REDD+ (November), and renewable energy last (December), perfectly ordered by off-chain market demand ($\rho = -0.74$, $n = 7$ types). Before the May 2022 market crash, redemptions were dominated by high-value credits (tonnage-weighted quality 42.0); afterwards, quality dropped to 32.4, a 10-point gap reflecting selective exit while BCT’s price still exceeded the off-chain value of premium credits.

Depositors and redeemers are almost entirely distinct populations: only 1.4% of the 28,897 redeemer accounts also appear among the 509 depositor accounts. The top 10 redeemers account for 85.0% of extracted tonnage, and their transactions occurred in rapid automated bursts (median gap 4.6 seconds between events), consistent with programmatic rather than manual execution.

This dual-margin structure (passive, architecture-driven entry on one side; active, strategic extraction on the other) is not predicted by standard adverse selection models, which typically assume a single population. The 99.6% tonnage pass-through shows that entry was indiscriminate; the type-specialist extraction shows that exit was deliberate. Two independent populations exploited different margins of the same mechanism.

Account forensics: who extracted and what they took

The preceding analysis identifies what was extracted; we now ask who did the extracting. The 28,897 unique redeemer accounts are not a uniform population. Account-level analysis of the 161 scored tokens’ complete transfer histories reveals a forensic pattern: the largest redeemers are type-specialist extractors who never participated in the deposit side.

Table 2. Top 5 redeemers by tonnage.

Account	Tonnes redeemed	Dominant type	Mean quality	Also depositor?
0x65a5...	651,334	Industrial gas	30.9	No
0x1b8e...	335,556	IFM	40.0	Yes
0xee4b...	195,051	REDD+	31.4	No
0x4b3e...	188,205	ARR	50.4	No
0x8556...	183,629	ARR	46.0	No

These five accounts extracted 1.55 million tonnes, representing the vast majority of redeemed industrial gas, the majority of REDD+ (37%), and a substantial fraction of ARR (44%) that had been deposited into BCT. At contemporaneous off-chain credit prices, the extracted credits were worth approximately \$8–\$13 million while the BCT redemption cost was approximately \$4–5 million, yielding an estimated profit of \$3–\$9 million across the five accounts (central estimate \$4–\$8 million) (see Methods for price assumptions). Fifteen of the twenty largest redeemers never deposited anything; each targeted a single credit type. This is not random redemption but type-targeted extraction by actors who entered the pool solely to capture the price differential between BCT’s uniform pool price and the higher off-chain value of specific credit types.

Where did the extracted credits go? Tracing the immediate destination of each redeemed credit across the 20 largest extractors (2.57 million tonnes), three pathways emerged:

- **Cross-pool arbitrage (39.2%)**: deposited into Toucan’s NCT (Nature Carbon Tonne) pool, a quality-screened counterpart to BCT that shares identical protocol infrastructure (making it the closest available control), exploiting the price differential between BCT’s uniform pricing and NCT’s nature-based premium.
- **Immediate retirement (34.6%)**: permanently retired (meaning the credits were formally cancelled and can never be used again, fulfilling their original purpose as

emission offsets) within seconds of extraction, indicating pre-arranged retirement pipelines. The largest extractor (0x65a5..., 651,334 tonnes of industrial gas) retired 100% of its credits in the same transaction as the redemption.

- **Secondary market (17.0%):** transferred to other addresses, with 6.9% re-deposited into BCT and 2.3% still held.

The BCT-to-NCT arbitrage was not opportunistic; it was a systematic pipeline. Of 31 tokens deposited into both BCT and NCT, 14 were redeemed from BCT, and all 14 satisfy the temporal sequence: BCT deposit $\rightarrow$ BCT redemption $\rightarrow$ NCT deposit (median: 103 days in BCT, then 14 days to NCT). No token violated this ordering.

Among the 399 accounts that both deposited and redeemed (the 1.4% overlap population), quality swap analysis (comparing the average quality of credits each account deposited versus the quality it withdrew) reveals no systematic quality arbitrage: the mean quality differential is -0.08 (effectively zero; tonnage-weighted: $+3.4$, driven by a few large accounts). The dual-margin mechanism operates through two distinct account populations (depositors who feed the pool with what the bridge produces, and extractors who take out what the off-chain market demands) connected only by the pool’s uniform pricing. We note that account-level separation does not establish entity-level independence: a single entity could operate separate deposit and redemption accounts.

Quality atlas and quality gating

To place BCT’s quality in context, we compare it against the full spectrum of voluntary carbon market segments. BCT’s Pool Quality Deficit (PQD, a 0-to-1 metric where higher values indicate worse quality; see Methods) of 0.679 places it at the bottom of the VCM quality spectrum, which spans a 10-fold range from 0.076 (DACCS, direct air carbon capture and storage) to 0.759 (grid-connected renewables) (Fig. 3). A within-pool permutation test ($z = -0.64$, $p = 0.27$) finds no evidence of within-pool selection bias; the eligible universe was uniformly low-quality. A BBB quality gate (the threshold that separates credits with verified additionality from those without) would have reduced BCT’s PQD to 0.405 (Fig. 4); the Toucan CHAR pool (biochar allowlist, PQD 0.221) demonstrates that category restriction prevents quality collapse (Supplementary Fig. 5).

Temporal dynamics and robustness

The cross-sectional composition tells part of the story; the temporal dynamics reveal how the pool’s quality evolved over its operating life.

Temporal quality decline is a vintage-composition effect. Deposit quality declines over BCT’s operating life (Spearman $\rho = -0.24$, $n = 1,187$, permutation $p < 0.0001$). However, this apparent decline is entirely driven by the vintage-year component of the composite score. When the vintage dimension is excluded, the temporal trend reverses sign ($\rho = +0.24$ for renewables; $\rho = -0.01$ for all types; Supplementary Table 2). Late deposits drew from progressively older vintages, not intrinsically worse credits within vintage. This is consistent with the design-enabled framing: the architecture attracted credit categories (CDM-era renewables) that inherently carried

older vintages, but within those categories, later deposits were not of lower quality than earlier ones.

Exogenous market shock. The May 2022 cryptocurrency market crash (see Methods) provides deposit-side evidence consistent with a causal channel. Pre-shock deposits ($n = 491$, mean quality 32.9) versus post-shock deposits ($n = 87$, mean quality 29.5) show a 3.4-point quality drop (Cohen’s $d = 0.49$, pooled standard deviation) accompanied by a 98% volume collapse (14.9M to 281k tonnes). The temporal quality degradation tripled in slope ($\rho = -0.12$ pre-shock versus $\rho = -0.36$ post-shock). The exogenous price shock simultaneously accelerated quality deterioration and drove volume toward zero, consistent with the price-to-quality feedback channel identified in the price-quality analysis above.

Compositional shift. Renewable share rises from 67% (Q1) to 99.5% (Q4). Token diversity collapses from 24 distinct scores to 2. Higher-quality types (IFM, Waste/Methane, ARR) ceased depositing earlier (median blocks 20.4M–21.7M) than renewables (32.6M).

Depositor concentration. Deposits were highly concentrated: 509 accounts participated, with the top 10 accounting for 50% of tonnage (Gini = 0.94). Large and small depositors deposited similar-quality credits (rank-biserial $r = -0.17$; the volume-weighted gap of 5 quality points does not survive permutation, $p = 0.082$).

Same credit, different pool, different fate. Fourteen tokens (1.50 million tonnes) — all nature-based credits that happened to be deposited into *both* BCT and NCT, providing a within-token comparison that holds credit quality constant. This within-token comparison provides the strongest identification in this study because it holds the underlying asset constant while varying only the pool architecture. In BCT (no quality gate), these nature-based tokens were 100% redeemed. In NCT (nature-based quality gate), the same tokens were only 28.5% redeemed (Fig. 6). The contrast is starkest for ARR credits: 100% redeemed from BCT versus 0.0% from NCT. An ARR credit that was a rare, undervalued asset in BCT’s renewable-dominated pool became an ordinary constituent of NCT’s nature-based pool, correctly priced and no longer worth selectively extracting. This pattern is consistent with pool design, rather than credit quality, being the primary determinant of whether these assets were extracted.

Difference-in-differences (robustness check). As a robustness check complementing the within-token comparison above, a deposit-level difference-in-differences (DiD) panel pooling all 1,895 deposit events (1,187 BCT + 708 NCT) tests whether BCT’s trajectory diverged from NCT’s after the May 2022 cryptocurrency market crash (chosen because it was exogenous to the carbon market, providing a sharp external shock to pool demand). We report two specifications: a compositional DiD using binary credit type (renewable = 1) as the outcome, requiring no quality scoring at all, and a quality-score DiD using the composite quality score.

The compositional DiD is the stronger result: BCT’s renewable share rose from 69.4% to 96.7% after the shock, while NCT’s remained at 0% ($\hat{\beta}_3 = +0.273$, cluster-robust SE = 0.045, $t = +6.12$, $p < 0.0001$; permutation $p < 0.0001$). We note that NCT mechanically cannot accept renewable credits, so the compositional divergence partly reflects eligibility rules rather than a pure treatment effect. The quality-score DiD, which uses a continuous outcome not mechanically constrained by eligibility, tells

a consistent story: BCT quality fell 7.3 points more than NCT after the shock ($\hat{\beta}_3 = -7.33$, cluster-robust SE = 2.50, $t = -2.93$, $p = 0.004$; permutation $p < 0.0001$; Bayesian $P(\beta_3 < 0) = 99.98\%$). We interpret these results as suggestive rather than causally identified: BCT and NCT differ in eligibility rules, participant populations, and liquidity as well as quality-gate design, and the parallel trends assumption required for causal DiD interpretation cannot be formally tested. The quality-score result provides the more informative test because it is not mechanically determined by eligibility constraints.

Market-revealed quality hierarchy

The analyses above rely on our quality scoring framework. A framework-free test asks whether credit type alone predicts which assets get extracted. A type-only prediction rule (classify credits in high-demand categories as redeemed and all others as stranded) achieves 96.9% accuracy, 9.9 percentage points above a naive null model. The quality-grade rule (BBB+ as redeemed) achieves 91.9%. Credit type captures the dominant axis of selective redemption; the quality framework does not add predictive power beyond type classification (Supplementary Table 3). The monotonic grade-redemption pattern (B 2.4% < BB 31.0% < BBB 78.0%) reflects this: all BBB tokens are nature-based credits with strong off-chain demand, while B-grade tokens are CDM-era renewables with none. Within the 116 renewable tokens, neither vintage ($\rho = 0.112$, $p = 0.23$) nor quality grade ($p = 0.20$) significantly predicts redemption.

The paper’s core findings (composition, base-rate over-selection, redemption-side extraction, within-token cross-pool comparison, and compositional DiD) are all based on transaction data and Verra credit-type classifications. None depend on the quality scoring framework, which provides an additional continuous measure for quality-volume tradeoff analysis but could be removed without altering the main conclusions.

In sum, 9.6 million tonnes of B-grade credits (63% of the 15.2 million tonnes covered by the 161-token scored analysis) remain unredeemed, constituting one of the largest carbon credit graveyards.

Discussion

Every transaction was public. Every credit’s quality metadata was freely available on the Verra registry and the blockchain. And yet the market collapsed exactly as economic theory predicts for markets with *hidden* quality differences. This paradox is the central finding: transparency without price differentiation does not prevent quality collapse. The underlying principle is Gresham’s Law (“bad money drives out good”), generalized by Akerlof (1970)¹ as the “lemons problem” for markets where quality is unobservable. BCT shows that the same dynamic operates even when quality *is* observable. The mechanism we term design-enabled adverse selection operates through market architecture rather than information asymmetry: wherever heterogeneous assets are pooled at a single price, low-quality units accumulate and high-quality units are selectively extracted, regardless of whether participants can observe the difference. This complements Akerlof’s framework by identifying a distinct pathway to

lemons-like outcomes: where Akerlof’s mechanism requires information asymmetry, the BCT case shows that architectural pricing constraints alone are sufficient. It also provides the first credit-level empirical test of the lemons dynamics that Manshadi et al.² model theoretically for the voluntary carbon market.

The misattribution of BCT’s collapse to REDD+ credits^{7,8,9}, plausible given evidence of REDD+ overcrediting^{4,11} but never verified against BCT’s actual composition, illustrates how structural quality failures can hide in plain sight. CDM-era renewable energy credits, which constituted 69.1% of BCT’s tonnage, suffered from near-zero additionality because the underlying projects (predominantly grid-connected wind in China) were already economically competitive. Unlike REDD+ failures, which generate visible controversy over baselines (baselines being the hypothetical emission levels that would have occurred without the carbon credit project) and deforestation, the additionality failure of renewable energy credits is structurally invisible: the wind farms exist, the electricity is real. This distinction matters for policy: quality assurance frameworks that focus on high-profile failure modes may miss the categories that dominate pool composition.

The welfare consequences are substantial. Nearly 10 million tonnes of nominally valid offsets remain permanently stranded at a 97.6% non-redemption rate, representing an illustrative welfare gap of \$100–\$250 million (Monte Carlo median \$146M, 90% CI \$68M–\$252M). Meanwhile, a small number of type-specialist accounts extracted \$4–\$8 million in realised profits by selectively redeeming the credits that off-chain markets still valued. Where Probst et al.⁴ and Cael et al.⁵ quantify overcrediting at the project level, we show how that overcrediting translates into participant-level extraction once credits enter a pooled market. Paradoxically, BCT’s failure as a market functioned as an inadvertent quality filter, removing 9.6 million tonnes of low-quality credits from active circulation, a permanent illiquidity event that no registry-level intervention has achieved.

The mechanism generalizes beyond carbon and beyond blockchain. The underlying logic (Gresham’s Law under uniform pricing) applies wherever heterogeneous assets are pooled, including registry-based VCM transactions where fungible credits of varying quality clear against undifferentiated compliance obligations^{3,14}. Cross-domain evidence supports this claim. Curve Finance’s staked-ETH/ETH liquidity pool (selected because its uniform-pricing mechanism structurally parallels BCT’s) shifted by approximately \$762M toward the lower-quality asset during the May 2022 crash, with composition shifts 40 times baseline. Across 20 NFTX vaults (uniform-price pools of non-fungible tokens, selected because they represent an entirely different asset class while sharing the same uniform-pricing architecture), 12 of 20 show net redemption outflow (selective extraction of higher-value items), and the largest vault exhibits a minter-redeemer overlap rate of 1.3%, near-identical to BCT’s 1.4%. Carbon credits, staking derivatives, and NFTs all exhibit the same dual-margin pattern under uniform pricing: chronic quality degradation, acute shock-driven compositional shifts, and steady-state cherry-picking, respectively. While all three primary cases operate on blockchain infrastructure, historical parallels from traditional finance reinforce the pattern. Pre-2008 mortgage-backed securities pooled loans of widely varying default

risk into uniformly rated tranches; when sophisticated investors identified the quality heterogeneity, they selectively shorted the worst tranches while the uniform rating prevented price differentiation. Similarly, the EU Emissions Trading System’s Phase I (2005–2007) over-allocated permits across national plans of heterogeneous stringency, producing a collapse in permit value when the quality heterogeneity became apparent. These traditional-market cases, while not analyzed at the transaction level in this paper, suggest that the quality-collapse mechanism is not an artifact of blockchain infrastructure but a general consequence of uniform pricing under quality heterogeneity.

These findings carry direct implications for emerging carbon market architecture. The Article 6.4 mechanism under the Paris Agreement is designing pooled crediting systems at sovereign scale; BCT provides a fully observable test case of what happens when quality differentiation is absent^{14,15}. Recovery from a low-type equilibrium requires discontinuous intervention: even a minimal quality floor (composite score ≥ 29) would have excluded the worst half of BCT’s tonnage. Critically, gating must operate on both margins. The same 14 nature-based tokens were 100% redeemed from BCT but only 28.5% from quality-gated NCT, confirming that pool design, not credit quality alone, determines asset fate. This cross-pool natural experiment is particularly informative because it holds the underlying asset constant: the same credits met radically different fates depending solely on whether the pool imposed quality screening. These results point to three concrete design principles for future pooled crediting mechanisms: (i) quality-differentiated pricing tiers rather than single-price pools, so that credits of different integrity levels trade at prices reflecting their climate value (for example, a three-tier structure separating high-integrity removal credits (which physically extract CO₂ from the atmosphere), verified avoidance credits (which prevent emissions that would otherwise have occurred), and legacy credits (older credits from defunct programs like the CDM), with separate price discovery for each tier, analogous to the rating-stratified bond markets that replaced undifferentiated mortgage pools after 2008); (ii) dual-margin gating that screens both deposits and withdrawals, since exit-side extraction proved at least as damaging as entry-side quality loading (concretely, redemption fees proportional to the quality differential between the redeemed credit and the pool average would make selective extraction of underpriced high-quality credits unprofitable); and (iii) dynamic quality floors that adjust as pool composition shifts, preventing the irreversible convergence to a low-type equilibrium that BCT experienced (a practical implementation would trigger deposit restrictions when the pool’s rolling quality deficit exceeds a threshold, halting further degradation before it becomes irreversible). Our findings provide direct empirical support for the ICVCM’s Core Carbon Principles framework¹⁶, and the emerging ecosystem of quality-differentiation mechanisms (Singapore’s carbon credit ratings mandate¹⁷, blockchain-based credibility indices¹⁸, and quality-gating protocols¹⁹) must incorporate dual-margin design to be effective.

Several limitations warrant acknowledgment. Our quality scores are author-derived, but the core findings (composition, base-rate selection, type-level redemption differentials, cross-pool comparison, and compositional DiD) rely on transaction data

and Verra credit-type classifications rather than on our scoring framework. The framework is validated against CCP labels ($d = 1.8$), commercial ratings ($\rho = +0.901$, $n = 27$; Supplementary Fig. 1), and a panel of large language models (AI systems used as independent quality raters; Fleiss' $\kappa = 0.6$ indicating moderate inter-rater agreement; Table 4), with removal-type sensitivity checks (see Supplementary Methods). The cross-pool comparison is observational; causal identification of pool-mechanism effects remains open. The bridge decomposition (93.5% pass-through; 99.6% by tonnage) establishes that entry-side selection was primarily architectural rather than strategic, consistent with the design-enabled framing.

The tokenized real-world asset sector now exceeds \$10 billion and is replicating pool-based architecture across commodities, bonds, and receivables. BCT is the first pool to complete a full quality-collapse cycle with auditable transaction data. Its lesson is straightforward: quality-differentiated mechanism design is not an optional refinement for pooled carbon markets; it is a structural prerequisite for market integrity. As Article 6.4 negotiations move toward implementation and voluntary market infrastructure scales, the choice between uniform and quality-differentiated pricing will determine whether pooled crediting accelerates decarbonization or systematically allocates low-quality residuals to passive participants.

Methods

We collected all deposit transactions to the Toucan Protocol BCT pool contract on the Polygon blockchain using a Polygon RPC endpoint. We identified 1,187 deposit transactions spanning the period from BCT's launch in October 2021 to the effective cessation of new deposits in late 2022, mapping to 168 unique VCS project identifiers (345 unique TCO2 token addresses) and approximately 22 million tonnes of tokenized carbon credits. For each deposit, we recorded: transaction hash, block number and timestamp, depositor address, TCO2 token contract address, Verra VCS project identifier, vintage year, and tonnage. Project identifiers were cross-referenced against the Verra registry to obtain methodology category, country of origin, and CCP eligibility status.

Project classification. Each project was classified into one of eleven methodology categories based on the Verra registry entry: renewable energy (grid-connected wind, hydro, solar; CDM methodologies AMS-I.D, ACM0002), fossil fuel switching, waste management and methane capture, REDD+ (VM0007, VM0009, VM0015), afforestation/reforestation (ARR), industrial gas destruction, improved forest management (IFM), energy efficiency, industrial processes, agriculture, and cookstoves. Pool-level composition statistics were computed with tonnage weighting.

NCT data. We collected all 708 deposit events from the Toucan NCT pool on the same Polygon blockchain over the same block range. NCT restricts deposits to AFOLU (agriculture, forestry, and other land use) credits with vintage ≥ 2012 , functioning as a minimal quality gate on project type. NCT and BCT share identical protocol infrastructure and blockchain substrate.

Price data. Daily BCT prices denominated in USDC (a stablecoin pegged to the US dollar) were obtained from the DeFi Llama API for the Polygon SushiSwap BCT-USDC pair (828 observations, October 2021 – July 2024).

Quality scoring framework

We developed a composite quality scoring framework evaluating six active dimensions identified in the carbon credit integrity literature as the primary determinants of credit quality, each scored on a 0–100 scale: removal type hierarchy (weight 0.250), additionality (0.200), MRV (monitoring, reporting, and verification) grade (0.200), permanence (0.175), vintage year (0.100), and registry and methodology quality (0.075). Initial weights were derived from the Oxford Offsetting Principles²⁰ and the ICVCM CCP Assessment Framework¹⁶, the two most widely cited normative hierarchies for credit quality. A pilot Best-Worst Scaling expert panel ($n = 5$) confirmed consistency with our weights (Spearman $\rho = +0.814$). Monte Carlo perturbation (10,000 Dirichlet-sampled weight vectors) confirms 93.7% grade stability. The composite was computed as $C = \sum_i w_i \times s_i$ and mapped to letter grades: AAA (≥ 90), AA (≥ 75), A (≥ 60), BBB (≥ 45), BB (≥ 30), B (≥ 15). Seven disqualifier conditions cap maximum grades regardless of composite score. The co-benefits dimension was assigned zero weight to avoid amplifying adverse selection through co-benefit narratives⁶. The Pool Quality Deficit ($PQD = 1 - \bar{C}/100$) quantifies tonnage-weighted quality degradation per pool. Full scoring details, distributional scoring model, extended scoring procedures, and sensitivity analyses are provided in Supplementary Methods.

Base-rate comparison

BCT’s renewable energy share was compared against the Verra VCS base rate (central estimate 37%, sensitivity range 26–48%, from MSCI²¹ and Ecosystem Marketplace reports). The selection coefficient $S = f_{\text{BCT, renewable}}/f_{\text{VCS, renewable}}$ was tested via exact binomial test, with account-clustered robustness (permutation, HHI-adjusted, and bootstrap tests; see Supplementary Methods).

Difference-in-differences

A deposit-level DiD panel pooling all 1,895 events (1,187 BCT + 708 NCT) tested whether BCT’s quality trajectory diverged from NCT’s:

$$\text{quality}_i = \beta_0 + \beta_1 \cdot \text{BCT}_i + \beta_2 \cdot \text{PostShock}_i + \beta_3 \cdot (\text{BCT} \times \text{PostShock})_i + \varepsilon_i$$

where β_0 is the baseline quality level, β_1 captures the average quality difference between BCT and NCT pools, β_2 captures the change in quality after the May 2022 crash for both pools, β_3 (the key coefficient) captures whether BCT’s quality changed *differently* from NCT’s after the crash, and ε_i is the error term. We computed cluster-robust standard errors at the TCO2 token level (349 clusters) with small-sample correction. Robustness: permutation test (10,000 iterations), Bayesian bootstrap, and

continuous-time specification. A compositional DiD (binary renewable outcome) provided a framework-free test; we note that NCT mechanically cannot accept renewable credits, so the compositional result partially reflects eligibility constraints rather than a pure treatment effect.

Redemption analysis

We identified redemptions from ERC-20 Transfer events where the BCT pool contract appears as the sender, yielding 35,432 events across the 161 originally scored tokens (15.2M of 22M total tonnes). Redemption rates were computed per credit type as redeemed/deposited tonnage. The within-token cross-pool comparison exploited 14 tokens deposited into both BCT and NCT to test whether the same credits experienced different fates under different pool designs. Account forensics, destination tracing, and profit quantification methods are detailed in Supplementary Methods.

Price-quality dynamics

Cumulative PQD and renewable share were merged with daily BCT prices ($n = 331$ overlapping days). A first-differenced OLS with Newey–West HAC standard errors (10 lags) tested contemporaneous co-movement. Bidirectional Granger causality was tested at weekly frequency ($n = 55$) using VAR(2) selected by AIC. We acknowledge that the small sample limits statistical power; the daily regression ($n = 330$) provides the more robust test.

Cross-domain comparison

To test whether the adverse selection pattern generalizes beyond carbon markets, we analyzed composition shifts in the Curve Finance stETH/ETH liquidity pool on Ethereum during the May 2022 market crash. Curve’s stableswap treats stETH (a liquid staking derivative) and ETH as near-equivalent, a uniform-pricing mechanism analogous to BCT’s 1:1 tokenization. We computed weekly net flows for each asset and defined the composition shift as the absolute difference in net flows (ETH outflow minus stETH outflow). The pre-crisis baseline was the mean weekly absolute composition shift over the 8 weeks preceding 7 May 2022. This analysis is presented as supporting evidence; the Curve comparison is observational and also consistent with a classical bank-run interpretation.

Welfare gap estimation

We estimated the welfare cost of BCT’s quality degradation using a Monte Carlo simulation (10,000 iterations), chosen because multiple uncertain inputs (additionality rates, social cost of carbon, counterfactual composition) must be propagated simultaneously. Each iteration sampled: (i) additionality rates per credit type from literature-derived distributions^{4,12} (renewable energy: 0–20%; REDD+: 25–75%; IFM: 30–70%; ARR: 40–80%); (ii) the social cost of carbon from a uniform distribution (\$50–\$200/tCO₂, spanning the range used by the US EPA and the Stern Review); and (iii) a counterfactual pool composition matching VCS registry base rates. The welfare

gap was computed as the difference in expected climate value between the counterfactual pool and BCT’s actual composition. This estimate is illustrative and conditional on both the additionality assumptions and the counterfactual specification.

Statistical inference

All p -values were corrected using the Benjamini–Hochberg FDR procedure at $\alpha = 0.05$ across the following 10 primary tests: (1) base-rate selection coefficient (binomial), (2) full-sample temporal correlation, (3) pre-shock temporal correlation, (4) DiD quality-score β_3 , (5) DiD compositional β_3 , (6) Granger quality→price, (7) Granger price→quality, (8) within-pool permutation, (9) depositor concentration Mann–Whitney, (10) redemption differential chi-squared. Headline claims were supplemented with 10,000-permutation p -values. Cluster-robust bootstrap (clustered by depositor account, 10,000 iterations) was used for deposit-level statistics. Additional inference details (account-clustered tests, CCP calibration, inter-rater reliability, rank correlations with commercial agencies) are provided in Supplementary Methods.

Data availability

All data, scoring rubrics, analysis scripts, and smart contract source code are available at <https://github.com/Adeline117/carbon-neutrality> under an MIT licence. Machine-readable rubrics are in JSON format. The 318-credit methodology batch dataset with per-dimension scores is included. All 345/345 BCT tokens are scored (161 original + 184 imputed). On-chain deposit data for both BCT (1,187 transactions) and NCT (708 transactions) are provided with transaction hashes enabling independent verification. LLM panel outputs for all models across 29 credits are included. Analysis scripts are pure Python with NumPy/SciPy as sole dependencies.

Code availability

All analysis code is available at <https://github.com/Adeline117/carbon-neutrality> under an MIT licence. Analysis scripts are pure Python with NumPy/SciPy as sole dependencies.

Author contributions

A.W. designed the study, collected and analyzed all data, developed the quality scoring framework, performed all statistical analyses, and wrote the manuscript. W.C. supervised the research and provided critical revisions.

Competing interests

The authors declare no competing interests.

Acknowledgements

The authors thank the Decentralized Computing Laboratory at the University of Washington Tacoma for computational resources and discussion.

References

- [1] Akerlof, G. A. The market for “lemons”: quality uncertainty and the market mechanism. *Q. J. Econ.* **84**, 488–500 (1970).
- [2] Manshadi, V. H. et al. Offsetting carbon with lemons: adverse selection and certification in the voluntary carbon market. SSRN Working Paper (2025).
- [3] Battocletti, V. et al. The voluntary carbon market: market failures and policy implications. *Colo. Law Rev.* **95**, 519–572 (2024).
- [4] Probst, B. et al. Systematic assessment of the achieved emission reductions of carbon crediting projects. *Nat. Commun.* **15**, 9562 (2024).
- [5] Calel, R. et al. Do carbon offsets offset carbon? *Am. Econ. J. Appl. Econ.* **17**, 1–40 (2025).
- [6] Berg, F. et al. The market for voluntary carbon offsets. SSRN Working Paper (2025).
- [7] Bosshard, C. et al. Blockchain-based voluntary carbon market: strategic insights into network structure. *Front. Blockchain* **8**, 1603695 (2025).
- [8] Ballesteros-Rodriguez, D., De-Lucio, J. & Sicilia, G. Tokenized carbon credits in voluntary carbon markets: the case of KlimaDAO. *Front. Blockchain* **7**, 1474540 (2024).
- [9] Jirasek, M. KlimaDAO: a crypto answer to carbon markets. *J. Organ. Des.* **12**, 271–283 (2023).
- [10] Trencher, G. et al. Demand for low-quality offsets by major companies undermines climate integrity of the voluntary carbon market. *Nat. Commun.* **15**, 6863 (2024).
- [11] West, T. A. P. et al. Action needed to make carbon offsets from forest conservation work for climate change mitigation. *Science* **381**, 873–877 (2023).
- [12] Cames, M. et al. How additional is the Clean Development Mechanism? Oko-Institut Report (2016).
- [13] Schneider, L. Assessing the additionality of CDM projects: practical experiences and lessons learned. *Clim. Policy* **9**, 242–254 (2009).
- [14] World Bank. State and Trends of Carbon Pricing 2025. World Bank Group (2025).
- [15] Garcia, A. & Sanford, L. On the potential for strategic behaviour in jurisdictional REDD+. *Proc. Natl Acad. Sci. USA* **123**, e2531612123 (2026).

- [16] Integrity Council for the Voluntary Carbon Market. Core Carbon Principles, Assessment Framework, and Assessment Procedure. ICVCM (2023).
- [17] Singapore National Environment Agency. Carbon rating panel: appointment of BeZero, Calyx Global, and Sylvera. NEA Regulatory Notice (2025).
- [18] Gao, H. O. & Liu, X. A blockchain-based carbon registry platform for credible climate action in transportation. *npj Clim. Action* **5**, 23 (2026).
- [19] [Companion paper] ERC-CCQR: A composable quality rating standard for tokenized carbon credits. Manuscript in preparation.
- [20] Allen, M. et al. The Oxford Principles for Net Zero Aligned Carbon Offsetting. University of Oxford (2020).
- [21] MSCI. State of integrity in the global carbon-credit market. MSCI ESG Research (2024).




Fig. 1 BCT pool composition by methodology category, weighted by deposited tonnage. Renewable energy credits constitute 69.1% of total deposited tonnage; REDD+ constitutes just 4.2%.




Fig. 2 Price-quality feedback loop: bidirectional Granger causality between BCT price and cumulative quality composition.




Fig. 3 Quality atlas: 34-segment PQD spectrum with null model baseline. PQD ranges from 0.076 (DACCS) to 0.759 (grid-connected renewables).




Fig. 4 Depositor-level evidence: temporal dynamics, base-rate selection, and robustness checks.




Fig. 5 CCP calibration: quality score distributions for CCP-eligible versus non-CCP credits. Cohen's $d = 1.87$.




Fig. 6 Counterfactual quality gating: PQD reduction under progressive grade thresholds for four pools.