

Cucumber Report

Nov 20, 2023, 10:36:53 a.m.

Start : Nov 20, 10:36:19.848 a.m.

End : Nov 20, 10:36:50.901 a.m.

Duration : 31.053 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 9
SKIPPED - 0


PASSED - 43
FAILED - 9
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create Patient with Post</u>	31.053 s	9	0	9	0	54	43	9	2

#	Feature Name	Scenario Name
1	<u>Create Patient with Post</u>	<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
2		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
3		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
4		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
5		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
6		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
7		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>


#	Feature Name	Scenario Name
8	<u>Create Patient with Post</u>	<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
9		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>



#	Feature Name	T	P	F	S	Duration
1	Create Patient with Post	9	0	9	0	31.053 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Create Patient with Post</u>	<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	18.693 s
2		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	1.349 s
3		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	1.836 s
4		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	2.351 s
5		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	1.933 s
6		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	0.835 s
7		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	0.732 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Create Patient with Post</u>	<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	3	1	2	0.488 s
9		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	1.513 s

Create Patient with Post

FAILED	DURATION - 31.053 s	Scenarios		Steps	
/ 10:36:19.848 a.m. // 10:36:50.901 a.m. /		Total - 9		Total - 54	
		Pass - 0		Pass - 43	
		Fail - 9		Fail - 9	
		Skip - 0		Skip - 2	



Check if user able to create a Patient with valid endpoint and request body (non existing values)

<div><div>FAILED</div><div>DURATION - 18.693 s</div></div>		<div></div>	Steps	<div></div>
/ 10:36:19.890 a.m. // 10:36:38.583 a.m. /			Total - 6	
Create Patient with Post			Pass - 5	
			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.041 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	6.983 s
3	Then User receives Bearer Token	PASSED	4.400 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Valid"	PASSED	6.652 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Valid"	PASSED	0.279 s
6	Then User receives response for POST "patient" with "Post_Patient_Valid"	FAILED	0.071 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <400>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:126) at ?.User receives response for POST "patient" with "Post_Patient_Valid"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to create a Patient with valid endpoint and request body (non existing values)

<div>FAILED</div>	<div>DURATION - 1.349 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:36:39.217 a.m. // 10:36:40.566 a.m. /</div>				
<div>Create Patient with Post</div>				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.004 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.259 s
3	Then User receives Bearer Token	PASSED	0.185 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_ExistingUniqueField"	PASSED	0.473 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_ExistingUniqueField"	PASSED	0.356 s


#	Step / Hook Details	Status	Duration
6	Then User receives response for POST "patient" with "Post_Patient_ExistingUniqueField" <pre> java.lang.NullPointerException at java.base/java.io.Reader.<init>(Reader.java:168) at java.base/java.io.InputStreamReader.<init>(InputStreamReader.java:89) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:127) at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:155) at ?.User receives response for POST "patient" with "Post_Patient_ExistingUniqueField"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.018 s

Check if user able to create a Patient with valid endpoint and request body (non existing values)

FAILED		DURATION - 1.836 s		<table border="1"><thead><tr><th>Step</th><th>Result</th></tr></thead><tbody><tr><td>1</td><td>0</td></tr><tr><td>2</td><td>0.2</td></tr><tr><td>3</td><td>0.05</td></tr><tr><td>4</td><td>0.2</td></tr><tr><td>5</td><td>1.3</td></tr><tr><td>6</td><td>0</td></tr></tbody></table>	Step	Result	1	0	2	0.2	3	0.05	4	0.2	5	1.3	6	0	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div>6</div>
Step	Result																			
1	0																			
2	0.2																			
3	0.05																			
4	0.2																			
5	1.3																			
6	0																			
/ 10:36:40.609 a.m. // 10:36:42.445 a.m. /																				
Create Patient with Post																				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.008 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.235 s
3	Then User receives Bearer Token	PASSED	0.035 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_NonAcceptedFoodCategory"	PASSED	0.235 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_NonAcceptedFoodCategory"	PASSED	1.290 s
6	Then User receives response for POST "patient" with "Post_Patient_NonAcceptedFoodCategory" <pre> java.lang.NullPointerException at java.base/java.io.Reader.<init>(Reader.java:168) at java.base/java.io.InputStreamReader.<init>(InputStreamReader.java:89) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:127) at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:155) at ?.User receives response for POST "patient" with "Post_Patient_NonAcceptedFoodCategory"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.010 s

Check if user able to create a Patient with valid endpoint and request body (non existing values)




#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.005 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.389 s
3	Then User receives Bearer Token	PASSED	0.026 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_FirstName"	PASSED	0.382 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_FirstName"	PASSED	1.360 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_FirstName"	FAILED	0.005 s

```

java.lang.NullPointerException
  at java.base/java.io.Reader.<init>(Reader.java:168)
  at java.base/java.io.InputStreamReader.<init>(InputStreamReader.java:89)
  at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:127)
  at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:155)
  at ?.User receives response for POST "patient" with "Post_Patient_Missing_FirstName"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11)
* Not displayable characters are replaced by '?'.



```

Check if user able to create a Patient with valid endpoint and request body (non existing values)



#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.002 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.204 s
3	Then User receives Bearer Token	PASSED	0.068 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_LastName"	PASSED	0.325 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_LastName"	PASSED	1.312 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_LastName"	FAILED	0.005 s
	<pre> java.lang.NullPointerException at java.base/java.io.Reader.<init>(Reader.java:168) at java.base/java.io.InputStreamReader.<init>(InputStreamReader.java:89) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:127) at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:155) at ?.User receives response for POST "patient" with "Post_Patient_Missing_LastName"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to create a Patient with valid endpoint and request body (non existing values)

FAILED	DURATION - 0.835 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 10:36:47.231 a.m. // 10:36:48.066 a.m. /				
Create Patient with Post				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.001 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.351 s
3	Then User receives Bearer Token	PASSED	0.036 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Invalid_Email"	PASSED	0.097 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Invalid_Email"	PASSED	0.330 s
6	Then User receives response for POST "patient" with "Post_Patient_Invalid_Email"	FAILED	0.006 s
	<pre> java.lang.NullPointerException </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.io.Reader.<init>(Reader.java:168) at java.base/java.io.InputStreamReader.<init>(InputStreamReader.java:89) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:127) at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:155) at ?.User receives response for POST "patient" with "Post_Patient_Invalid_Email"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to create a Patient with valid endpoint and request body (non existing values)

<div><div>FAILED</div><div>DURATION - 0.732 s</div></div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.00</td></tr><tr><td>2</td><td>0.20</td></tr><tr><td>3</td><td>0.02</td></tr><tr><td>4</td><td>0.07</td></tr><tr><td>5</td><td>0.38</td></tr><tr><td>6</td><td>0.00</td></tr></tbody></table>	Step	Duration (s)	1	0.00	2	0.20	3	0.02	4	0.07	5	0.38	6	0.00	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
Step	Duration (s)																	
1	0.00																	
2	0.20																	
3	0.02																	
4	0.07																	
5	0.38																	
6	0.00																	
/ 10:36:48.089 a.m. // 10:36:48.821 a.m. /																		
Create Patient with Post																		



#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.003 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.220 s
3	Then User receives Bearer Token	PASSED	0.026 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_ContactNumber"	PASSED	0.079 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_ContactNumber"	PASSED	0.386 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_ContactNumber" <pre> java.lang.NullPointerException at java.base/java.io.Reader.<init>(Reader.java:168) at java.base/java.io.InputStreamReader.<init>(InputStreamReader.java:89) at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:127) at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:155) at ?.User receives response for POST "patient" with "Post_Patient_Missing_ContactNumber"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.007 s

Check if user able to create a Patient with valid endpoint and request body (non existing values)

<div>FAILED</div> <div>DURATION - 0.488 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 10:36:48.858 a.m. // 10:36:49.346 a.m. /				
Create Patient with Post				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.002 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.313 s
3	Then User receives Bearer Token	PASSED	0.042 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_DateOfBirth" java.lang.NumberFormatException: Cannot parse null string at java.base/java.lang.Integer.parseInt(Integer.java:627) at java.base/java.lang.Integer.parseInt(Integer.java:781) at api.stepdefinition.Post_StepDefinition.CreatePatientRequest(Post_StepDefinition.java:183) at api.stepdefinition.Post_StepDefinition.user_creates_post_request_for_the_dietician_api_endpoint_with(Post_StepDefinition.java:102) at ?.User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_DateOfBirth"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:9) * Not displayable characters are replaced by '?'.	FAILED	0.072 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_DateOfBirth"	SKIPPED	0.003 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_DateOfBirth"	SKIPPED	0.007 s

Check if user able to create a Patient with valid endpoint and request body (non existing values)

<div>FAILED</div>	<div>DURATION - 1.513 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:36:49.388 a.m. // 10:36:50.901 a.m. /</div>				
<div>Create Patient with Post</div>				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.001 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.807 s
3	Then User receives Bearer Token	PASSED	0.025 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_File"	PASSED	0.394 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_File"	PASSED	0.275 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_File"	FAILED	0.003 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <400>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:126) at ?.User receives response for POST "patient" with "Post_Patient_Missing_File"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) * Not displayable characters are replaced by '?'. </pre>		