

# Cucumber Report

Nov 20, 2023, 2:14:35 p.m.

Start : Nov 20, 2:14:17.689 p.m.

End : Nov 20, 2:14:32.912 p.m.

Duration : 15.223 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 9  
SKIPPED - 0


PASSED - 43  
FAILED - 9  
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create Patient with Post</u>	15.223 s	9	0	9	0	54	43	9	2

#	Feature Name	Scenario Name
1	<u>Create Patient with Post</u>	<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
2		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
3		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
4		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
5		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
6		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
7		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>


#	Feature Name	Scenario Name
8	<u>Create Patient with Post</u>	<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
9		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>



#	Feature Name	T	P	F	S	Duration
1	Create Patient with Post	9	0	9	0	15.223 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Create Patient with Post</u>	<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	6.620 s
2		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	0.787 s
3		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	1.820 s
4		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	0.845 s
5		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	1.516 s
6		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	0.876 s
7		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	1.199 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Create Patient with Post</u>	<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	3	1	2	0.544 s
9		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	0.423 s

## Create Patient with Post

<b>FAILED</b>	<b>DURATION - 15.223 s</b>	Scenarios Total - 9 Pass - 0 Fail - 9 Skip - 0		Steps Total - 54 Pass - 43 Fail - 9 Skip - 2	
/ 2:14:17.689 p.m. // 2:14:32.912 p.m. /					

## Check if user able to create a Patient with valid endpoint and request body (non existing values)

<div>FAILED</div>	<div>DURATION - 6.620 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:14:17.697 p.m. // 2:14:24.317 p.m. /</div>				
<div>Create Patient with Post</div>				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	3.048 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.791 s
3	Then User receives Bearer Token	PASSED	0.611 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Valid"	PASSED	2.068 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Valid"	PASSED	0.001 s
6	Then User receives response for POST "patient" with "Post_Patient_Valid"	FAILED	0.012 s
	<pre>java.lang.NullPointerException   at java.base/java.io.Reader.&lt;init&gt;(Reader.java:168)   at java.base/java.io.InputStreamReader.&lt;init&gt;(InputStreamReader.java:89)   at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:127)   at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:104)   at ?.User receives response for POST "patient" with "Post_Patient_Valid"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11)   * Not displayable characters are replaced by '?'. </pre>		



### Check if user able to create a Patient with valid endpoint and request body (non existing values)

<b>FAILED</b>	<b>DURATION - 0.787 s</b>		<b>Steps</b> Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 2:14:24.458 p.m. // 2:14:25.245 p.m. /				
Create Patient with Post				



#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.251 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.022 s
3	Then User receives Bearer Token	PASSED	0.001 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_ExistingUniqueField"	PASSED	0.169 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_ExistingUniqueField"	PASSED	0.315 s
6	Then User receives response for POST "patient" with "Post_Patient_ExistingUniqueField"	FAILED	0.005 s
	<pre> java.lang.NullPointerException   at java.base/java.io.Reader.&lt;init&gt;(Reader.java:168)   at java.base/java.io.InputStreamReader.&lt;init&gt;(InputStreamReader.java:89)   at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:127)   at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:145)   at ?.User receives response for POST "patient" with "Post_Patient_ExistingUniqueField"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11)   * Not displayable characters are replaced by '?'. </pre>		

### Check if user able to create a Patient with valid endpoint and request body (non existing values)

<b>FAILED</b>	<b>DURATION - 1.820 s</b>		<b>Steps</b> Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 2:14:25.284 p.m. // 2:14:27.104 p.m. /				
Create Patient with Post				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.198 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.052 s
3	Then User receives Bearer Token	PASSED	0.005 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_NonAcceptedFoodCategory"	PASSED	0.324 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_NonAcceptedFoodCategory"	PASSED	1.218 s
6	Then User receives response for POST "patient" with "Post_Patient_NonAcceptedFoodCategory"	FAILED	0.004 s
	<pre> java.lang.NullPointerException   at java.base/java.io.Reader.&lt;init&gt;(Reader.java:168)   at java.base/java.io.InputStreamReader.&lt;init&gt;(InputStreamReader.java:89)   at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:127)   at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:145)   at ?.User receives response for POST "patient" with "Post_Patient_NonAcceptedFoodCategory"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) * Not displayable characters are replaced by '?'. </pre>		

### Check if user able to create a Patient with valid endpoint and request body (non existing values)

FAILED	DURATION - 0.845 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 2:14:27.143 p.m. // 2:14:27.988 p.m. /				
Create Patient with Post				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.196 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.023 s
3	Then User receives Bearer Token	PASSED	0.000 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_FirstName"	PASSED	0.097 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_FirstName"	PASSED	0.495 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_FirstName"	FAILED	0.025 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;201&gt;. </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:144) at ?.User receives response for POST "patient" with "Post_Patient_Missing_FirstName"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) </pre> <p>* Not displayable characters are replaced by '?'. </p>		

### Check if user able to create a Patient with valid endpoint and request body (non existing values)

<div>FAILED</div> <div>DURATION - 1.516 s</div>	<div><table><caption>Step Counts</caption><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>0.2</td></tr><tr><td>2</td><td>0.1</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0.1</td></tr><tr><td>5</td><td>1.2</td></tr><tr><td>6</td><td>0</td></tr></tbody></table></div>	Step	Count	1	0.2	2	0.1	3	0	4	0.1	5	1.2	6	0	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div>6</div></div>
Step	Count																
1	0.2																
2	0.1																
3	0																
4	0.1																
5	1.2																
6	0																
<div>/ 2:14:28.067 p.m. // 2:14:29.583 p.m. /</div>																	
<div>Create Patient with Post</div>																	



#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.203 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.019 s
3	Then User receives Bearer Token	PASSED	0.000 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_LastName"	PASSED	0.060 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_LastName"	PASSED	1.219 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_LastName"	FAILED	0.004 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;201&gt;.     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)     at java.base/java.lang.reflect.Method.invoke(Method.java:578)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)     at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)     at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)     at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:144)     at ?.User receives response for POST "patient" with "Post_Patient_Missing_LastName"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) * Not displayable characters are replaced by '?'. </pre>		

**Check if user able to create a Patient with valid endpoint and request body (non existing values)**

<div>FAILED</div> <div>DURATION - 0.876 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 2:14:29.612 p.m. // 2:14:30.488 p.m. /				
Create Patient with Post				



#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.258 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.048 s
3	Then User receives Bearer Token	PASSED	0.002 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Invalid_Email"	PASSED	0.114 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Invalid_Email"	PASSED	0.433 s
6	Then User receives response for POST "patient" with "Post_Patient_Invalid_Email"	FAILED	0.006 s
	<pre> java.lang.NullPointerException   at java.base/java.io.Reader.&lt;init&gt;(Reader.java:168)   at java.base/java.io.InputStreamReader.&lt;init&gt;(InputStreamReader.java:89)   at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:127)   at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:145)   at ?.User receives response for POST "patient" with "Post_Patient_Invalid_Email"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) * Not displayable characters are replaced by '?'. </pre>		

### Check if user able to create a Patient with valid endpoint and request body (non existing values)

FAILED	DURATION - 1.199 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:14:30.660 p.m. // 2:14:31.859 p.m. /				
Create Patient with Post				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.420 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.045 s
3	Then User receives Bearer Token	PASSED	0.001 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_ContactNumber"	PASSED	0.221 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_ContactNumber"	PASSED	0.359 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_ContactNumber"	FAILED	0.004 s
	<pre> java.lang.NullPointerException   at java.base/java.io.Reader.&lt;init&gt;(Reader.java:168)   at java.base/java.io.InputStreamReader.&lt;init&gt;(InputStreamReader.java:89)   at io.restassured.module.jsv.JsonSchemaValidator.matchesJsonSchema(JsonSchemaValidator.java:127)   at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:145)   at ?.User receives response for POST "patient" with "Post_Patient_Missing_ContactNumber"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) * Not displayable characters are replaced by '?'. </pre>		

### Check if user able to create a Patient with valid endpoint and request body (non existing values)

FAILED		DURATION - 0.544 s			Steps Total - 6 Pass - 3 Fail - 1 Skip - 2	
/ 2:14:31.927 p.m. // 2:14:32.471 p.m. /						
Create Patient with Post						

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.345 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.015 s
3	Then User receives Bearer Token	PASSED	0.000 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_DateOfBirth"	FAILED	0.119 s
	<pre> java.lang.NumberFormatException: For input string: ""   at java.base/java.lang.NumberFormatException.forInputString(NumberFormatException.java:67)   at java.base/java.lang.Integer.parseInt(Integer.java:675)   at java.base/java.lang.Integer.parseInt(Integer.java:781)   at api.stepdefinition.Post_StepDefinition.CreatePatientRequest(Post_StepDefinition.java:160) </pre>		

#	Step / Hook Details	Status	Duration
	at api.stepdefinition.Post_StepDefinition.user_creates_post_request_for_the_dietician_api_endpoint_with(Post_StepDefinition.java:86) at ?.User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_DateOfBirth"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:9) * Not displayable characters are replaced by '?'.		
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_DateOfBirth"	SKIPPED	0.000 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_DateOfBirth"	SKIPPED	0.001 s

### Check if user able to create a Patient with valid endpoint and request body (non existing values)

<b>FAILED</b> DURATION - 0.423 s / 2:14:32.489 p.m. // 2:14:32.912 p.m. / Create Patient with Post		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.187 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.013 s
3	Then User receives Bearer Token	PASSED	0.000 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_File"	PASSED	0.195 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_File"	PASSED	0.001 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_File" java.lang.RuntimeException: com.fasterxml.jackson.databind.exc.UnrecognizedPropertyException: Unrecognized field "token" (class api.response.PostPatient_response), not marked as ignorable (12 known properties: "patientId", "LastName", "DieticianId", "FileMorbidity", "FileMorbidityCondition", "fileId", "ContactNumber", "DateOfBirth", "FirstName", "Email", "Allergy", "FoodCategory") at [Source: (String){"token":"eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJhZGVsaWZ3JhY2UuYUJnbWVpbC5jb20iLCJpYXQiOiJlMDA1MDc2NzIsImV4cCI6MTcwMDUzNjQ3Mn0.REKM-sHMhKXEo-pnuOS7AvD95LUWVjzdfZ2VBau_bdNaeNlp4Zla-fw49NmJ5_tJ7qkwvFwxky1E9PBoeGjd7w","type":"Bearer","userId":107,"loginUserEmail":"adelinegrace.a@gmail.com","roles":["ROLE_DIETICIAN"]}"; line: 1, column: 11] (through reference chain: api.response.PostPatient_response["token"]) at io.restassured.internal.path.json.mapping.JsonPathJackson2ObjectDeserializer.deserialize(JsonPathJackson2ObjectDeserializer.java:30) at io.restassured.path.json.mapping.JsonPathObjectDeserializer\$deserialize.call(Unknown Source) at io.restassured.internal.mapping.Jackson2Mapper.deserialize(Jackson2Mapper.groovy:58) at io.restassured.mapper.ObjectMapper\$deserialize\$0.call(Unknown Source)	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	<p>at io.restassured.internal.mapping.ObjectMapper.parseWithJackson2(ObjectMapping.groovy:254)  at io.restassured.internal.mapping.ObjectMapper\$parseWithJackson2\$1.callStatic(Unknown Source)  at io.restassured.internal.mapping.ObjectMapper.deserialize(ObjectMapping.groovy:56)  at io.restassured.internal.mapping.ObjectMapper\$deserialize\$0.call(Unknown Source)  at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:229)  at io.restassured.internal.RestAssuredResponseOptionsImpl.as(RestAssuredResponseOptionsImpl.java:169)  at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:124)  at ?.User receives response for POST "patient" with "Post_Patient_Missing_File"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11)  Caused by: com.fasterxml.jackson.databind.exc.UnrecognizedPropertyException: Unrecognized field "token" (class api.response.PostPatient_response), not marked as ignorable (12 known properties: "patientId", "LastName", "DieticianId", "FileMorbidity", "FileMorbidityCondition", "fileId", "ContactNumber", "DateOfBirth", "FirstName", "Email", "Allergy", "FoodCategory") at [Source: (String){"token":"eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhZGVsaWZ3JhY2UuYUJnbWVpbC5jb20iLCJpYXQiOiE3MDA1MDc2NzIsImV4cCI6MTcwMDUzNjQzMn0.REKM-sHMhKXEo-pnuOS7AvD95LUWVjzdfZ2VBAu_bdNaeNLp4Zla-fw49NmJ5_tJ7qkwvFwxky1E9PBoeGjd7w","type":"Bearer","userId":107,"loginUserEmail":"adelinegrace.a@gmail.com","roles":["ROLE_DIETICIAN"]}"; line: 1, column: 11] (through reference chain: api.response.PostPatient_response["token"])  at com.fasterxml.jackson.databind.exc.UnrecognizedPropertyException.from(UnrecognizedPropertyException.java:61)  at com.fasterxml.jackson.databind.DeserializationContext.handleUnknownProperty(DeserializationContext.java:1138)  at com.fasterxml.jackson.databind.deser.std.StdDeserializer.handleUnknownProperty(StdDeserializer.java:2224)  at com.fasterxml.jackson.databind.deser.BeanDeserializerBase.handleUnknownProperty(BeanDeserializerBase.java:1709)  at com.fasterxml.jackson.databind.deser.BeanDeserializerBase.handleUnknownVanilla(BeanDeserializerBase.java:1687)  at com.fasterxml.jackson.databind.deser.BeanDeserializer.vanillaDeserialize(BeanDeserializer.java:320)  at com.fasterxml.jackson.databind.deser.BeanDeserializer.deserialize(BeanDeserializer.java:177)  at com.fasterxml.jackson.databind.deser.DefaultDeserializationContext.readRootValue(DefaultDeserializationContext.java:323)  at com.fasterxml.jackson.databind.ObjectMapper._readMapAndClose(ObjectMapper.java:4825)  at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3772)  at io.restassured.internal.path.json.mapping.JsonPathJackson2ObjectDeserializer.deserialize(JsonPathJackson2ObjectDeserializer.java:28)  at io.restassured.path.json.mapping.JsonPathObjectDeserializer\$deserialize.call(Unknown Source)  at io.restassured.internal.mapping.Jackson2Mapper.deserialize(Jackson2Mapper.groovy:58)  at io.restassured.mapper.ObjectMapper\$deserialize\$0.call(Unknown Source)  at io.restassured.internal.mapping.ObjectMapper.parseWithJackson2(ObjectMapping.groovy:254)  at io.restassured.internal.mapping.ObjectMapper\$parseWithJackson2\$1.callStatic(Unknown Source)  at io.restassured.internal.mapping.ObjectMapper.deserialize(ObjectMapping.groovy:56)  at io.restassured.internal.mapping.ObjectMapper\$deserialize\$0.call(Unknown Source)  at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:229)  at io.restassured.internal.RestAssuredResponseOptionsImpl.as(RestAssuredResponseOptionsImpl.java:169)  at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:124)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:578)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p>		



#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		

#	Step / Hook Details	Status	Duration
	<div>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</div> <div>* Not displayable characters are replaced by '?'.<div></div></div>		