


| Feature | | | Scer | nario | | Step | | | |
|-------------------|----------|----|------|-------|---|------|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Assignment module | 30.052 s | 23 | 23 | 0 | 0 | 69 | 69 | 0 | 0 |


| TAG | Scenario | | | | Feature | | | | |
|-------------------------------------|----------|----|---|---|---------|---|---|---|--|
| Name | Τ | P | F | S | T | P | F | S | |
| @Assignment | 23 | 23 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @CreateAssignment | 8 | 8 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetAllAssignments | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetAssignmentByAssignmentID | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetAssignmentByBatchID | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @UpdateAssignment | 8 | 8 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @DeleteAssignmentByAssignmentID | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetAssignmentByDeletedAssignmentID | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | |
| @GetAssignmentByDeletedBatchID | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | |

FEATURES SUMMARY



| # | Feature Name | T | P | F | S | Duration |
|---|-------------------|----|----|---|---|----------|
| 1 | Assignment module | 23 | 23 | 0 | 0 | 30.052 s |


SCENARIOS SUMMARY -- 5 -



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------|---|---|---|---|---|----------|
| 1 | Assignment module | Check if user able to add a record with "Post_Assignment_Valid" endpoint and request body | 3 | 3 | 0 | 0 | 9.112 s |
| 2 | | Check if user able to add a record with "Post_Assignment_Existing" endpoint and request body | 3 | 3 | 0 | 0 | 2.076 s |
| 3 | | <u>Check if user able to add a record with</u> <u>"Post_Assignment_MissingAssignmentName" endpoint and *</u> | 3 | 3 | 0 | 0 | 0.819 s |
| 4 | | <u>Check if user able to add a record with</u> <u>"Post_Assignment_MissingDueDate" endpoint and request *</u> | 3 | 3 | 0 | 0 | 0.640 s |
| 5 | | <u>Check if user able to add a record with</u> <u>"Post_Assignment_MissingAssignmentDescription" endpo *</u> | 3 | 3 | 0 | 0 | 0.764 s |
| 6 | | <u>Check if user able to add a record with</u> <u>"Post_Assignment_MissingBatchId" endpoint and request *</u> | 3 | 3 | 0 | 0 | 0.588 s |
| 7 | | Check if user able to add a record with "Post_Assignment_MissingCreatedBy" endpoint and * | 3 | 3 | 0 | 0 | 0.595 s |

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

SCENARIOS SUMMARY -- 6 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------|---|---|---|---|---|----------|
| 8 | Assignment module | Check if user able to add a record with "Post_Assignment_MissingGraderId" endpoint and request * | 3 | 3 | 0 | 0 | 0.560 s |
| 9 | | Check if user able to retrieve a record with valid LMS API | 3 | 3 | 0 | 0 | 2.029 s |
| 10 | | Check if user able to retrieve a record with valid Assignment or Batch ID | 3 | 3 | 0 | 0 | 0.752 s |
| 11 | | Check if user able to retrieve a record with valid Assignment or Batch ID | 3 | 3 | 0 | 0 | 0.653 s |
| 12 | | Check if user able to update a record with "Put_Assignment_ValidId", AssignmentId and request body | 3 | 3 | 0 | 0 | 0.666 s |
| 13 | | Check if user able to update a record with "Put_Assignment_InvalidId", AssignmentId and request body | 3 | 3 | 0 | 0 | 0.821 s |
| 14 | | Check if user able to update a record with "Put_Assignment_MissingAssignmentName", Assignmen * | 3 | 3 | 0 | 0 | 0.680 s |

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|---|---|---|---|---|----------|
| 15 | | Check if user able to update a record with | 3 | 3 | 0 | 0 | 0.717 s |
| | | "Put_Assignment_MissingDueDate", AssignmentId and * | | | | | |


SCENARIOS SUMMARY -- 8 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------|---|---|---|---|---|----------|
| 16 | Assignment module | Check if user able to update a record with "Put_Assignment_MissingAssignmentDescription", * | 3 | 3 | 0 | 0 | 1.032 s |
| 17 | | Check if user able to update a record with "Put_Assignment_MissingBatchId", AssignmentId and * | 3 | 3 | 0 | 0 | 1.078 s |
| 18 | | Check if user able to update a record with "Put_Assignment_MissingCreatedBy", AssignmentId and * | 3 | 3 | 0 | 0 | 0.893 s |
| 19 | | Check if user able to update a record with "Put_Assignment_MissingGraderId", AssignmentId and * | 3 | 3 | 0 | 0 | 0.711 s |
| 20 | | Check if user able to delete a record with valid and invalid Assignment ID | 3 | 3 | 0 | 0 | 1.965 s |
| 21 | | Check if user able to delete a record with valid and invalid Assignment ID | 3 | 3 | 0 | 0 | 0.827 s |
| 22 | | Check if user able to retrieve a record with invalid Assignment or batch ID | 3 | 3 | 0 | 0 | 0.741 s |

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

SCENARIOS SUMMARY -- 9 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------|--|---|---|---|---|----------|
| 23 | Assignment module | Check if user able to retrieve a record with invalid | 3 | 3 | 0 | 0 | 0.595 s |
| | | Assignment or batch ID | | | | | |

DETAILED SECTION

Assignment module


| PASSED | DURATION - 30.052 s | Scenarios | | Steps | |
|---------------------|---------------------|------------|----|------------|----|
| | | Total - 23 | | Total - 69 | |
| / 3:03:02.695 PM // | ′ 3:03:32.747 PM / | Pass - 23 | 23 | Pass - 69 | 69 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Check if user able to add a record with "Post_Assignment_Valid" endpoint and request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates POST Assignment Request for the LMS API with fields from "assignment" with "Post_Assignment_Valid" | PASSED | 7.740 s |
| 2 | When User sends HTTP POST Assignment Request for "Post_Assignment_Valid" | PASSED | 0.564 s |
| 3 | Then User receives response for POST "assignment" with "Post_Assignment_Valid" | PASSED | 0.617 s |

Check if user able to add a record with "Post_Assignment_Existing" endpoint and request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates POST Assignment Request for the LMS API with fields from "assignment" with "Post_Assignment_Existing" | PASSED | 0.204 s |
| 2 | When User sends HTTP POST Assignment Request for "Post_Assignment_Existing" | PASSED | 0.631 s |
| 3 | Then User receives response for POST "assignment" with "Post_Assignment_Existing" | PASSED | 1.217 s |

Check if user able to add a record with "Post_Assignment_MissingAssignmentName" endpoint and request body

| PASSED | DURATION - 0.819 s | 1 . | Steps | | 7 |
|-----------------|---------------------------|-----|-----------|---|---|
| / 2:02:14 000 D | M // 2:02:44 000 DM / | 0.8 | Total - 3 | | |
| 7 3.03.14.090 P | M // 3:03:14.909 PM / | 0.6 | Pass - 3 | | |
| Assignment mo | dule | 0.4 | Fall - 0 | 3 | |
| @Assignment (| @CreateAssignment | 0.2 | Skip - 0 | | |
| @Assignment (| <i>w</i> CreateAssignment | | 1 2 3 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates POST Assignment Request for the LMS API with fields from "assignment" with | PASSED | 0.164 s |
| | "Post_Assignment_MissingAssignmentName" | | |
| 2 | When User sends HTTP POST Assignment Request for "Post_Assignment_MissingAssignmentName" | PASSED | 0.572 s |
| 3 | Then User receives response for POST "assignment" with "Post_Assignment_MissingAssignmentName" | PASSED | 0.072 s |

Check if user able to add a record with "Post_Assignment_MissingDueDate" endpoint and request body

| PASSED DURATION - 0.640 s | 0.6 - Steps |
|--------------------------------------|---------------------------|
| / 3:03:14.965 PM // 3:03:15.605 PM / | 0.4 |
| Assignment module | 0.2 Fail - 0 Skip - 0 |
| @Assignment @CreateAssignment | 1 2 3 |

| 7 | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates POST Assignment Request for the LMS API with fields from "assignment" with | PASSED | 0.113 s |
| | "Post_Assignment_MissingDueDate" | | |
| 2 | When User sends HTTP POST Assignment Request for "Post_Assignment_MissingDueDate" | PASSED | 0.449 s |


| | # | Step / Hook Details | Status | Duration |
|---|---|---|--------|----------|
| 3 | 3 | Then User receives response for POST "assignment" with "Post_Assignment_MissingDueDate" | PASSED | 0.066 s |

Check if user able to add a record with "Post_Assignment_MissingAssignmentDescription" endpoint and request body

| PASSED DURATION - 0.764 s | 1 Steps |
|--------------------------------------|-----------------|
| /0.00.45.000.DU //0.00.40.007.DU / | 0.8 - Total - 3 |
| / 3:03:15.633 PM // 3:03:16.397 PM / | 0.6 - Pass - 3 |
| Assignment module | 0.4 |
| | 0.2 - Skip - 0 |
| @Assignment @CreateAssignment | 0 - |
| | 1 2 3 |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates POST Assignment Request for the LMS API with fields from "assignment" with | PASSED | 0.115 s |
| | "Post_Assignment_MissingAssignmentDescription" | | |
| 2 | When User sends HTTP POST Assignment Request for "Post_Assignment_MissingAssignmentDescription" | PASSED | 0.597 s |
| 3 | Then User receives response for POST "assignment" with "Post_Assignment_MissingAssignmentDescription" | PASSED | 0.047 s |

Check if user able to add a record with "Post_Assignment_MissingBatchId" endpoint and request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates POST Assignment Request for the LMS API with fields from "assignment" with | PASSED | 0.103 s |
| | "Post_Assignment_MissingBatchId" | | |
| 2 | When User sends HTTP POST Assignment Request for "Post_Assignment_MissingBatchId" | PASSED | 0.417 s |
| 3 | Then User receives response for POST "assignment" with "Post_Assignment_MissingBatchId" | PASSED | 0.053 s |


DETAILED SECTION -- 13 --

Check if user able to add a record with "Post_Assignment_MissingCreatedBy" endpoint and request body

| PASSED DURATION - 0.595 s | 0.6 - Steps |
|--------------------------------------|-----------------------|
| / 3:03:17.039 PM // 3:03:17.634 PM / | 0.4 |
| Assignment module | 0.2 Fail - 0 Skip - 0 |
| @Assignment @CreateAssignment | 1 2 3 |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates POST Assignment Request for the LMS API with fields from "assignment" with | PASSED | 0.091 s |
| | "Post_Assignment_MissingCreatedBy" | | |
| 2 | When User sends HTTP POST Assignment Request for "Post_Assignment_MissingCreatedBy" | PASSED | 0.426 s |
| 3 | Then User receives response for POST "assignment" with "Post_Assignment_MissingCreatedBy" | PASSED | 0.067 s |


Check if user able to add a record with "Post_Assignment_MissingGraderId" endpoint and request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates POST Assignment Request for the LMS API with fields from "assignment" with | PASSED | 0.070 s |
| | "Post_Assignment_MissingGraderId" | | |
| 2 | When User sends HTTP POST Assignment Request for "Post_Assignment_MissingGraderId" | PASSED | 0.418 s |
| 3 | Then User receives response for POST "assignment" with "Post_Assignment_MissingGraderId" | PASSED | 0.066 s |


Check if user able to retrieve a record with valid LMS API

DETAILED SECTION -- 14 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates GET Request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends GetAllAssignments Request | PASSED | 0.441 s |
| 3 | Then User receives OK Status with response body containing all assignments | PASSED | 1.582 s |


Check if user able to retrieve a record with valid Assignment or Batch ID



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates GET Request for the LMS API endpoint with "Get_Assignment_ValidAssignmentId" scenario | PASSED | 0.010 s |
| 2 | When User sends "Get_Assignment_ValidAssignmentId" Request with valid id | PASSED | 0.640 s |
| 3 | Then User receives OK Status with response body containing valid assignment "Get_Assignment_ValidAssignmentId" | PASSED | 0.084 s |


Check if user able to retrieve a record with valid Assignment or Batch ID

DETAILED SECTION -- 15 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates GET Request for the LMS API endpoint with "Get_Assignment_ValidBatchId" scenario | PASSED | 0.003 s |
| 2 | When User sends "Get_Assignment_ValidBatchId" Request with valid id | PASSED | 0.568 s |
| 3 | Then User receives OK Status with response body containing valid assignment "Get_Assignment_ValidBatchId" | PASSED | 0.074 s |


Check if user able to update a record with "Put_Assignment_ValidId", AssignmentId and request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates PUT Request for the LMS API endpoint with fields from "assignment" with "Put_Assignment_ValidId" | PASSED | 0.134 s |
| 2 | When User sends HTTPS PUT AssignmentRequest for "Put_Assignment_ValidId" | PASSED | 0.467 s |
| 3 | Then User receives response for PUT "assignment" with "Put_Assignment_ValidId" | PASSED | 0.046 s |


Check if user able to update a record with "Put_Assignment_InvalidId", AssignmentId and request body

DETAILED SECTION -- 16 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates PUT Request for the LMS API endpoint with fields from "assignment" with "Put_Assignment_InvalidId" | PASSED | 0.076 s |
| 2 | When User sends HTTPS PUT AssignmentRequest for "Put_Assignment_InvalidId" | PASSED | 0.614 s |
| 3 | Then User receives response for PUT "assignment" with "Put_Assignment_InvalidId" | PASSED | 0.116 s |


Check if user able to update a record with "Put_Assignment_MissingAssignmentName", AssignmentId and request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates PUT Request for the LMS API endpoint with fields from "assignment" with | PASSED | 0.090 s |
| | "Put_Assignment_MissingAssignmentName" | | |
| 2 | When User sends HTTPS PUT AssignmentRequest for "Put_Assignment_MissingAssignmentName" | PASSED | 0.465 s |
| 3 | Then User receives response for PUT "assignment" with "Put_Assignment_MissingAssignmentName" | PASSED | 0.117 s |


Check if user able to update a record with "Put_Assignment_MissingDueDate", AssignmentId and request body

DETAILED SECTION -- 17 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates PUT Request for the LMS API endpoint with fields from "assignment" with | PASSED | 0.066 s |
| | "Put_Assignment_MissingDueDate" | | |
| 2 | When User sends HTTPS PUT AssignmentRequest for "Put_Assignment_MissingDueDate" | PASSED | 0.557 s |
| 3 | Then User receives response for PUT "assignment" with "Put_Assignment_MissingDueDate" | PASSED | 0.091 s |


Check if user able to update a record with "Put_Assignment_MissingAssignmentDescription", AssignmentId and request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates PUT Request for the LMS API endpoint with fields from "assignment" with | PASSED | 0.162 s |
| | "Put_Assignment_MissingAssignmentDescription" | | |
| 2 | When User sends HTTPS PUT AssignmentRequest for "Put_Assignment_MissingAssignmentDescription" | PASSED | 0.635 s |
| 3 | Then User receives response for PUT "assignment" with "Put_Assignment_MissingAssignmentDescription" | PASSED | 0.205 s |


Check if user able to update a record with "Put_Assignment_MissingBatchId", AssignmentId and request body

DETAILED SECTION -- 18 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates PUT Request for the LMS API endpoint with fields from "assignment" with "Put_Assignment_MissingBatchId" | PASSED | 0.167 s |
| 2 | When User sends HTTPS PUT AssignmentRequest for "Put_Assignment_MissingBatchId" | PASSED | 0.722 s |
| 3 | Then User receives response for PUT "assignment" with "Put_Assignment_MissingBatchId" | PASSED | 0.159 s |


Check if user able to update a record with "Put_Assignment_MissingCreatedBy", AssignmentId and request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates PUT Request for the LMS API endpoint with fields from "assignment" with | PASSED | 0.138 s |
| | "Put_Assignment_MissingCreatedBy" | | |
| 2 | When User sends HTTPS PUT AssignmentRequest for "Put_Assignment_MissingCreatedBy" | PASSED | 0.629 s |
| 3 | Then User receives response for PUT "assignment" with "Put_Assignment_MissingCreatedBy" | PASSED | 0.119 s |


Check if user able to update a record with "Put_Assignment_MissingGraderId", AssignmentId and request body

DETAILED SECTION -- 19 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates PUT Request for the LMS API endpoint with fields from "assignment" with | PASSED | 0.066 s |
| | "Put_Assignment_MissingGraderId" | | |
| 2 | When User sends HTTPS PUT AssignmentRequest for "Put_Assignment_MissingGraderId" | PASSED | 0.571 s |
| 3 | Then User receives response for PUT "assignment" with "Put_Assignment_MissingGraderId" | PASSED | 0.063 s |


Check if user able to delete a record with valid and invalid Assignment ID



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates DELETE Request for the LMS API endpoint with "Delete_Assignment_ValidId" scenario | PASSED | 0.002 s |
| 2 | When User sends the HTTP Delete Request | PASSED | 0.396 s |
| 3 | Then User receives response for DELETE "assignment" with "Delete_Assignment_ValidId" | PASSED | 1.560 s |


Check if user able to delete a record with valid and invalid Assignment ID

DETAILED SECTION -- 20 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates DELETE Request for the LMS API endpoint with "Delete_Assignment_DeletedId" scenario | PASSED | 0.001 s |
| 2 | When User sends the HTTP Delete Request | PASSED | 0.615 s |
| 3 | Then User receives response for DELETE "assignment" with "Delete_Assignment_DeletedId" | PASSED | 0.196 s |

Check if user able to retrieve a record with invalid Assignment or batch ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates GET Request for the LMS API endpoint with "Get_Assignment_DeletedAssignmentId" | PASSED | 0.002 s |
| 2 | When User sends "Get_Assignment_DeletedAssignmentId" Request with invalid id | PASSED | 0.569 s |
| 3 | Then User receives Not Found Status with message and boolean success details "Get_Assignment_DeletedAssignmentId" | PASSED | 0.161 s |

Check if user able to retrieve a record with invalid Assignment or batch ID



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates GET Request for the LMS API endpoint with "Get_Assignment_DeletedBatchId" | PASSED | 0.002 s |
| 2 | When User sends "Get_Assignment_DeletedBatchId" Request with invalid id | PASSED | 0.457 s |
| 3 | Then User receives Not Found Status with message and boolean success details "Get_Assignment_DeletedBatchId" | PASSED | 0.130 s |