

# Cucumber Report

Nov 20, 2023, 6:48:37 p.m.

*Start : Nov 20, 6:48:18.417 p.m.*

*End : Nov 20, 6:48:35.288 p.m.*

*Duration : 16.871 s*

*Features*


*Scenarios*

*Steps*

*PASSED - 0*  
*FAILED - 1*  
*SKIPPED - 0*


*PASSED - 6*  
*FAILED - 3*  
*SKIPPED - 0*

*PASSED - 49*  
*FAILED - 3*  
*SKIPPED - 2*




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create Patient with Post</u>	16.871 s	9	6	3	0	54	49	3	2


#	Feature Name	Scenario Name
1	<u>Create Patient with Post</u>	<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
2		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>
3		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>



#	Feature Name	T	P	F	S	Duration
1	Create Patient with Post	9	6	3	0	16.871 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Create Patient with Post</u>	<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	10.310 s
2		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	6	0	0	1.390 s
3		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	6	0	0	0.706 s
4		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	6	0	0	0.679 s
5		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	6	0	0	0.590 s
6		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	6	0	0	0.609 s
7		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	6	0	0	1.424 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Create Patient with Post</u>	<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	3	1	2	0.279 s
9		<u>Check if user able to create a Patient with valid endpoint and request body (non existing values)</u>	6	5	1	0	0.420 s

## Create Patient with Post

<b>FAILED</b>	DURATION - 16.871 s	Scenarios		Steps	
/ 6:48:18.417 p.m. // 6:48:35.288 p.m. /		Total - 9		Total - 54	
		Pass - 6		Pass - 49	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 2	



## Check if user able to create a Patient with valid endpoint and request body (non existing values)

<div>FAILED</div>	<div>DURATION - 10.310 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:48:18.426 p.m. // 6:48:28.736 p.m. /</div>				
<div>Create Patient with Post</div>				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	2.921 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	1.327 s
3	Then User receives Bearer Token	PASSED	3.966 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Valid"	PASSED	1.879 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Valid"	PASSED	0.001 s
6	Then User receives response for POST "patient" with "Post_Patient_Valid"	FAILED	0.099 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <200>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:105) at ?.User receives response for POST "patient" with "Post_Patient_Valid"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) * Not displayable characters are replaced by '?'. </pre>		

### Check if user able to create a Patient with valid endpoint and request body (non existing values)



<div>PASSED</div>	<div>DURATION - 1.390 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:48:29.003 p.m. // 6:48:30.393 p.m. /</div>				
<div>Create Patient with Post</div>				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.250 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.030 s
3	Then User receives Bearer Token	PASSED	0.001 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_ExistingUniqueField"	PASSED	0.188 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_ExistingUniqueField"	PASSED	0.359 s





#	Step / Hook Details	Status	Duration
6	Then User receives response for POST "patient" with "Post_Patient_ExistingUniqueField"	PASSED	0.540 s

### Check if user able to create a Patient with valid endpoint and request body (non existing values)

PASSED		DURATION - 0.706 s			Steps Total - 6 Pass - 6 Fail - 0 Skip - 0			
/ 6:48:30.425 p.m. // 6:48:31.131 p.m. /								
Create Patient with Post								

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.237 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.013 s
3	Then User receives Bearer Token	PASSED	0.002 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_NonAcceptedFoodCategory"	PASSED	0.123 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_NonAcceptedFoodCategory"	PASSED	0.315 s
6	Then User receives response for POST "patient" with "Post_Patient_NonAcceptedFoodCategory"	PASSED	0.006 s



### Check if user able to create a Patient with valid endpoint and request body (non existing values)

PASSED	DURATION - 0.679 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:48:31.155 p.m. // 6:48:31.834 p.m. /				
Create Patient with Post				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.228 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.026 s



#	Step / Hook Details	Status	Duration
3	Then User receives Bearer Token	PASSED	0.001 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_FirstName"	PASSED	0.078 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_FirstName"	PASSED	0.332 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_FirstName"	PASSED	0.006 s

### Check if user able to create a Patient with valid endpoint and request body (non existing values)

PASSED		DURATION - 0.590 s			Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:48:31.864 p.m. // 6:48:32.454 p.m. /						
Create Patient with Post						


#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.190 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.016 s
3	Then User receives Bearer Token	PASSED	0.000 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_LastName"	PASSED	0.070 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_LastName"	PASSED	0.298 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_LastName"	PASSED	0.006 s

### Check if user able to create a Patient with valid endpoint and request body (non existing values)

PASSED		DURATION - 0.609 s			Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:48:32.474 p.m. // 6:48:33.083 p.m. /						
Create Patient with Post						



#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.231 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.022 s
3	Then User receives Bearer Token	PASSED	0.001 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Invalid_Email"	PASSED	0.065 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Invalid_Email"	PASSED	0.273 s
6	Then User receives response for POST "patient" with "Post_Patient_Invalid_Email"	PASSED	0.006 s

### Check if user able to create a Patient with valid endpoint and request body (non existing values)





#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.201 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.022 s
3	Then User receives Bearer Token	PASSED	0.000 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Invalid_ContactNumber"	PASSED	0.130 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Invalid_ContactNumber"	PASSED	1.053 s
6	Then User receives response for POST "patient" with "Post_Patient_Invalid_ContactNumber"	PASSED	0.005 s

### Check if user able to create a Patient with valid endpoint and request body (non existing values)

<b>FAILED</b>	<b>DURATION - 0.279 s</b>		<b>Steps</b> Total - 6 Pass - 3 Fail - 1 Skip - 2	
/ 6:48:34.545 p.m. // 6:48:34.824 p.m. /				
Create Patient with Post				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.183 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.019 s
3	Then User receives Bearer Token	PASSED	0.001 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_DateOfBirth" <pre> java.lang.NumberFormatException: For input string: ""     at java.base/java.lang.NumberFormatException.forInputString(NumberFormatException.java:67)     at java.base/java.lang.Integer.parseInt(Integer.java:675)     at java.base/java.lang.Integer.parseInt(Integer.java:781)     at api.stepdefinition.Post_StepDefinition.CreatePatientRequest(Post_StepDefinition.java:162)     at api.stepdefinition.Post_StepDefinition.user_creates_post_request_for_the_dietician_api_endpoint_with(Post_StepDefinition.java:88)     at ?.User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_DateOfBirth"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:9)     * Not displayable characters are replaced by '?'.           </pre>	FAILED	0.052 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_DateOfBirth"	SKIPPED	0.001 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_DateOfBirth"	SKIPPED	0.000 s

### Check if user able to create a Patient with valid endpoint and request body (non existing values)

<b>FAILED</b>	<b>DURATION - 0.420 s</b>		<b>Steps</b> Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 6:48:34.868 p.m. // 6:48:35.288 p.m. /				
Create Patient with Post				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "password" and "UserLoginEmail"	PASSED	0.197 s
2	When User sends HTTP POST Request for User login with valid endpoint	PASSED	0.018 s
3	Then User receives Bearer Token	PASSED	0.001 s
4	Given User creates POST Request for the Dietician API endpoint with "patient" and "Post_Patient_Missing_File"	PASSED	0.165 s
5	When User sends HTTPS Request and request Body with mandatory fields and morbidity files from "patient" with "Post_Patient_Missing_File"	PASSED	0.000 s
6	Then User receives response for POST "patient" with "Post_Patient_Missing_File"	FAILED	0.026 s
<pre> java.lang.RuntimeException: com.fasterxml.jackson.databind.exc.UnrecognizedPropertyException: Unrecognized field "token" (class api.response.PostPatient_response), not marked as ignorable (12 known properties: "patientId", "LastName", "DieticianId", "FileMorbidity", "FileMorbidityCondition", "fileId", "ContactNumber", "DateOfBirth", "FirstName", "Email", "Allergy", "FoodCategory"]) at [Source: (String)]{"token":"eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhZGVsaW5lZ3JhY2UuYUJnbWVpbC5jb20iLCJpYXQiOiE3MDA1MjQxMTUsImV4cCI6MTcwMDU1MjkkNX0.NVgyZ7fni7P_Y-GKFHZhU5GZ3BMx1mxfxBakSnH-a25xH0dk-drHfxcqTRVnnlqgeU0do3stUCjScWnQRTToQ-A","type":"Bearer","userId":107,"loginUserEmail":"adelinegrace.a@gmail.com","roles":["ROLE_DIETICIAN"]}"; line: 1, column: 11] (through reference chain: api.response.PostPatient_response["token"])     at io.restassured.internal.path.json.mapping.JsonPathJackson2ObjectDeserializer.deserialize(JsonPathJackson2ObjectDeserializer.java:30)     at io.restassured.path.json.mapping.JsonPathObjectDeserializer\$deserialize.call(Unknown Source)     at io.restassured.internal.mapping.Jackson2Mapper.deserialize(Jackson2Mapper.groovy:58)     at io.restassured.mapper.ObjectMapper\$deserialize\$0.call(Unknown Source)     at io.restassured.internal.mapping.ObjectMapping.parseWithJackson2(ObjectMapping.groovy:254)     at io.restassured.internal.mapping.ObjectMapping\$parseWithJackson2\$1.callStatic(Unknown Source)     at io.restassured.internal.mapping.ObjectMapping.deserialize(ObjectMapping.groovy:56)     at io.restassured.internal.mapping.ObjectMapping\$deserialize\$0.call(Unknown Source)     at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:229)     at io.restassured.internal.RestAssuredResponseOptionsImpl.as(RestAssuredResponseOptionsImpl.java:169)     at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:126)     at ?.User receives response for POST "patient" with "Post_Patient_Missing_File"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/PostRequest.feature:11) Caused by: com.fasterxml.jackson.databind.exc.UnrecognizedPropertyException: Unrecognized field "token" (class api.response.PostPatient_response), not marked as ignorable (12 known properties: "patientId", "LastName", "DieticianId", "FileMorbidity", "FileMorbidityCondition", "fileId", "ContactNumber", "DateOfBirth", "FirstName", "Email", "Allergy", "FoodCategory"]) at [Source: (String)]{"token":"eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhZGVsaW5lZ3JhY2UuYUJnbWVpbC5jb20iLCJpYXQiOiE3MDA1MjQxMTUsImV4cCI6MTcwMDU1MjkkNX0.NVgyZ7fni7P_Y-GKFHZhU5GZ3BMx1mxfxBakSnH-a25xH0dk-drHfxcqTRVnnlqgeU0do3stUCjScWnQRTToQ-A","type":"Bearer","userId":107,"loginUserEmail":"adelinegrace.a@gmail.com","roles":["ROLE_DIETICIAN"]}"; line: 1, column: 11] (through reference chain: api.response.PostPatient_response["token"])     at com.fasterxml.jackson.databind.exc.UnrecognizedPropertyException.from(UnrecognizedPropertyException.java:61)     at com.fasterxml.jackson.databind.DeserializationContext.handleUnknownProperty(DeserializationContext.java:1138)     at com.fasterxml.jackson.databind.deser.std.StdDeserializer.handleUnknownProperty(StdDeserializer.java:2224)     at com.fasterxml.jackson.databind.deser.BeanDeserializerBase.handleUnknownProperty(BeanDeserializerBase.java:1709)     at com.fasterxml.jackson.databind.deser.BeanDeserializerBase.handleUnknownVanilla(BeanDeserializerBase.java:1687)     at com.fasterxml.jackson.databind.deser.BeanDeserializer.vanillaDeserialize(BeanDeserializer.java:320) </pre>			

#	Step / Hook Details	Status	Duration
	at com.fasterxml.jackson.databind.deser.BeanDeserializer.deserialize(BeanDeserializer.java:177) at com.fasterxml.jackson.databind.deser.DefaultDeserializationContext.readRootValue(DefaultDeserializationContext.java:323) at com.fasterxml.jackson.databind.ObjectMapper._readMapAndClose(ObjectMapper.java:4825) at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3772) at io.restassured.internal.path.json.mapping.JsonPathJackson2ObjectDeserializer.deserialize(JsonPathJackson2ObjectDeserializer.java:28) at io.restassured.path.json.mapping.JsonPathObjectDeserializer\$deserialize.call(Unknown Source) at io.restassured.internal.mapping.Jackson2Mapper.deserialize(Jackson2Mapper.groovy:58) at io.restassured.mapper.ObjectMapper\$deserialize\$0.call(Unknown Source) at io.restassured.internal.mapping.ObjectMapping.parseWithJackson2(ObjectMapping.groovy:254) at io.restassured.internal.mapping.ObjectMapping\$parseWithJackson2\$1.callStatic(Unknown Source) at io.restassured.internal.mapping.ObjectMapping.deserialize(ObjectMapping.groovy:56) at io.restassured.internal.mapping.ObjectMapping\$deserialize\$0.call(Unknown Source) at io.restassured.internal.RestAssuredResponseOptionsGroovyImpl.as(RestAssuredResponseOptionsGroovyImpl.groovy:229) at io.restassured.internal.RestAssuredResponseOptionsImpl.as(RestAssuredResponseOptionsImpl.java:169) at api.stepdefinition.Post_StepDefinition.user_receives_response_for_post_with(Post_StepDefinition.java:126) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		