

Cucumber Report

Nov 21, 2023, 4:24:08 p.m.

Start : Nov 21, 4:23:52.492 p.m.

End : Nov 21, 4:24:02.361 p.m.

Duration : 9.869 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 2
FAILED - 6
SKIPPED - 0

PASSED - 40
FAILED - 6
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>GET Morbidities</u>	7.394 s	4	0	4	0	24	18	4	2
<u>Validating GET and DELETE Dietician API methods</u>	2.364 s	4	2	2	0	24	22	2	0

#	Feature Name	Scenario Name
1	<u>GET Morbidities</u>	<u>Check if user able to retrieve all Morbidities with API End point</u>
2		<u>Check if user able to retrieve all Morbidities with API End point</u>
3		<u>Check if user able to retrieve Morbidities by morbidity test name</u>
4		<u>Check if user able to retrieve Morbidities by morbidity test name</u>
5	<u>Validating GET and DELETE Dietician API methods</u>	<u>Check if user is able to delete patient using patientid</u>
6		<u>Check if user is able to delete patient using patientid</u>





#	Feature Name	T	P	F	S	Duration
1	<u>GET Morbidities</u>	4	0	4	0	7.394 s
2	<u>Validating GET and DELETE Dietician API methods</u>	4	2	2	0	2.364 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>GET Morbidities</u>	<u>Check if user able to retrieve all Morbidities with API End point</u>	6	4	1	1	5.224 s
2		<u>Check if user able to retrieve all Morbidities with API End point</u>	6	4	1	1	0.359 s
3		<u>Check if user able to retrieve Morbidities by morbidity test name</u>	6	5	1	0	0.690 s
4		<u>Check if user able to retrieve Morbidities by morbidity test name</u>	6	5	1	0	0.289 s
5	<u>Validating GET and DELETE Dietician API methods</u>	<u>Check if User is able to get all patients</u>	6	6	0	0	0.435 s
6		<u>Check if User is able to get all patients</u>	6	6	0	0	0.935 s
7		<u>Check if user is able to delete patient using patientid</u>	6	5	1	0	0.405 s
8		<u>Check if user is able to delete patient using patientid</u>	6	5	1	0	0.445 s

GET Morbidities

FAILED	DURATION - 7.394 s	Scenarios		Steps	
/ 4:23:52.492 p.m. // 4:23:59.886 p.m. /		Total - 4		Total - 24	
		Pass - 0		Pass - 18	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 2	



Check if user able to retrieve all Morbidities with API End point

<div>FAILED</div>	<div>DURATION - 5.224 s</div>	<div></div>	Steps	<div></div>
<div>/ 4:23:52.505 p.m. // 4:23:57.729 p.m. /</div>			Total - 6	
<div>GET Morbidities</div>			Pass - 4	
			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with a valid "<password>" and "<UserLoginEmail>"	PASSED	2.962 s
2	When User sends HTTP POST Request with User login with valid endpoint	PASSED	1.159 s
3	Then User receives a Bearer Token	PASSED	0.958 s
4	Given User creates GET Request for the Dietician API endpoint (no parameters)	PASSED	0.002 s
5	When User sends HTTPS Request with "Valid"	FAILED	0.027 s
	io.cucumber.core.exception.CucumberException: Step [User sends HTTPS Request with {string}] is defined with 0 parameters at 'api. stepdefinition.MorbiditySteps.user_sends_https_request_with()'. However, the gherkin step has 1 arguments: * "Valid" Step text: User sends HTTPS Request with "Valid" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
6	Then User receives Status Code with response body for endpoint "Valid"	SKIPPED	0.001 s

Check if user able to retrieve all Morbidities with API End point

<div>FAILED</div> <div>DURATION - 0.359 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:23:58.182 p.m. // 4:23:58.541 p.m. /				
GET Morbidities				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with a valid "<password>" and "<UserLoginEmail>"	PASSED	0.292 s
2	When User sends HTTP POST Request with User login with valid endpoint	PASSED	0.038 s
3	Then User receives a Bearer Token	PASSED	0.001 s
4	Given User creates GET Request for the Dietician API endpoint (no parameters)	PASSED	0.001 s
5	When User sends HTTPS Request with "Invalid"	FAILED	0.004 s
	io.cucumber.core.exception.CucumberException: Step [User sends HTTPS Request with {string}] is defined with 0 parameters at 'api. stepdefinition.MorbiditySteps.user_sends_https_request_with()'. However, the gherkin step has 1 arguments: * "Invalid" Step text: User sends HTTPS Request with "Invalid" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
6	Then User receives Status Code with response body for endpoint "Invalid"	SKIPPED	0.000 s

Check if user able to retrieve Morbidities by morbidity test name

FAILED DURATION - 0.690 s / 4:23:58.641 p.m. // 4:23:59.331 p.m. / GET Morbidities		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with a valid "<password>" and "<UserLoginEmail>"	PASSED	0.340 s
2	When User sends HTTP POST Request with User login with valid endpoint	PASSED	0.043 s
3	Then User receives a Bearer Token	PASSED	0.002 s
4	Given User creates GET Request for the Dietician API endpoint with morbidity test name.	PASSED	0.099 s
5	When User sends the HTTPS Request after setting of morbidity Test Name "Valid"	PASSED	0.023 s



#	Step / Hook Details	Status	Duration
6	<p>Then User receives Status Code with response body with morbidity test name endpoint "Valid"</p> <pre>java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "api.stepdefinition.MorbiditySteps.DataKey" is null at api.stepdefinition.MorbiditySteps.user_receives_status_code_with_response_body_with_morbidity_test_name_endpoint(MorbiditySteps.java:146) at ?.User receives Status Code with response body with morbidity test name endpoint "Valid"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/BMorbidity.feature:22) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.120 s

Check if user able to retrieve Morbidities by morbidity test name



FAILED DURATION - 0.289 s / 4:23:59.597 p.m. // 4:23:59.886 p.m. / GET Morbidities		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with a valid "<password>" and "<UserLoginEmail>"	PASSED	0.222 s
2	When User sends HTTP POST Request with User login with valid endpoint	PASSED	0.027 s
3	Then User receives a Bearer Token	PASSED	0.001 s
4	Given User creates GET Request for the Dietician API endpoint with morbidity test name.	PASSED	0.003 s
5	When User sends the HTTPS Request after setting of morbidity Test Name "Invalid"	PASSED	0.002 s
6	<p>Then User receives Status Code with response body with morbidity test name endpoint "Invalid"</p> <pre>java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "api.stepdefinition.MorbiditySteps.DataKey" is null at api.stepdefinition.MorbiditySteps.user_receives_status_code_with_response_body_with_morbidity_test_name_endpoint(MorbiditySteps.java:146) at ?.User receives Status Code with response body with morbidity test name endpoint "Invalid"(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/BMorbidity.feature:22) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s

Validating GET and DELETE Dietician API methods



<div>FAILED</div> <div>DURATION - 2.364 s</div>		<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 2</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 24</div> <div>Pass - 22</div> <div>Fail - 2</div> <div>Skip - 0</div>		<div></div>	
/ 4:23:59.997 p.m. // 4:24:02.361 p.m. /									

Check if User is able to get all patients

<div>PASSED</div>	<div>DURATION - 0.435 s</div>		Steps	
/ 4:23:59.997 p.m. // 4:24:00.432 p.m. /			Total - 6	
Validating GET and DELETE Dietician API methods			Pass - 6	
			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "<password>" and "<UserLoginEmail>" for get all patient	PASSED	0.281 s
2	When User sends HTTP POST Request for User login with valid endpoint for get all patient	PASSED	0.026 s
3	Then the bearer token is generated and is stored for future use for get all patient	PASSED	0.003 s
4	Given User creates GET Request for the Patient endpoint with "ValidPatientIdMorbidityFileAttached" to retrieve all patients	PASSED	0.002 s
5	When User sends "ValidPatientIdMorbidityFileAttached" get request to retrieve all patients	PASSED	0.016 s
6	Then User receives the status code and message based on "ValidPatientIdMorbidityFileAttached" for get all patients	PASSED	0.001 s

Check if User is able to get all patients

<div>PASSED</div>	<div>DURATION - 0.935 s</div>		Steps	
/ 4:24:00.507 p.m. // 4:24:01.442 p.m. /			Total - 6	
Validating GET and DELETE Dietician API methods			Pass - 6	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "<password>" and "<UserLoginEmail>" for get all patient	PASSED	0.291 s
2	When User sends HTTP POST Request for User login with valid endpoint for get all patient	PASSED	0.028 s
3	Then the bearer token is generated and is stored for future use for get all patient	PASSED	0.001 s
4	Given User creates GET Request for the Patient endpoint with "ValidPatientIdMorbidityFileMissing" to retrieve all patients	PASSED	0.001 s
5	When User sends "ValidPatientIdMorbidityFileMissing" get request to retrieve all patients	PASSED	0.600 s
6	Then User receives the status code and message based on "ValidPatientIdMorbidityFileMissing" for get all patients	PASSED	0.002 s



Check if user is able to delete patient using patientid

FAILED DURATION - 0.405 s / 4:24:01.472 p.m. // 4:24:01.877 p.m. / Validating GET and DELETE Dietician API methods		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "<password>" and "<UserLoginEmail>" for get all patient	PASSED	0.238 s
2	When User sends HTTP POST Request for User login with valid endpoint for get all patient	PASSED	0.021 s
3	Then the bearer token is generated and is stored for future use for get all patient	PASSED	0.001 s
4	Given User creates DELETE Request for the Patient endpoint with "ValidPatientId" scenario using patientid	PASSED	0.003 s
5	When User sends "ValidPatientId" request with patientid for delete request	PASSED	0.100 s
6	Then User receives the status code and message based on "ValidPatientId" for delete patient java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <401>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)	FAILED	0.035 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinition.GetDeleteSteps.user_receives_the_status_code_and_message_based_on_for_delete_patient(GetDeleteSteps.java:173) at ?.User receives the status code and message based on "ValidPatientId" for delete patient(file:///C:/Users/shaun/git/repository3/DieticianAPI_RestAssured/src/test/resources/Feature/GetDeleteValidationS.feature:22) * Not displayable characters are replaced by '?'. </pre>		

Check if user is able to delete patient using patientid

FAILED	DURATION - 0.445 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:24:01.916 p.m. // 4:24:02.361 p.m. /				
Validating GET and DELETE Dietician API methods				

#	Step / Hook Details	Status	Duration
1	Given User is the registered Dietician with the valid "<password>" and "<UserLoginEmail>" for get all patient	PASSED	0.290 s
2	When User sends HTTP POST Request for User login with valid endpoint for get all patient	PASSED	0.020 s
3	Then the bearer token is generated and is stored for future use for get all patient	PASSED	0.001 s
4	Given User creates DELETE Request for the Patient endpoint with "InvalidPatientId" scenario using patientid	PASSED	0.006 s
5	When User sends "InvalidPatientId" request with patientid for delete request	PASSED	0.109 s
6	Then User receives the status code and message based on "InvalidPatientId" for delete patient	FAILED	0.012 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <401>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinition.GetDeleteSteps.user_receives_the_status_code_and_message_based_on_for_delete_patient(GetDeleteSteps. java:176) at ?.User receives the status code and message based on "InvalidPatientId" for delete patient(file:///C:/Users/shaun/git/ repository3/DieticianAPI_RestAssured/src/test/resources/Feature/GetDeleteValidationS.feature:22) * Not displayable characters are replaced by '?'. </pre>		