


Sept 13, 2023, 7:21:33 p.m.




*Features*

PASSED - 0  
FAILED - 13  
SKIPPED - 0







*Scenarios*

PASSED - 0  
FAILED - 129  
SKIPPED - 0



*Steps*

PASSED - 80  
FAILED - 129  
SKIPPED - 178



| <u>Manage Class Page Verification</u>                                       | 2 m 56.152 s | 17 | 0 | 17 | 0 | 51 | 17 | 17 | 17 |  |  |
|---|--------------|----|---|----|---|----|----|----|----|--|--|
| <u>Navigation function validation from manage class page to other pages</u> | 1 m 10.657 s | 7  | 0 | 7  | 0 | 21 | 7  | 7  | 7  |  |  |
| <u>Manage Class Page Verification</u>                                       | 1 m 52.066 s | 10 | 0 | 10 | 0 | 30 | 10 | 10 | 10 |  |  |
| <u>Class detail Popup window verification</u>                               | 1 m 30.891 s | 9  | 0 | 9  | 0 | 27 | 9  | 9  | 9  |  |  |
| <u>Add New Class</u>  | 0.559 s      | 18 | 0 | 18 | 0 | 54 | 0  | 18 | 36 |  |  |
| <u>Edit class Validation</u>  | 1 m 50.989 s | 13 | 0 | 13 | 0 | 39 | 2  | 13 | 24 |  |  |
| <u>Delete class validation</u>  | 0.143 s      | 5  | 0 | 5  | 0 | 15 | 3  | 5  | 7  |  |  |
| <u>Delete multiple class validation</u>                                     | 0.176 s      | 7  | 0 | 7  | 0 | 21 | 3  | 7  | 11 |  |  |
| <u>Verify sort function in manage class page</u>                            | 0.056 s      | 2  | 0 | 2  | 0 | 6  | 2  | 2  | 2  |  |  |
| <u>Pagination in manage class</u>   | 1 m 22.021 s | 10 | 0 | 10 | 0 | 30 | 10 | 10 | 10 |  |  |
| <u>Student Page verification</u>  | 2 m 53.722 s | 17 | 0 | 17 | 0 | 51 | 17 | 17 | 17 |  |  |
| <u>Student Page verification2</u>   | 0.132 s      | 7  | 0 | 7  | 0 | 21 | 0  | 7  | 14 |  |  |
| <u>Navigation Validation from student page to other Pages</u>               | 0.148 s      | 7  | 0 | 7  | 0 | 21 | 0  | 7  | 14 |  |  |

|    |                                       |   |
|----|---------------------------------------|---|
|    |                                       |   |
| 1  | <u>Manage Class Page Verification</u> | <u>Verify landing in class page</u>                               |
| 2  |                                       | <u>Capture the response time to navigate to manage class page</u> |
| 3  |                                       | <u>Verify Manage Class Page Header</u>                            |
| 4  |                                       | <u>Validate text in manage class page</u>                         |
| 5  |                                       | <u>Verify delete icon below the header</u>                        |
| 6  |                                       | <u>Verify search bar on the class page</u>                        |
| 7  |                                       | <u>Verify add new class button on class page</u>                  |
| 8  |                                       | <u>Verify data table on the class page</u>                        |
| 9  |                                       | <u>Verify Edit icon in the data table</u>                         |
| 10 |                                       | <u>Verify Edit icon when no data in the table</u>                 |
| 11 |                                       | <u>Verify delete icon in the data table</u>                       |
| 12 |                                       | <u>Verify delete icon when no data in the table</u>               |
| 13 |                                       | <u>Verify sort icon in the data table</u>                         |

|    |   |  |
|----|---|--|
|    |   |  |
| 14 | <u>Manage Class Page Verification</u>                                       | <u>Verify check box in the data table</u>                                    |
| 15 |   | <u>Validate the number entries displaying</u>                                |
| 16 |   | <u>Verify Pagination control below the data table</u>                        |
| 17 |   | <u>Validate footer text</u>  |
| 18 | <u>Navigation function validation from manage class page to other pages</u> | <u>Verify admin is able to navigate from manage class to student page</u>    |
| 19 |   | <u>Verify admin is able to navigate from manage class to program page</u>    |
| 20 |   | <u>Verify admin is able to navigate from manage class to batch page</u>      |
| 21 |   | <u>Verify admin is able to navigate from manage class to user page</u>       |
| 22 |   | <u>Verify admin is able to navigate from manage class to assignment page</u> |
| 23 |   | <u>Verify admin is able to navigate from manage class to attendance page</u> |
| 24 |   | <u>Verify admin should able to do logout function from manage class</u>      |
| 25 | <u>Manage Class Page Verification</u>                                       | <u>Validate search box function</u>  |

|    |   |   |
|----|---|---|
|    |   |   |
| 26 | <u>Manage Class Page Verification</u>         | <u>Validate search box function</u>                               |
| 27 |   | <u>Validate search box function</u>                               |
| 28 |   | <u>Validate search box function</u>                               |
| 29 |   | <u>Validate search box function</u>                               |
| 30 |   | <u>Validate search box function</u>                               |
| 31 |   | <u>Validate search box function</u>                               |
| 32 |   | <u>Validate search box function</u>                               |
| 33 |   | <u>Validate search box function</u>                               |
| 34 |   | <u>Validate search box function</u>                               |
| 35 | <u>Class detail Popup window verification</u> | <u>Verify class details popup window</u>                          |
| 36 |   | <u>Verify input fields in class details popup window</u>          |
| 37 |   | <u>Verify text box present in class details popup window</u>      |
| 38 |   | <u>Verify drop down in Batch Id in class details popup window</u> |

|    |   |   |
|----|---|---|
|    |   |   |
| 39 | <u>Class detail Popup window verification</u> | <u>Verify drop down in Staff Id in class details popup window</u>                 |
| 40 |   | <u>Verify calendar icon in class date in class details popup window</u>           |
| 41 |   | <u>Verify save button is present</u>  |
| 42 |   | <u>Verify cancel button is present</u>  |
| 43 |   | <u>Verify close button in class details popup window</u>                          |
| 44 | <u>Add New Class</u>                          | <u>Validate all batch id is reflecting in the dropdown</u>                        |
| 45 |   | <u>Validate admin able to add new class with valid data in mandatory fields</u>   |
| 46 |   | <u>Validate admin able to add new class with invalid data in mandatory fields</u> |
| 47 |   | <u>Validate admin able to add new class with valid data in all fields</u>         |
| 48 |   | <u>Validate admin able to add new class with invalid data in optional fields</u>  |
| 49 |   | <u>Validate admin able to add new class missing Batch Id</u>                      |
| 50 |   | <u>Validate admin able to add new class missing No of Class</u>                   |
| 51 |   | <u>Validate admin able to add new class missing Class Date</u>                    |

|    |                              |   |
|----|------------------------------|---|
|    |                              |   |
| 52 | <u>Add New Class</u>         | <u>Validate admin able to add new class missing staff id</u>                              |
| 53 |                              | <u>Validate admin able to add new class passing past date</u>                             |
| 54 |                              | <u>Validate date picker</u>   |
| 55 |                              | <u>Validate date picker should be correct format</u>                                      |
| 56 |                              | <u>Validate right arrow in data picker to navigate to next month</u>                      |
| 57 |                              | <u>Validate left arrow in data picker to navigate to previous month</u>                   |
| 58 |                              | <u>Validate current date is highlighted in the date picker</u>                            |
| 59 |                              | <u>Validate selected date is highlighted in the date picker</u>                           |
| 60 |                              | <u>Validate cancel button function in class details popup window</u>                      |
| 61 |                              | <u>Validate cancel button function in class details popup window with values in field</u> |
| 62 | <u>Edit class Validation</u> | <u>Verify Edit class popup window</u>   |
| 63 |                              | <u>Verify values in popup window</u>  |

|    |                                |  |
|----|--------------------------------|--|
|    |                                |  |
| 64 | <u>Edit class Validation</u>   | <u>Validate admin able to update class with valid data in mandatory fields</u>                 |
| 65 |                                | <u>Validate admin able to update class with invalid data in mandatory fields</u>               |
| 66 |                                | <u>Validate admin able to update class with valid data in all fields</u>                       |
| 67 |                                | <u>Validate admin able to update class with invalid data in all fields</u>                     |
| 68 |                                | <u>Validate admin able to update class missing Batch Id</u>                                    |
| 69 |                                | <u>Validate admin able to update class missing No of Class</u>                                 |
| 70 |                                | <u>Validate admin able to update class missing Class Date</u>                                  |
| 71 |                                | <u>Validate admin able to update class missing staff id</u>                                    |
| 72 |                                | <u>Validate admin able to update class passing past date</u>                                   |
| 73 |                                | <u>Validate cancel button function in Edit class details popup window</u>                      |
| 74 |                                | <u>Validate cancel button function in Edit class details popup window with values in field</u> |
| 75 | <u>Delete class validation</u> | <u>Verify Delete class alert</u>   |

|    |   |   |
|----|---|---|
|    |   |   |
| 76 | <u>Delete class validation</u>          | <u>Verify accept enabled in alert</u>   |
| 77 |   | <u>Verify reject enabled in alert</u>   |
| 78 |   | <u>Validate accept in alert</u>   |
| 79 |   | <u>Validate reject in alert</u>   |
| 80 | <u>Delete multiple class validation</u> | <u>Verify delete multiple class button is enabled</u>                                       |
| 81 |   | <u>verify tick mark is visible after clicking on check box</u>                              |
| 82 |   | <u>verify admin able to click multiple check box</u>  |
| 83 |   | <u>Verify accept alert in delete multiple class function by selecting single checkbox</u>   |
| 84 |   | <u>Verify reject alert in delete multiple class function by selecting single checkbox</u>   |
| 85 |   | <u>Verify accept alert in delete multiple class function by selecting multiple checkbox</u> |

|    |  |  |
|----|--|--|
|    |  |  |
| 86 | <u>Delete multiple class validation</u>          | <u>Verify reject alert in delete multiple class function by selecting multiple checkbox</u>                  |
| 87 | <u>Verify sort function in manage class page</u> | <u>Verify sort function in data table for descending order</u>   |
| 88 |  | <u>Verify sort function in data table for ascending order</u>  |
| 89 | <u>Pagination in manage class</u>                | <u>Verify sheet one is displayed on default in data table</u>  |
| 90 |  | <u>Verify right arrow is enable when sheet one is displayed in data table</u>                                |
| 91 |  | <u>Verify left arrow is disable when sheet one is displayed in data table</u>                                |
| 92 |  | <u>Verify right arrow is enable when sheet two is displayed in data table when entries are more than 10</u>  |
| 93 |  | <u>Verify left arrow is enable when sheet two is displayed in data table</u>                                 |
| 94 |  | <u>Verify right arrow is disable when sheet two is displayed in data table when entries are less than 10</u> |
| 95 |  | <u>Verify pagination controls enabled</u>  |
| 96 |  | <u>Verify pagination controls disabled</u>   |


|      |                                   |   |
|------|-----------------------------------|---|
|      |                                   |   |
| 97   | <u>Pagination in manage class</u> | <u>Verify next page is enabled</u>                                |
| 98   |                                   | <u>Verify next page is disabled</u>                               |
| 99   | <u>Student Page verification</u>  | <u>Validate the title of the page</u>                             |
| 10-0 |                                   | <u>Validate response time from dashboard page to student page</u> |
| 10-1 |                                   | <u>Validate the broken link</u>                                   |
| 10-2 |                                   | <u>Verify LMS title</u>   |
| 10-3 |                                   | <u>Verify the alignment of the Student detail title</u>           |
| 10-4 |                                   | <u>Validate drop down is present in the page</u>                  |
| 10-5 |                                   | <u>Validate search bar in select student name drop down</u>       |
| 10-6 |                                   | <u>Validate search bar in select batch id drop down</u>           |
| 10-7 |                                   | <u>Validate text spelling student name</u>                        |
| 10-8 |                                   | <u>Validate text spelling select batch id</u>                     |
| 10-9 |                                   | <u>Validate only numbers inside select batch id</u>               |

|      |                                   |  |
|------|-----------------------------------|--|
|      |                                   |  |
| 11-0 | <u>Student Page verification</u>  | <u>Validate gray color in student name drop down</u>                     |
| 11-1 |                                   | <u>Validate gray color in student name (batch ID) drop down</u>          |
| 11-2 |                                   | <u>Validate first drop down label is select student name</u>             |
| 11-3 |                                   | <u>Validate second drop down label is select batch id</u>                |
| 11-4 |                                   | <u>Validate scroll down inside student name dropdown</u>                 |
| 11-5 |                                   | <u>Validate scroll down inside batch id dropdown</u>                     |
| 11-6 | <u>Student Page verification2</u> | <u>Validate select student name is fading</u>                            |
| 11-7 |                                   | <u>Validate select batch id is fading</u>                                |
| 11-8 |                                   | <u>Validate select student name using search box</u>                     |
| 11-9 |                                   | <u>Validate select batch id using search box</u>                         |
| 12-0 |                                   | <u>Validate selecting only student name will not display any details</u> |
| 12-1 |                                   | <u>Validate selecting only batch id will not display any details</u>     |
| 12-2 |                                   | <u>Validate selecting student name and batch id</u>                      |


|      |   |  |
|------|---|--|
|      |   |  |
| 12-3 | <u>Navigation Validation from student page to other Pages</u> | <u>Program link on navigation bar</u>    |
| 12-4 |   | <u>Batch link on navigation bar</u>      |
| 12-5 |   | <u>Class link on navigation bar</u>      |
| 12-6 |   | <u>User link on navigation bar</u>       |
| 12-7 |   | <u>Assignment link on navigation bar</u> |
| 12-8 |   | <u>Attendance link on navigation bar</u> |
| 12-9 |   | <u>Logout link on navigation bar</u>     |

| @Class1               | 4  | 0 | 4  | 0 | 1 | 0 | 1 | 0 |
|-----------------------|----|---|----|---|---|---|---|---|
| @tag                  | 30 | 0 | 30 | 0 | 2 | 0 | 2 | 0 |
| @StudentModule_Main1  | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main2  | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main3  | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main4  | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main5  | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main6  | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main7  | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main8  | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main9  | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main10 | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main11 | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main12 | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main13 | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main14 | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main15 | 1  | 0 | 1  | 0 | 1 | 0 | 1 | 0 |


| @StudentModule_Main16      | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
|----------------------------|---|---|---|---|---|---|---|---|
| @StudentModule_Main17      | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main2_1     | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main2_2     | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main2_3     | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main2_4     | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main2_5     | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main2_6     | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Main2_7     | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Navigation1 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Navigation2 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Navigation3 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Navigation4 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Navigation5 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Navigation6 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StudentModule_Navigation7 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |




| 1  | <u>Manage Class Page Verification</u>                                       | 17 | 0 | 17 | 0 |
|----|---|----|---|----|---|
| 2  | <u>Navigation function validation from manage class page to other pages</u> | 7  | 0 | 7  | 0 |
| 3  | <u>Manage Class Page Verification</u>                                       | 10 | 0 | 10 | 0 |
| 4  | <u>Class detail Popup window verification</u>                               | 9  | 0 | 9  | 0 |
| 5  | <u>Add New Class</u>  | 18 | 0 | 18 | 0 |
| 6  | <u>Edit class Validation</u>  | 13 | 0 | 13 | 0 |
| 7  | <u>Delete class validation</u>  | 5  | 0 | 5  | 0 |
| 8  | <u>Delete multiple class validation</u>                                     | 7  | 0 | 7  | 0 |
| 9  | <u>Verify sort function in manage class page</u>                            | 2  | 0 | 2  | 0 |
| 10 | <u>Pagination in manage class</u>   | 10 | 0 | 10 | 0 |



| 11 | <u>Student Page verification</u>                              | 17 | 0 | 17 | 0 | 2 m 53.722 s |
|----|---|----|---|----|---|--------------|
| 12 | <u>Student Page verification2</u>                             | 7  | 0 | 7  | 0 | 0.132 s      |
| 13 | <u>Navigation Validation from student page to other Pages</u> | 7  | 0 | 7  | 0 | 0.148 s      |




| 1  | <u>Manage Class Page Verification</u> | <u>Verify landing in class page</u>                               | 3 | 1 | 1 | 1 | 10.507 s |
|----|---------------------------------------|---|---|---|---|---|----------|
| 2  |                                       | <u>Capture the response time to navigate to manage class page</u> | 3 | 1 | 1 | 1 | 10.279 s |
| 3  |                                       | <u>Verify Manage Class Page Header</u>                            | 3 | 1 | 1 | 1 | 10.246 s |
| 4  |                                       | <u>Validate text in manage class page</u>                         | 3 | 1 | 1 | 1 | 11.267 s |
| 5  |                                       | <u>Verify delete icon below the header</u>                        | 3 | 1 | 1 | 1 | 10.207 s |
| 6  |                                       | <u>Verify search bar on the class page</u>                        | 3 | 1 | 1 | 1 | 10.196 s |
| 7  |                                       | <u>Verify add new class button on class page</u>                  | 3 | 1 | 1 | 1 | 10.220 s |
| 8  |                                       | <u>Verify data table on the class page</u>                        | 3 | 1 | 1 | 1 | 10.194 s |
| 9  |                                       | <u>Verify Edit icon in the data table</u>                         | 3 | 1 | 1 | 1 | 10.187 s |
| 10 |                                       | <u>Verify Edit icon when no data in the table</u>                 | 3 | 1 | 1 | 1 | 10.192 s |




|    |   |   |   |   |   |   |          |
|----|---|---|---|---|---|---|----------|
|    |   |   |   |   |   |   |          |
| 11 | <u>Manage Class Page Verification</u>                                       | <u>Verify delete icon in the data table</u>                               | 3 | 1 | 1 | 1 | 10.614 s |
| 12 |   | <u>Verify delete icon when no data in the table</u>                       | 3 | 1 | 1 | 1 | 10.165 s |
| 13 |   | <u>Verify sort icon in the data table</u>                                 | 3 | 1 | 1 | 1 | 10.240 s |
| 14 |   | <u>Verify check box in the data table</u>                                 | 3 | 1 | 1 | 1 | 10.202 s |
| 15 |   | <u>Validate the number entries displaying</u>                             | 3 | 1 | 1 | 1 | 10.175 s |
| 16 |   | <u>Verify Pagination control below the data table</u>                     | 3 | 1 | 1 | 1 | 10.197 s |
| 17 |   | <u>Validate footer text</u>   | 3 | 1 | 1 | 1 | 10.107 s |
| 18 | <u>Navigation function validation from manage class page to other pages</u> | <u>Verify admin is able to navigate from manage class to student page</u> | 3 | 1 | 1 | 1 | 10.058 s |
| 19 |   | <u>Verify admin is able to navigate from manage class to program page</u> | 3 | 1 | 1 | 1 | 10.152 s |

|    |  |   |   |   |   |   |          |
|----|--|---|---|---|---|---|----------|
|    |  |   |   |   |   |   |          |
| 20 |  | <u>Verify admin is able to navigate from manage class to batch page</u> | 3 | 1 | 1 | 1 | 10.035 s |




| 21 | <u><a href="#">Navigation function validation from manage class page to other pages</a></u> | <u><a href="#">Verify admin is able to navigate from manage class to user page</a></u>       | 3 | 1 | 1 | 10.027 s |
|----|---|--|---|---|---|----------|
| 22 |   | <u><a href="#">Verify admin is able to navigate from manage class to assignment page</a></u> | 3 | 1 | 1 | 10.034 s |
| 23 |   | <u><a href="#">Verify admin is able to navigate from manage class to attendance page</a></u> | 3 | 1 | 1 | 10.061 s |
| 24 |   | <u><a href="#">Verify admin should be able to do logout function from manage class</a></u>   | 3 | 1 | 1 | 10.021 s |
| 25 | <u><a href="#">Manage Class Page Verification</a></u>                                       | <u><a href="#">Validate search box function</a></u>  | 3 | 1 | 1 | 11.851 s |
| 26 |   | <u><a href="#">Validate search box function</a></u>  | 3 | 1 | 1 | 11.111 s |
| 27 |   | <u><a href="#">Validate search box function</a></u>  | 3 | 1 | 1 | 11.094 s |
| 28 |   | <u><a href="#">Validate search box function</a></u>  | 3 | 1 | 1 | 11.108 s |
| 29 |   | <u><a href="#">Validate search box function</a></u>  | 3 | 1 | 1 | 11.092 s |

|    |  |                                     |  |   |   |   |   |          |
|----|--|-------------------------------------|--|---|---|---|---|----------|
|    |  |                                     |  |   |   |   |   |          |
| 30 |  | <u>Validate search box function</u> |  | 3 | 1 | 1 | 1 | 11.115 s |




| 31 | <u>Manage Class Page Verification</u>         | <u>Validate search box function</u>                                     |  | 3 | 1 | 1 | 11.126 s |
|----|---|---|--|---|---|---|----------|
| 32 |   | <u>Validate search box function</u>                                     |  | 3 | 1 | 1 | 11.095 s |
| 33 |   | <u>Validate search box function</u>                                     |  | 3 | 1 | 1 | 11.114 s |
| 34 |   | <u>Validate search box function</u>                                     |  | 3 | 1 | 1 | 11.081 s |
| 35 | <u>Class detail Popup window verification</u> | <u>Verify class details popup window</u>                                |  | 3 | 1 | 1 | 10.069 s |
| 36 |   | <u>Verify input fields in class details popup window</u>                |  | 3 | 1 | 1 | 10.026 s |
| 37 |   | <u>Verify text box present in class details popup window</u>            |  | 3 | 1 | 1 | 10.066 s |
| 38 |   | <u>Verify drop down in Batch Id in class details popup window</u>       |  | 3 | 1 | 1 | 10.033 s |
| 39 |   | <u>Verify drop down in Staff Id in class details popup window</u>       |  | 3 | 1 | 1 | 10.211 s |
| 40 |   | <u>Verify calendar icon in class date in class details popup window</u> |  | 3 | 1 | 1 | 10.076 s |




| 41 | <u>Class detail Popup window verification</u> | <u>Verify save button is present</u>  |  | 3 | 1 | 1 | 1 | 10.037 s |
|----|---|---|--|---|---|---|---|----------|
| 42 |   | <u>Verify cancel button is present</u>  |  | 3 | 1 | 1 | 1 | 10.054 s |
| 43 |   | <u>Verify close button in class details popup window</u>                          |  | 3 | 1 | 1 | 1 | 10.025 s |
| 44 | <u>Add New Class</u>                          | <u>Validate all batch id is reflecting in the dropdown</u>                        |  | 3 | 0 | 1 | 2 | 0.030 s  |
| 45 |   | <u>Validate admin able to add new class with valid data in mandatory fields</u>   |  | 3 | 0 | 1 | 2 | 0.009 s  |
| 46 |   | <u>Validate admin able to add new class with invalid data in mandatory fields</u> |  | 3 | 0 | 1 | 2 | 0.020 s  |
| 47 |   | <u>Validate admin able to add new class with valid data in all fields</u>         |  | 3 | 0 | 1 | 2 | 0.009 s  |
| 48 |   | <u>Validate admin able to add new class with invalid data in optional fields</u>  |  | 3 | 0 | 1 | 2 | 0.006 s  |
| 49 |   | <u>Validate admin able to add new class missing Batch Id</u>                      |  | 3 | 0 | 1 | 2 | 0.007 s  |

|    |  |   |   |   |   |   |         |
|----|--|---|---|---|---|---|---------|
|    |  |   |   |   |   |   |         |
| 50 |  | <u>Validate admin able to add new class missing No of Class</u> | 3 | 0 | 1 | 2 | 0.009 s |




| 51 | <u>Add New Class</u> | <u>Validate admin able to add new class missing Class Date</u>          | 3 | 0 | 1 | 2 | 0.010 s |
|----|----------------------|---|---|---|---|---|---------|
| 52 |                      | <u>Validate admin able to add new class missing staff id</u>            | 3 | 0 | 1 | 2 | 0.016 s |
| 53 |                      | <u>Validate admin able to add new class passing past date</u>           | 3 | 0 | 1 | 2 | 0.010 s |
| 54 |                      | <u>Validate date picker</u>   | 3 | 0 | 1 | 2 | 0.013 s |
| 55 |                      | <u>Validate date picker should be correct format</u>                    | 3 | 0 | 1 | 2 | 0.010 s |
| 56 |                      | <u>Validate right arrow in data picker to navigate to next month</u>    | 3 | 0 | 1 | 2 | 0.009 s |
| 57 |                      | <u>Validate left arrow in data picker to navigate to previous month</u> | 3 | 0 | 1 | 2 | 0.008 s |
| 58 |                      | <u>Validate current date is highlighted in the date picker</u>          | 3 | 0 | 1 | 2 | 0.008 s |
| 59 |                      | <u>Validate selected date is highlighted in the date picker</u>         | 3 | 0 | 1 | 2 | 0.009 s |
| 60 |                      | <u>Validate cancel button function in class details popup window</u>    | 3 | 0 | 1 | 2 | 0.011 s |




| 61 | <u>Add New Class</u>         | <u>Validate cancel button function in class details popup window with values in field</u> | 3 | 0 | 1 | 2 | 0.010 s  |
|----|------------------------------|---|---|---|---|---|----------|
| 62 | <u>Edit class Validation</u> | <u>Verify Edit class popup window</u>   | 3 | 1 | 1 | 1 | 0.033 s  |
| 63 |                              | <u>Verify values in popup window</u>  | 3 | 1 | 1 | 1 | 0.024 s  |
| 64 |                              | <u>Validate admin able to update class with valid data in mandatory fields</u>            | 3 | 0 | 1 | 2 | 10.028 s |
| 65 |                              | <u>Validate admin able to update class with invalid data in mandatory fields</u>          | 3 | 0 | 1 | 2 | 10.051 s |
| 66 |                              | <u>Validate admin able to update class with valid data in all fields</u>                  | 3 | 0 | 1 | 2 | 10.070 s |
| 67 |                              | <u>Validate admin able to update class with invalid data in all fields</u>                | 3 | 0 | 1 | 2 | 10.049 s |
| 68 |                              | <u>Validate admin able to update class missing Batch Id</u>                               | 3 | 0 | 1 | 2 | 10.071 s |

|    |  |  |   |   |   |   |          |
|----|--|--|---|---|---|---|----------|
|    |  |  |   |   |   |   |          |
| 69 |  | <u>Validate admin able to update class missing No of Class</u> | 3 | 0 | 1 | 2 | 10.035 s |




| 70 | <u>Edit class Validation</u>   | <u>Validate admin able to update class missing Class Date</u>                                  | 3 | 0 | 1 | 2 | 10.051 s |
|----|--------------------------------|--|---|---|---|---|----------|
| 71 |                                | <u>Validate admin able to update class missing staff id</u>                                    | 3 | 0 | 1 | 2 | 10.076 s |
| 72 |                                | <u>Validate admin able to update class passing past date</u>                                   | 3 | 0 | 1 | 2 | 10.067 s |
| 73 |                                | <u>Validate cancel button function in Edit class details popup window</u>                      | 3 | 0 | 1 | 2 | 10.064 s |
| 74 |                                | <u>Validate cancel button function in Edit class details popup window with values in field</u> | 3 | 0 | 1 | 2 | 10.069 s |
| 75 | <u>Delete class validation</u> | <u>Verify Delete class alert</u>   | 3 | 1 | 1 | 1 | 0.028 s  |
| 76 |                                | <u>Verify accept enabled in alert</u>  | 3 | 1 | 1 | 1 | 0.014 s  |
| 77 |                                | <u>Verify reject enabled in alert</u>  | 3 | 1 | 1 | 1 | 0.016 s  |
| 78 |                                | <u>Validate accept in alert</u>  | 3 | 0 | 1 | 2 | 0.014 s  |
| 79 |                                | <u>Validate reject in alert</u>  | 3 | 0 | 1 | 2 | 0.010 s  |




|    |  |   |   |   |   |   |         |
|----|--|---|---|---|---|---|---------|
|    |  |   |   |   |   |   |         |
| 80 | <u>Delete multiple class validation</u>          | <u>Verify delete multiple class button is enabled</u>                                       | 3 | 1 | 1 | 1 | 0.035 s |
| 81 |  | <u>verify tick mark is visible after clicking on check box</u>                              | 3 | 1 | 1 | 1 | 0.013 s |
| 82 |  | <u>verify admin able to click multiple check box</u>  | 3 | 1 | 1 | 1 | 0.009 s |
| 83 |  | <u>Verify accept alert in delete multiple class function by selecting single checkbox</u>   | 3 | 0 | 1 | 2 | 0.010 s |
| 84 |  | <u>Verify reject alert in delete multiple class function by selecting single checkbox</u>   | 3 | 0 | 1 | 2 | 0.009 s |
| 85 |  | <u>Verify accept alert in delete multiple class function by selecting multiple checkbox</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 86 |  | <u>Verify reject alert in delete multiple class function by selecting multiple checkbox</u> | 3 | 0 | 1 | 2 | 0.011 s |
| 87 | <u>Verify sort function in manage class page</u> | <u>Verify sort function in data table for descending order</u>                              | 3 | 1 | 1 | 1 | 0.027 s |

|    |  |   |   |   |   |   |         |
|----|--|---|---|---|---|---|---------|
|    |  |   |   |   |   |   |         |
| 88 |  | <u>Verify sort function in data table for ascending order</u> | 3 | 1 | 1 | 1 | 0.012 s |




| 89 | <u>Pagination in manage class</u> | <u>Verify sheet one is displayed on default in data table</u>  | 3 | 1 | 1 | 1 | 10.237 s |
|----|-----------------------------------|--|---|---|---|---|----------|
| 90 |                                   | <u>Verify right arrow is enable when sheet one is displayed in data table</u>                                | 3 | 1 | 1 | 1 | 10.161 s |
| 91 |                                   | <u>Verify left arrow is disable when sheet one is displayed in data table</u>                                | 3 | 1 | 1 | 1 | 10.195 s |
| 92 |                                   | <u>Verify right arrow is enable when sheet two is displayed in data table when entries are more than 10</u>  | 3 | 1 | 1 | 1 | 10.195 s |
| 93 |                                   | <u>Verify left arrow is enable when sheet two is displayed in data table</u>                                 | 3 | 1 | 1 | 1 | 10.180 s |
| 94 |                                   | <u>Verify right arrow is disable when sheet two is displayed in data table when entries are less than 10</u> | 3 | 1 | 1 | 1 | 10.169 s |
| 95 |                                   | <u>Verify pagination controls enabled</u>  | 3 | 1 | 1 | 1 | 10.196 s |
| 96 |                                   | <u>Verify pagination controls disabled</u>   | 3 | 1 | 1 | 1 | 10.206 s |

|    |  |                                    |  |   |   |   |   |
|----|--|------------------------------------|--|---|---|---|---|
|    |  |                                    |  |   |   |   |   |
| 97 |  | <u>Verify next page is enabled</u> |  | 3 | 1 | 1 | 1 |




| 98   | <u>Pagination in manage class</u> | <u>Verify next page is disabled</u>                               |  |  | 3 | 1 | 1 | 1 | 0.079 s  |
|------|-----------------------------------|---|--|--|---|---|---|---|----------|
| 99   | <u>Student Page verification</u>  | <u>Validate the title of the page</u>                             |  |  | 3 | 1 | 1 | 1 | 10.090 s |
| 10-0 |                                   | <u>Validate response time from dashboard page to student page</u> |  |  | 3 | 1 | 1 | 1 | 10.184 s |
| 10-1 |                                   | <u>Validate the broken link</u>                                   |  |  | 3 | 1 | 1 | 1 | 10.189 s |
| 10-2 |                                   | <u>Verify LMS title</u>   |  |  | 3 | 1 | 1 | 1 | 10.197 s |
| 10-3 |                                   | <u>Verify the alignment of the Student detail title</u>           |  |  | 3 | 1 | 1 | 1 | 10.230 s |
| 10-4 |                                   | <u>Validate drop down is present in the page</u>                  |  |  | 3 | 1 | 1 | 1 | 10.163 s |
| 10-5 |                                   | <u>Validate search bar in select student name drop down</u>       |  |  | 3 | 1 | 1 | 1 | 10.222 s |
| 10-6 |                                   | <u>Validate search bar in select batch id drop down</u>           |  |  | 3 | 1 | 1 | 1 | 10.180 s |

|      |  |  |  |   |   |   |          |
|------|--|--|--|---|---|---|----------|
|      |  |  |  |   |   |   |          |
| 10-7 |  | <u>Validate text spelling student name</u> |  | 3 | 1 | 1 | 10.156 s |



| 10-8 | <u>Student Page verification</u>  | <u>Validate text spelling select batch id</u>                   | 3 | 1 | 1 | 1 | 10.187 s |
|------|-----------------------------------|---|---|---|---|---|----------|
| 10-9 |                                   | <u>Validate only numbers inside select batch id</u>             | 3 | 1 | 1 | 1 | 10.257 s |
| 11-0 |                                   | <u>Validate gray color in student name drop down</u>            | 3 | 1 | 1 | 1 | 10.190 s |
| 11-1 |                                   | <u>Validate gray color in student name (batch ID) drop down</u> | 3 | 1 | 1 | 1 | 10.207 s |
| 11-2 |                                   | <u>Validate first drop down label is select student name</u>    | 3 | 1 | 1 | 1 | 10.206 s |
| 11-3 |                                   | <u>Validate second drop down label is select batch id</u>       | 3 | 1 | 1 | 1 | 10.211 s |
| 11-4 |                                   | <u>Validate scroll down inside student name dropdown</u>        | 3 | 1 | 1 | 1 | 10.187 s |
| 11-5 |                                   | <u>Validate scroll down inside batch id dropdown</u>            | 3 | 1 | 1 | 1 | 10.264 s |
| 11-6 | <u>Student Page verification2</u> | <u>Validate select student name is fading</u>                   | 3 | 0 | 1 | 2 | 0.016 s  |

|      |  |   |  |   |   |   |   |
|------|--|---|--|---|---|---|---|
|      |  |   |  |   |   |   |   |
| 11-7 |  | <u>Validate select batch id is fading</u> |  | 3 | 0 | 1 | 2 |




| 11-8 | <u>Student Page verification2</u>                             | <u>Validate select student name using search box</u>                     | 3 | 0 | 1 | 2 | 0.007 s |
|------|---|--|---|---|---|---|---------|
| 11-9 |   | <u>Validate select batch id using search box</u>                         | 3 | 0 | 1 | 2 | 0.006 s |
| 12-0 |   | <u>Validate selecting only student name will not display any details</u> | 3 | 0 | 1 | 2 | 0.007 s |
| 12-1 |   | <u>Validate selecting only batch id will not display any details</u>     | 3 | 0 | 1 | 2 | 0.006 s |
| 12-2 |   | <u>Validate selecting student name and batch id</u>                      | 3 | 0 | 1 | 2 | 0.006 s |
| 12-3 | <u>Navigation Validation from student page to other Pages</u> | <u>Program link on navigation bar</u>                                    | 3 | 0 | 1 | 2 | 0.007 s |
| 12-4 |   | <u>Batch link on navigation bar</u>                                      | 3 | 0 | 1 | 2 | 0.007 s |
| 12-5 |   | <u>Class link on navigation bar</u>                                      | 3 | 0 | 1 | 2 | 0.010 s |

|      |  |  |   |   |   |   |         |
|------|--|--|---|---|---|---|---------|
|      |  |  |   |   |   |   |         |
| 12-6 |  | <u>User link on navigation bar</u>       | 3 | 0 | 1 | 2 | 0.007 s |
| 12-7 |  | <u>Assignment link on navigation bar</u> | 3 | 0 | 1 | 2 | 0.008 s |




| 12-8 | <u>Navigation Validation from student page to other Pages</u> | <u>Attendance link on navigation bar</u> |  | 3 | 0 | 1 | 2 |
|------|---|--|--|---|---|---|---|
| 12-9 |   | <u>Logout link on navigation bar</u>     |  | 3 | 0 | 1 | 2 |




|   |   |        |          |
|---|---|--------|----------|
|   |   |        |          |
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.318 s  |
| 2 | <p>When Admin clicks "Class" button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)</pre> | FAILED | 10.084 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:10) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Admin should see URL with Manage Class from "Class" and 1   | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.182 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br><code>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br/>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br/>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=//button[@type='button'][text()='Class']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,</code> | FAILED | 10.089 s |

|   |   |         |         |
|---|---|---------|---------|
|   | strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72)<br>at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:20)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Get the response time for navigation from dashboard page to manage class page  | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
|   |  |        |          |
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.163 s  |
| 2 | When Admin clicks "Class" button on the navigation bar                                 | FAILED | 10.064 s |
|   | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: |        |          |

|   |  |         |         |
|---|--|---------|---------|
|   | <p>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//button[@type='button'][text()='Class']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) </pre> <p>* Not displayable characters are replaced by '?'.</p> |         |         |
| 3 | Then Admin should see header with Manage Class from "Class" and 1  | SKIPPED | 0.001 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.157 s  |
| 2 | <p>When Admin clicks Class button on the navigation bar and get all text from the portal page "Class" and 1</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition. admin_clicks_class_button_on_the_navigation_bar_and_get_all_text_from_the_portal_page(Class_StepDefinition.java:137)</pre> | FAILED | 11.102 s |

|   |   |         |         |
|---|---|---------|---------|
|   | at ?.Admin clicks Class button on the navigation bar and get all text from the portal page "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:35)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should see correct spelling for the all the fields from "Class" and 1  | SKIPPED | 0.002 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.156 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br>strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | FAILED | 10.039 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:43) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Admin should see disabled delete icon below the Manage Class  | SKIPPED | 0.001 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.130 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br><pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre> | FAILED | 10.057 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:48) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Admin should see search bar on the class page   | SKIPPED | 0.002 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.169 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//button[@type='button'][text()='Class']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | FAILED | 10.046 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:53) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Admin should see +Add New Class button on the class page  | SKIPPED | 0.000 s |




|   |   |         |          |
|---|---|---------|----------|
|   |   |         |          |
| 1 | Given Admin is on dashboard page after Login  | PASSED  | 0.145 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br>fcdm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br><br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72)<br>at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/<br>resources/Features_LMS/ClassFeature/ClassFeature1.feature:58)<br>* Not displayable characters are replaced by '?'.<br>Then Admin should see data table on the Manage Class Page With following column headers | FAILED  | 10.041 s |
| 3 | Then Admin should see data table on the Manage Class Page With following column headers   | SKIPPED | 0.001 s  |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.132 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br/>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br/>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br/>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>fcdm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br/>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br/>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br/>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br/>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br/>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br/>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br/>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br/>at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)<br/>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72)<br/>at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/</pre> | FAILED | 10.048 s |

|   |  |         |         |
|---|--|---------|---------|
|   | resources/Features_LMS/ClassFeature/ClassFeature1.feature:64)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Edit Icon in each row of data table only when entries are available   | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.083 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br/>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br/>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br/>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Class']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br/>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br/>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 10.105 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:69) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Edit Icon will not be present in data table   | SKIPPED | 0.001 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.476 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br/>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br/>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br/>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</pre> | FAILED | 10.076 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:74) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Delete Icon in each row of data table only when entries are available   | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
|   |  |        |          |
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.144 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br>value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | FAILED | 10.014 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:79) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Admin cant see delete Icon in data table  | SKIPPED | 0.001 s |




|   |   |         |          |
|---|---|---------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED  | 0.177 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br>fcdm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br><br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72)<br>at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/<br>resources/Features_LMS/ClassFeature/ClassFeature1.feature:84)<br>* Not displayable characters are replaced by '?'.<br>* | FAILED  | 10.053 s |
| 3 | Then Admin should see sort icon near the column headers except for Edit and Delete  | SKIPPED | 0.001 s  |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.133 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br>fcdm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72)<br>at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/ | FAILED | 10.056 s |

|   |  |         |         |
|---|--|---------|---------|
|   | resources/Features_LMS/ClassFeature/ClassFeature1.feature:89)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should see check box in the all rows of data table  | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.140 s  |
| 2 | <p>When Admin clicks "Class" button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 10.028 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:94) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Above the footer Admin should see the text as ""Showing x to y of z entries"" below the table.  | SKIPPED | 0.001 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.137 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br/>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br/>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br/>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</pre> | FAILED | 10.051 s |


|   |   |         |         |
|---|---|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:102) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Admin should see the pagination controls under the data table  | SKIPPED | 0.000 s |



|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.067 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//button[@type='button'][text()='Class']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | FAILED | 10.034 s |


|   |  |         |         |
|---|--|---------|---------|
|   | 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72)<br>at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:107)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should see the text with total number classes in the data table   | SKIPPED | 0.000 s |






|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is in Manage class page   | PASSED | 0.004 s  |
| 2 | <p>When Admin clicks Student button in the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Student(Class_PageObject.java:869) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_student_button_in_the_navigation_bar(Class_StepDefinition.java:1446) at ?.Admin clicks Student button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/)</pre> | FAILED | 10.036 s |

|   |  |         |         |
|---|--|---------|---------|
|   | resources/Features_LMS/ClassFeature/ClassFeature10.feature:7)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should able to land on student page   | SKIPPED | 0.001 s |



|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is in Manage class page   | PASSED | 0.012 s  |
| 2 | <p>When Admin clicks Program button in the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Program']"} (Session info: chrome=116.0.5845.188) For documentation on this<br/>error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version:<br/>'4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.<br/>openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Program']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br/>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br/>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 10.125 s |


|   |   |         |         |
|---|---|---------|---------|
|   | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Program(Class_PageObject.java:873) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_program_button_in_the_navigation_bar(Class_StepDefinition.java:1464) at ?.Admin clicks Program button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature10.feature:12) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Admin should able to land on program page  | SKIPPED | 0.001 s |



|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is in Manage class page                  | PASSED | 0.003 s  |
| 2 | When Admin clicks Batch button in the navigation bar | FAILED | 10.027 s |


org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  
{"method":"xpath","selector":"//button[@type='button'][text()='Batch']"} (Session info: chrome=116.0.5845.188) For documentation on this error,  
please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',  
revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.  
selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,  
value=/button[@type='button'][text()='Batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:  
116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},  
fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:  
normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,  
strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,  
webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,  
webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c  
at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)

|   |   |         |         |
|---|---|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Batch(Class_PageObject.java:877) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_batch_button_in_the_navigation_bar(Class_StepDefinition.java:1483) at ?.Admin clicks Batch button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature10.feature:17) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Admin should able to land on batch page  | SKIPPED | 0.001 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is in Manage class page   | PASSED | 0.002 s  |
| 2 | When Admin clicks User button in the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='User']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br>value=//button[@type='button'][text()='User']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | FAILED | 10.016 s |

|   |   |         |         |
|---|---|---------|---------|
|   | 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_User(Class_PageObject.java:881)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_user_button_in_the_navigation_bar(Class_StepDefinition.java:1501)<br>at ?.Admin clicks User button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature10.feature:22)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should able to land on user page   | SKIPPED | 0.000 s |




|   |  |         |          |
|---|--|---------|----------|
|   |  |         |          |
| 1 | Given Admin is in Manage class page  | PASSED  | 0.001 s  |
| 2 | When Admin clicks Assignment button in the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Assignment']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Assignment']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Assignment(Class_PageObject.java:885)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_assignment_button_in_the_navigation_bar(Class_StepDefinition.java:1519)<br>at ?.Admin clicks Assignment button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature10.feature:27)<br>* Not displayable characters are replaced by '?'.<br> | FAILED  | 10.020 s |
| 3 | Then Admin should able to land on Assignment page  | SKIPPED | 0.001 s  |





|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is in Manage class page   | PASSED | 0.002 s  |
| 2 | <p>When Admin clicks Attendance button in the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Attendance']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Attendance(Class_PageObject.java:890) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_attendance_button_in_the_navigation_bar(Class_StepDefinition.java:1538) at ?.Admin clicks Attendance button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/)</pre> | FAILED | 10.051 s |

|   |   |         |         |
|---|---|---------|---------|
|   | resources/Features_LMS/ClassFeature/ClassFeature10.feature:32)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should able to land on Attendance page   | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is in Manage class page  | PASSED | 0.003 s  |
| 2 | <p>When Admin clicks Logout button in the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Logout']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Logout']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 10.011 s |

|   |   |         |         |
|---|---|---------|---------|
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Logout(Class_PageObject.java:895)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_logout_button_in_the_navigation_bar(Class_StepDefinition.java:1557)<br>at ?.Admin clicks Logout button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature10.feature:37)<br>* Not displayable characters are replaced by '?'.<br>3 Then Admin should able to land on login page |         |         |
| 3 | Then Admin should able to land on login page  | SKIPPED | 0.000 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on Manage Class Page  | PASSED | 0.001 s  |
| 2 | When Admin enters batch id into search box from "Class" and 1<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"}<br>(Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os. | FAILED | 11.840 s |

|   |  |         |         |
|---|--|---------|---------|
|   | arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//a[text()='Search']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305)<br>at StepDefinition_LMS.Class_StepDefinition.admin_enters_batch_id_into_search_box_from(Class_StepDefinition.java:353)<br>at ?.Admin enters batch id into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:6)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Displays entries with that batch Id from "Class" and 1  | SKIPPED | 0.000 s |




|   |   |         |          |
|---|---|---------|----------|
| 1 | Given Admin is on Manage Class Page   | PASSED  | 0.001 s  |
| 2 | When Admin enters batch id which is not existing the table into search box from "Class" and 1<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"}<br>(Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:<br>[7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/a[text()='Search']}]<br>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305)<br>at StepDefinition_LMS.Class_StepDefinition.<br>admin_enters_batch_id_which_is_not_existing_the_table_into_search_box_from(Class_StepDefinition.java:374)<br>at ?.Admin enters batch id which is not existing the table into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:14)<br>* Not displayable characters are replaced by '?'.<br> | FAILED  | 11.106 s |
| 3 | Then Displays empty details in the data table   | SKIPPED | 0.000 s  |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on Manage Class Page  | PASSED | 0.000 s  |
| 2 | When Admin enters class no into search box from "Class" and 1<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"}<br>(Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:<br>[7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/a[text()='Search']}]<br>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:<br>7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305)<br>at StepDefinition_LMS.Class_StepDefinition.admin_enters_class_no_into_search_box_from(Class_StepDefinition.java:391)<br>at ?.Admin enters class no into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/) | FAILED | 11.091 s |

|   |   |         |         |
|---|---|---------|---------|
|   | test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:22)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Displays entries with that class no from "Class" and 1   | SKIPPED | 0.000 s |



|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on Manage Class Page   | PASSED | 0.001 s  |
| 2 | <p>When Admin enters class no which is not existing the table into search box from "Class" and 1</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"}<br/>(Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:<br/>[7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/a[text()='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:<br/>7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br/>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br/>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 11.104 s |


|   |   |         |         |
|---|---|---------|---------|
|   | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305) at StepDefinition_LMS.Class_StepDefinition. admin_enters_class_no_which_is_not_existing_the_table_into_search_box_from(Class_StepDefinition.java:415)     at ?.Admin enters class no which is not existing the table into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:30) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Displays empty details in the data table   | SKIPPED | 0.000 s |



|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on Manage Class Page                              | PASSED | 0.000 s  |
| 2 | When Admin enters class topic into search box from "Class" and 1 | FAILED | 11.088 s |


org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"}  
(Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//a[text()='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c  
at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)

|   |   |         |         |
|---|---|---------|---------|
|   |   |         |         |
|   | <pre>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305) at StepDefinition_LMS.Class_StepDefinition.admin_enters_class_topic_into_search_box_from(Class_StepDefinition.java:424) at ?.Admin enters class topic into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:38) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Displays entries with that class topic   | SKIPPED | 0.001 s |




|   |   |        |          |
|---|---|--------|----------|
|   |   |        |          |
| 1 | Given Admin is on Manage Class Page   | PASSED | 0.000 s  |
| 2 | When Admin enters class topic which is not existing the table into search box from "Class" and 1<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"}<br>(Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//a[text()='Search']}]<br>Capabilities {acceptInsecureCerts: false, | FAILED | 11.110 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre>browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305) at StepDefinition_LMS.Class_StepDefinition. admin_enters_class_topic_which_is_not_existing_the_table_into_search_box_from(Class_StepDefinition.java:446)   at ?.Admin enters class topic which is not existing the table into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:47) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Displays empty details in the data table  | SKIPPED | 0.001 s |




|   |  |         |          |
|---|--|---------|----------|
| 1 | Given Admin is on Manage Class Page  | PASSED  | 0.001 s  |
| 2 | When Admin enters staff id into search box from "Class" and 1<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"}<br>(Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:<br>[7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/a[text()='Search']}]<br>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305)<br>at StepDefinition_LMS.Class_StepDefinition.admin_enters_staff_id_into_search_box_from(Class_StepDefinition.java:455)<br>at ?.Admin enters staff id into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:56)<br>* Not displayable characters are replaced by '?'.<br>Then Displays entries with that staff id from "Class" and 1 | FAILED  | 11.120 s |
| 3 | Then Displays entries with that staff id from "Class" and 1  | SKIPPED | 0.002 s  |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on Manage Class Page  | PASSED | 0.001 s  |
| 2 | When Admin enters staff id which is not existing the table into search box from "Class" and 1<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"}<br>(Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:<br>[7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/a[text()='Search']}]<br>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:<br>7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305)<br>at StepDefinition_LMS.Class_StepDefinition.<br>admin_enters_staff_id_which_is_not_existing_the_table_into_search_box_from(Class_StepDefinition.java:477) | FAILED | 11.092 s |

|   |  |         |         |
|---|--|---------|---------|
|   | at ?.Admin enters staff id which is not existing the table into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:64)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Displays empty details in the data table  | SKIPPED | 0.000 s |





|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on Manage Class Page   | PASSED | 0.002 s  |
| 2 | When Admin enters class date into search box from "Class" and 1<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"}<br>(Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/a[text()='Search']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | FAILED | 11.109 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305) at StepDefinition_LMS.Class_StepDefinition.admin_enters_class_date_into_search_box_from(Class_StepDefinition.java:486) at ?.Admin enters class date into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:72) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Displays entries with that class date from "Class" and 1  | SKIPPED | 0.000 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on Manage Class Page   | PASSED | 0.000 s  |
| 2 | When Admin enters invalid class date into search box from "Class" and 1<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"}<br/>(Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//a[text()='Search']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</pre> | FAILED | 11.077 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305) at StepDefinition_LMS.Class_StepDefinition.admin_enters_invalid_class_date_into_search_box_from(Class_StepDefinition.java:507) at ?.Admin enters invalid class date into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/ Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:80) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Displays empty details in the data table   | SKIPPED | 0.001 s |




|   |   |         |          |
|---|---|---------|----------|
|   |   |         |          |
| 1 | Given Admin is on Manage Class Page   | PASSED  | 0.001 s  |
| 2 | When Admin click +Add New Class button<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Add New']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320)<br>at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:513)<br>at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:6)<br>* Not displayable characters are replaced by '?'. | FAILED  | 10.058 s |
| 3 | Then Admin should see a popup with heading class details  | SKIPPED | 0.001 s  |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on Manage Class Page  | PASSED | 0.001 s  |
| 2 | When Admin click +Add New Class button<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.188) For documentation on this<br/>error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version:<br/>'4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.<br/>openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Add New']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>fcdm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br/>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br/>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br/>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br/>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br/>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br/>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br/>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br/>at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320)<br/>at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:513)<br/>at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/</pre> | FAILED | 10.020 s |

|   |  |         |         |
|---|--|---------|---------|
|   | Features_LMS/ClassFeature/ClassFeature3.feature:11)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should see input fields Text  | SKIPPED | 0.001 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on Manage Class Page   | PASSED | 0.002 s  |
| 2 | <p>When Admin click +Add New Class button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Add New']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 10.059 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:513) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:18) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then 6 textbox should be present in Class details popup window  | SKIPPED | 0.001 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on Manage Class Page   | PASSED | 0.001 s  |
| 2 | When Admin click +Add New Class button<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.188) For documentation on this<br/>error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version:<br/>'4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.<br/>openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Add New']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</pre> | FAILED | 10.027 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:513) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:26) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Admin should see dropdown option for Batch ID  | SKIPPED | 0.000 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on Manage Class Page   | PASSED | 0.013 s  |
| 2 | When Admin click +Add New Class button<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.188) For documentation on this<br/>error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version:<br/>'4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.<br/>openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=//button[@type='button'][text()='Add New']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</pre> | FAILED | 10.194 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:513) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:31) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Admin should see dropdown option for Staff Id  | SKIPPED | 0.001 s |




|   |  |         |          |
|---|--|---------|----------|
| 1 | Given Admin is on Manage Class Page  | PASSED  | 0.001 s  |
| 2 | When Admin click +Add New Class button<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Add New']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320)<br>at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:513)<br>at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:36)<br>* Not displayable characters are replaced by '?'. | FAILED  | 10.070 s |
| 3 | Then Admin should see calendar icon for class date   | SKIPPED | 0.001 s  |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on Manage Class Page  | PASSED | 0.001 s  |
| 2 | When Admin click +Add New Class button<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.188) For documentation on this<br/>error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version:<br/>'4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.<br/>openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Add New']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>fcdm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br/>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br/>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br/>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br/>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br/>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br/>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br/>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br/>at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320)<br/>at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:513)<br/>at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/</pre> | FAILED | 10.032 s |

|   |  |         |         |
|---|--|---------|---------|
|   | Features_LMS/ClassFeature/ClassFeature3.feature:41)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should see save button in the class detail popup window                                       | SKIPPED | 0.000 s |





|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on Manage Class Page   | PASSED | 0.001 s  |
| 2 | <p>When Admin click +Add New Class button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Add New']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 10.049 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:513) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:46) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Admin should see cancel button in the class detail popup window  | SKIPPED | 0.001 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on Manage Class Page   | PASSED | 0.001 s  |
| 2 | When Admin click +Add New Class button<br><br><pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Add New']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre> | FAILED | 10.019 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:513) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:51) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Admin should see close button on the class details popup window  | SKIPPED | 0.000 s |




|   |   |         |         |
|---|---|---------|---------|
| 1 | Given Admin is in class detail popup window<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)<br>at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:7)<br>* Not displayable characters are replaced by '?'. | FAILED  | 0.018 s |
| 2 | When Admin clicks Batch ID dropdown   | SKIPPED | 0.000 s |
| 3 | Then Batch id in the drop down should match with Batch id manage batch page table   | SKIPPED | 0.000 s |




|   |   |        |         |
|---|---|--------|---------|
| 1 | Given Admin is in class detail popup window<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)<br>at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:12) | FAILED | 0.006 s |
|---|---|--------|---------|


|   |   |         |         |
|---|---|---------|---------|
|   | * Not displayable characters are replaced by '?'.   |         |         |
| 2 | When Admin enters all mandatory field values with valid data and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1 | SKIPPED | 0.001 s |
| 3 | Then Admin should see new class details is added in the data table from "Class" and 1   | SKIPPED | 0.000 s |




|   |  |         |         |
|---|--|---------|---------|
| 1 | Given Admin is in class detail popup window<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)<br>at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:20)<br>* Not displayable characters are replaced by '?'. | FAILED  | 0.017 s |
| 2 | When Admin enters all mandatory field values with invalid data and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id, )from "Class" and 1  | SKIPPED | 0.000 s |
| 3 | Then Error message should appear in alert  | SKIPPED | 0.000 s |



|   |  |         |         |
|---|--|---------|---------|
| 1 | Given Admin is in class detail popup window<br><br><pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603) at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:28) * Not displayable characters are replaced by '?'.</pre> | FAILED  | 0.007 s |
| 2 | When Admin enters values in all fields with valid data and clicks save button (Batch ID , No of Classes, Class Date, Class Topic, Staff Id, Class description, Comments, Notes, Recordings)from "Class" and 1  | SKIPPED | 0.000 s |
| 3 | Then Admin should see new class details is added in the data table from "Class" and 1  | SKIPPED | 0.000 s |




|   |  |         |         |
|---|--|---------|---------|
|   |  |         |         |
| 1 | <p>Given Admin is in class detail popup window</p> <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]   at org.testng.Assert.fail(Assert.java:110)   at org.testng.Assert.failNotEquals(Assert.java:1577)   at org.testng.Assert.assertEqualsImpl(Assert.java:149)   at org.testng.Assert.assertEquals(Assert.java:131)   at org.testng.Assert.assertEquals(Assert.java:655)   at org.testng.Assert.assertEquals(Assert.java:665)   at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)   at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:36) * Not displayable characters are replaced by '?'.</pre> | FAILED  | 0.005 s |
| 2 | When Admin enters with invalid data in optional fields and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1  | SKIPPED | 0.000 s |
| 3 | Then Error message should appear in alert  | SKIPPED | 0.000 s |




|   |   |        |         |
|---|---|--------|---------|
|   |   |        |         |
| 1 | <p>Given Admin is in class detail popup window</p> <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]   at org.testng.Assert.fail(Assert.java:110)   at org.testng.Assert.failNotEquals(Assert.java:1577)   at org.testng.Assert.assertEqualsImpl(Assert.java:149)   at org.testng.Assert.assertEquals(Assert.java:131)   at org.testng.Assert.assertEquals(Assert.java:655)   at org.testng.Assert.assertEquals(Assert.java:665)   at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)   at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/</pre> | FAILED | 0.006 s |


|   |   |         |         |
|---|---|---------|---------|
|   | Features_LMS/ClassFeature/ClassFeature4.feature:44)<br>* Not displayable characters are replaced by '?'.                        |         |         |
| 2 | When Admin enters data missing value in Batch ID and clicks save button (No of Classes, Class Date, Staff Id)from "Class" and 1 | SKIPPED | 0.000 s |
| 3 | Then Batch Id is missing  | SKIPPED | 0.000 s |




|   |   |         |         |
|---|---|---------|---------|
| 1 | Given Admin is in class detail popup window<br><br><code>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]</code><br><code>at org.testng.Assert.fail(Assert.java:110)</code><br><code>at org.testng.Assert.failNotEquals(Assert.java:1577)</code><br><code>at org.testng.Assert.assertEqualsImpl(Assert.java:149)</code><br><code>at org.testng.Assert.assertEquals(Assert.java:131)</code><br><code>at org.testng.Assert.assertEquals(Assert.java:655)</code><br><code>at org.testng.Assert.assertEquals(Assert.java:665)</code><br><code>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)</code><br><code>at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:52)</code><br>* Not displayable characters are replaced by '?'. | FAILED  | 0.006 s |
| 2 | When Admin enters data missing value in No of class and clicks save button Batch ID ,Class Date, Staff Id from "Class" and 1  | SKIPPED | 0.000 s |
| 3 | Then No of classes is missing   | SKIPPED | 0.001 s |



|   |  |         |         |
|---|--|---------|---------|
| 1 | Given Admin is in class detail popup window<br><br><pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]   at org.testng.Assert.fail(Assert.java:110)   at org.testng.Assert.failNotEquals(Assert.java:1577)   at org.testng.Assert.assertEqualsImpl(Assert.java:149)   at org.testng.Assert.assertEquals(Assert.java:131)   at org.testng.Assert.assertEquals(Assert.java:655)   at org.testng.Assert.assertEquals(Assert.java:665)   at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)   at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:60) * Not displayable characters are replaced by '?'.</pre> | FAILED  | 0.007 s |
| 2 | When Admin enters data missing value in class date and clicks save button (Batch ID , No of Classes, Staff Id, )from "Class" and 1   | SKIPPED | 0.000 s |
| 3 | Then class date is missing   | SKIPPED | 0.001 s |




|   |  |         |         |
|---|--|---------|---------|
|   |  |         |         |
| 1 | <p>Given Admin is in class detail popup window</p> <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603) at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:68) * Not displayable characters are replaced by '?'.</pre> | FAILED  | 0.012 s |
| 2 | When Admin enters data missing value in staff id and clicks save button (Batch ID , No of Classes, Class Date )from "Class" and 1  | SKIPPED | 0.001 s |
| 3 | Then staff id is missing   | SKIPPED | 0.000 s |




|   |   |        |         |
|---|---|--------|---------|
|   |   |        |         |
| 1 | <p>Given Admin is in class detail popup window</p> <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603) at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/</pre> | FAILED | 0.008 s |


|   |  |         |         |
|---|--|---------|---------|
|   | Features_LMS/ClassFeature/ClassFeature4.feature:76)<br>* Not displayable characters are replaced by '?'.   |         |         |
| 2 | When Admin enters passed date in the class date field and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1 | SKIPPED | 0.000 s |
| 3 | Then class cannot be created for the passed date   | SKIPPED | 0.000 s |



|   |  |         |         |
|---|--|---------|---------|
| 1 | Given Admin is in class detail popup window<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)<br>at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:84)<br>* Not displayable characters are replaced by '?'. | FAILED  | 0.011 s |
| 2 | When Admin clicks date from date picker from "Class" and 1   | SKIPPED | 0.000 s |
| 3 | Then selected date should be their in class date text box  | SKIPPED | 0.000 s |




|   |  |         |         |
|---|--|---------|---------|
| 1 | Given Admin is in class detail popup window<br><br><pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]   at org.testng.Assert.fail(Assert.java:110)   at org.testng.Assert.failNotEquals(Assert.java:1577)   at org.testng.Assert.assertEqualsImpl(Assert.java:149)   at org.testng.Assert.assertEquals(Assert.java:131)   at org.testng.Assert.assertEquals(Assert.java:655)   at org.testng.Assert.assertEquals(Assert.java:665)   at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)   at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:92) * Not displayable characters are replaced by '?'.</pre> | FAILED  | 0.007 s |
| 2 | When Admin clicks date from date picker from "Class" and 1   | SKIPPED | 0.000 s |
| 3 | Then selected date should be in mm/dd/yyyy format  | SKIPPED | 0.001 s |




|   |   |        |         |
|---|---|--------|---------|
| 1 | Given Admin is in class detail popup window | FAILED | 0.007 s |
|---|---|--------|---------|

|   |  |         |         |
|---|--|---------|---------|
|   | java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)<br>at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:100)<br>* Not displayable characters are replaced by '?'. |         |         |
| 2 | When Admin clicks right arrow in the date picker near month  | SKIPPED | 0.000 s |
| 3 | Then Next month calender should visible  | SKIPPED | 0.000 s |




|   |   |        |         |
|---|---|--------|---------|
| 1 | Given Admin is in class detail popup window<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)<br>at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:105)<br>* Not displayable characters are replaced by '?'. | FAILED | 0.005 s |
|---|---|--------|---------|


|   |  |         |         |
|---|--|---------|---------|
|   |  |         |         |
| 2 | When Admin clicks left arrow in the date picker near month | SKIPPED | 0.000 s |
| 3 | Then previous month calender should visible                | SKIPPED | 0.001 s |



|   |   |         |         |
|---|---|---------|---------|
|   |   |         |         |
| 1 | Given Admin is in class detail popup window<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)<br>at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:110)<br>* Not displayable characters are replaced by '?'.<br><br>2    When Admin clicks date picker button<br><br>3    Then Admin should see current date is highled in the date picker | FAILED  | 0.005 s |
| 2 | When Admin clicks date picker button  | SKIPPED | 0.000 s |
| 3 | Then Admin should see current date is highled in the date picker  | SKIPPED | 0.001 s |




|   |   |         |         |
|---|---|---------|---------|
| 1 | Given Admin is in class detail popup window<br><br><pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]   at org.testng.Assert.fail(Assert.java:110)   at org.testng.Assert.failNotEquals(Assert.java:1577)   at org.testng.Assert.assertEqualsImpl(Assert.java:149)   at org.testng.Assert.assertEquals(Assert.java:131)   at org.testng.Assert.assertEquals(Assert.java:655)   at org.testng.Assert.assertEquals(Assert.java:665)   at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)   at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:115) * Not displayable characters are replaced by '?'.</pre> | FAILED  | 0.008 s |
| 2 | When Admin clicks date picker button and selects future date  | SKIPPED | 0.000 s |
| 3 | Then Admin should see selected date is highlighted in the date picker   | SKIPPED | 0.000 s |




|   |   |        |         |
|---|---|--------|---------|
| 1 | Given Admin is in class detail popup window | FAILED | 0.007 s |
|---|---|--------|---------|

|   |  |         |         |
|---|--|---------|---------|
|   | java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)<br>at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:120)<br>* Not displayable characters are replaced by '?'. |         |         |
| 2 | When Admin clicks Cancel button without entering values in the fields  | SKIPPED | 0.002 s |
| 3 | Then Admin should land on Manage Class page from "Class" and 1   | SKIPPED | 0.000 s |



|   |   |        |         |
|---|---|--------|---------|
| 1 | Given Admin is in class detail popup window<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:603)<br>at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:128)<br>* Not displayable characters are replaced by '?'. | FAILED | 0.007 s |
|---|---|--------|---------|


|   |  |         |         |
|---|--|---------|---------|
|   |  |         |         |
| 2 | When Admin clicks Cancel button entering values in the fields "Class" and 1  | SKIPPED | 0.000 s |
| 3 | Then Admin should land on Manage Class Page and validate new class is not created in the data table from "Class" and 1 | SKIPPED | 0.001 s |



|   |   |        |         |
|---|---|--------|---------|
|   |   |        |         |
| 1 | Given Admin is in Manage class page         | PASSED | 0.000 s |
| 2 | When Admin clicks Edit button in data table | FAILED | 0.023 s |


org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //\*[@id='edit']/tbody/tr[1]/td[10] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//\*[@id='edit']/tbody/tr[1]/td[10]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//\*[@id='edit']/tbody/tr[1]/td[10]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c

|   |  |         |         |
|---|--|---------|---------|
|   | <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Edit(Class_PageObject.java:599) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_edit_button_in_data_table(Class_StepDefinition.java:1007) at ?.Admin clicks Edit button in data table(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:8) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Edit popup window appears with heading Class Details  | SKIPPED | 0.000 s |




|   |   |        |         |
|---|---|--------|---------|
| 1 | Given Admin is in Manage class page                             | PASSED | 0.001 s |
| 2 | When Admin clicks Edit button from one of the row in data table | FAILED | 0.021 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre> name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//*[@id='edit']/tbody/tr[2]/td[10]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c       at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)       at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)       at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)       at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)       at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)       at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)       at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)       at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)       at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)       at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)       at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)       at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)       at POM_LMS.Class_PageObject.Click_EditA(Class_PageObject.java:604)       at StepDefinition_LMS.Class_StepDefinition.admin_clicks_edit_button_from_one_of_the_row_in_data_table(Class_StepDefinition.java:1020)       at ?.Admin clicks Edit button from one of the row in data table(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/ test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:13) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Edit popup window appears with same row values in the all fields   | SKIPPED | 0.000 s |




|   |   |         |          |  |
|---|---|---------|----------|--|
|   |   |         |          |  |
| 1 | Given Admin is in Edit class detail popup window<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"/a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/a[text()='ClassDetails']}]<br>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br><br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1050)<br>at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:17)<br>* Not displayable characters are replaced by '?'.<br><br>2 When Admin enters all mandatory field values with valid data and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1<br><br>3 Then Admin should see particular class details is updated in the data table "Class" and 1 | FAILED  | 10.026 s |  |
| 2 | When Admin enters all mandatory field values with valid data and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1   | SKIPPED | 0.001 s  |  |
| 3 | Then Admin should see particular class details is updated in the data table "Class" and 1   | SKIPPED | 0.000 s  |  |




|   |  |  |  |          |
|---|--|--|--|----------|
| 1 | Given Admin is in Edit class detail popup window |  | FAILED   | 10.047 s |
|   |  |  | <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1050) at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/ Features_LMS/ClassFeature/ClassFeature5.feature:25)</pre> |          |

|   |   |         |         |
|---|---|---------|---------|
|   | * Not displayable characters are replaced by '?'.   |         |         |
| 2 | When Admin enters all mandatory field values with invalid data and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id, )from "Class" and 1 | SKIPPED | 0.002 s |
| 3 | Then Error message should appear in alert   | SKIPPED | 0.000 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is in Edit class detail popup window<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//a[text()='ClassDetails']}]<br>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | FAILED | 10.064 s |
|---|---|--------|----------|

|   |   |         |         |
|---|---|---------|---------|
|   | <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1050) at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:33) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 2 | When Admin enters values in all fields with valid data and clicks save button (Batch ID , No of Classes, Class Date, Class Topic, Staff Id, Class description, Comments, Notes, Recordings)from "Class" and 1   | SKIPPED | 0.001 s |
| 3 | Then Admin should see particular class details is updated in the data table "Class" and 1   | SKIPPED | 0.001 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is in Edit class detail popup window<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit:<br/>https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision:<br/>'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.<br/>chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using&gt;xpath, value=//a[text()='ClassDetails']}]<br/>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion:<br/>116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions:<br/>{debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),<br/>se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0,<br/>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,<br/>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:<br/>true} Session ID: 7b6fd251696b1f42df678a86821cb11c</pre> | FAILED | 10.044 s |
|---|---|--------|----------|

|   |   |         |         |
|---|---|---------|---------|
|   | <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1050) at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:41) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 2 | When Admin enters with invalid data in optional fields and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1   | SKIPPED | 0.000 s |
| 3 | Then Error message should appear in alert   | SKIPPED | 0.000 s |




|   |  |        |          |
|---|--|--------|----------|
|   |  |        |          |
| 1 | Given Admin is in Edit class detail popup window<br><br><code>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/> {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit:<br/> <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision:</code> | FAILED | 10.066 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre>'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1050)     at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:49) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 2 | When Admin enters data missing value in Batch ID and clicks save button (No of Classes, Class Date, Staff Id)from "Class" and 1  | SKIPPED | 0.000 s |
| 3 | Then Batch Id is missing   | SKIPPED | 0.000 s |




|   |  |  |        |          |
|---|--|--|--------|----------|
| 1 | Given Admin is in Edit class detail popup window | <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1050) at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/ Features_LMS/ClassFeature/ClassFeature5.feature:57)</pre> | FAILED | 10.028 s |
|   |  |  |        |          |

|   |  |         |         |
|---|--|---------|---------|
|   | * Not displayable characters are replaced by '?'.  |         |         |
| 2 | When Admin enters data missing value in No of class and clicks save button Batch ID ,Class Date, Staff Id from "Class" and 1 | SKIPPED | 0.001 s |
| 3 | Then No of classes is missing  | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is in Edit class detail popup window<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit:<br/>https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision:<br/>'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.<br/>chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//a[text()='ClassDetails']}]<br/>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion:<br/>116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions:<br/>{debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),<br/>se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0,<br/>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,<br/>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:<br/>true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br/>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br/>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br/>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)</pre> | FAILED | 10.046 s |
|---|--|--------|----------|

|   |   |         |         |
|---|---|---------|---------|
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1050)<br>at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:65)<br>* Not displayable characters are replaced by '?'. |         |         |
| 2 | When Admin enters data missing value in class date and clicks save button (Batch ID , No of Classes, Staff Id, )from "Class" and 1  | SKIPPED | 0.000 s |
| 3 | Then class date is missing  | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is in Edit class detail popup window<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//a[text()='ClassDetails']}]<br>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | FAILED | 10.071 s |
|---|--|--------|----------|

|   |  |         |         |
|---|--|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1050) at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:73) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 2 | When Admin enters data missing value in staff id and clicks save button (Batch ID , No of Classes, Class Date )from "Class" and 1  | SKIPPED | 0.000 s |
| 3 | Then staff id is missing   | SKIPPED | 0.000 s |




|   |   |        |          |
|---|---|--------|----------|
|   |   |        |          |
| 1 | Given Admin is in Edit class detail popup window<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit:<br><a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. | FAILED | 10.060 s |

|   |   |         |         |
|---|---|---------|---------|
|   | chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using>xpath, value=//a[text()='ClassDetails']}]<br>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br><br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1050)<br>at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:81)<br>* Not displayable characters are replaced by '?'. |         |         |
| 2 | When Admin enters passed date in the class date field and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1  | SKIPPED | 0.000 s |
| 3 | Then class cannot be updated for the passed date  | SKIPPED | 0.000 s |





|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is in Edit class detail popup window<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit:<br><a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//a[text()='ClassDetails']}]<br>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1050)<br>at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:89) | FAILED | 10.060 s |
|---|---|--------|----------|

|   |   |         |         |
|---|---|---------|---------|
|   | * Not displayable characters are replaced by '?'.                     |         |         |
| 2 | When Admin clicks Cancel button without entering values in the fields | SKIPPED | 0.000 s |
| 3 | Then Admin should land on Manage Class page from "Class" and 1        | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is in Edit class detail popup window<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit:<br/>https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision:<br/>'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.<br/>chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//a[text()='ClassDetails']}]<br/>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion:<br/>116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions:<br/>{debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),<br/>se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0,<br/>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,<br/>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:<br/>true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br/>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br/>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br/>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)</pre> | FAILED | 10.066 s |
|---|--|--------|----------|

|   |   |         |         |
|---|---|---------|---------|
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1050)<br>at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:97)<br>* Not displayable characters are replaced by '?'. |         |         |
| 2 | When Admin clicks Cancel button entering values in the fields "Class" and 1   | SKIPPED | 0.001 s |
| 3 | Then Admin should land on Manage Class Page and validate particular class details are not changed in the data table from "Class" and 1  | SKIPPED | 0.000 s |




|   |   |        |         |
|---|---|--------|---------|
| 1 | Given Admin is in Manage class page   | PASSED | 0.001 s |
| 2 | When Admin clicks delete button in data table row level<br><br>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/ | FAILED | 0.021 s |

|   |  |         |         |
|---|--|---------|---------|
|   |  |         |         |
|   | <p>tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_delete_button_in_data_table_row_level(Class_StepDefinition.java:1127) at ?.Admin clicks delete button in data table row level(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature6.feature:7) </pre> <p>* Not displayable characters are replaced by '?'.</p> |         |         |
| 3 | Then Admin should see alert  | SKIPPED | 0.000 s |




|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is in Manage class page  | PASSED | 0.002 s |
| 2 | When Admin clicks delete button in data table row level<br><br>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_delete_button_in_data_table_row_level(Class_StepDefinition.java:1127) | FAILED | 0.011 s |

|   |  |         |         |
|---|--|---------|---------|
|   | at ?.Admin clicks delete button in data table row level(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature6.feature:12)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Alert should have "yes" button to accept  | SKIPPED | 0.000 s |




|   |   |        |         |
|---|---|--------|---------|
| 1 | Given Admin is in Manage class page   | PASSED | 0.001 s |
| 2 | When Admin clicks delete button in data table row level<br><br>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | FAILED | 0.010 s |

|   |   |         |         |
|---|---|---------|---------|
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_delete_button_in_data_table_row_level(Class_StepDefinition.java:1127)<br>at ?.Admin clicks delete button in data table row level(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature6.feature:17)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Alert should have "No" button to reject  | SKIPPED | 0.001 s |



|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is in delete alert<br><br>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | FAILED | 0.012 s |
|---|--|--------|---------|

|   |  |         |         |
|---|--|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_delete_alert(Class_StepDefinition.java:1153) at ?.Admin is in delete alert(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature6.feature:21) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 2 | When Admin clicks yes button   | SKIPPED | 0.000 s |
| 3 | Then Success message and validate particular class details are deleted from the data table from "Class" and 1  | SKIPPED | 0.000 s |




|   |                                |        |         |
|---|--------------------------------|--------|---------|
|   |                                |        |         |
| 1 | Given Admin is in delete alert | FAILED | 0.008 s |

org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //\*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//\*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver


|   |  |         |         |
|---|--|---------|---------|
|   | <p>Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using&gt;xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_delete_alert(Class_StepDefinition.java:1153) </pre> <p>* Not displayable characters are replaced by '?'.</p> |         |         |
| 2 | When Admin clicks no button  | SKIPPED | 0.001 s |
| 3 | Then Admin should land on manage class page and validate particular class details are not deleted from the data table from "Class" and 1   | SKIPPED | 0.000 s |






|   |  |        |         |  |
|---|--|--------|---------|--|
|   |  |        |         |  |
| 1 | Given Admin is in Manage class page                            | PASSED | 0.001 s |  |
| 2 | When Admin clicks single row level check box in the data table | FAILED | 0.029 s | <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='checkbox']/tbody/tr[2]/td[1] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='checkbox']/tbody/tr[2]/td[1]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//*[@id='checkbox']/tbody/tr[2]/td[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) </pre> |

|   |  |         |         |
|---|--|---------|---------|
|   | at POM_LMS.Class_PageObject.Click_CheckBoxA(Class_PageObject.java:684)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_single_row_level_check_box_in_the_data_table(Class_StepDefinition.java:1204)<br>at ?.Admin clicks single row level check box in the data table(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:8)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should see delete icon below the header is enabled  | SKIPPED | 0.000 s |




|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is in Manage class page  | PASSED | 0.001 s |
| 2 | When Admin clicks single row level check box in the data table<br><br>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression<br>//*[@id='checkbox']/tbody/tr[2]/td[1] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string<br>'//*[@id='checkbox']/tbody/tr[2]/td[1]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br>value=//*[@id='checkbox']/tbody/tr[2]/td[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188,<br>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true,<br>goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:<br>windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity:<br>false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:<br>true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) | FAILED | 0.011 s |

|   |  |         |         |
|---|--|---------|---------|
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_CheckBoxA(Class_PageObject.java:684)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_single_row_level_check_box_in_the_data_table(Class_StepDefinition.java:1204)<br>at ?.Admin clicks single row level check box in the data table(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:13)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should see tick mark in check box   | SKIPPED | 0.000 s |




|   |   |        |         |
|---|---|--------|---------|
| 1 | Given Admin is in Manage class page   | PASSED | 0.001 s |
| 2 | When Admin clicks multiple row level check box in the data table<br><br>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression<br>//*[@id='checkbox']/tbody/tr[2]/td[1] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string<br>'//*[@id='checkbox']/tbody/tr[2]/td[1]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using>xpath,<br>value=//*[@id='checkbox']/tbody/tr[2]/td[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188,<br>chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDatumDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true,<br>goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:<br>windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity:<br>false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: | FAILED | 0.007 s |

|   |   |         |         |
|---|---|---------|---------|
|   | true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqaqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqaqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqaqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqaqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqaqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_CheckBoxA(Class_PageObject.java:684)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_multiple_row_level_check_box_in_the_data_table(StepDefinition.java:1224)<br>at ?.Admin clicks multiple row level check box in the data table(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:18)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should see tick mark in check box of the selected rows   | SKIPPED | 0.000 s |




|   |   |        |         |
|---|---|--------|---------|
| 1 | Given Admin is in delete alert<br><br>org.openqaqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' | FAILED | 0.009 s |
|---|---|--------|---------|

|   |  |         |         |
|---|--|---------|---------|
|   | <p>is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//*[id='delete']/tbody/tr[2]/td[11]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_delete_alert(Class_StepDefinition.java:1153) at ?.Admin is in delete alert(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:22) </pre> <p>* Not displayable characters are replaced by '?'.</p> |         |         |
| 2 | When Admin clicks yes button   | SKIPPED | 0.000 s |
| 3 | Then Success message and validate particular class details are deleted from the data table from "Class" and 1  | SKIPPED | 0.000 s |




|   |                                |  |        |         |
|---|--------------------------------|--|--------|---------|
| 1 | Given Admin is in delete alert | <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_delete_alert(Class_StepDefinition.java:1153) at ?.Admin is in delete alert(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/</pre> | FAILED | 0.008 s |
|   |                                |  |        |         |

|   |  |         |         |
|---|--|---------|---------|
|   | ClassFeature/ClassFeature7.feature:30)<br>* Not displayable characters are replaced by '?'.  |         |         |
| 2 | When Admin clicks no button  | SKIPPED | 0.000 s |
| 3 | Then Admin should land on manage class page and validate particular class details are not deleted from the data table from "Class" and 1 | SKIPPED | 0.000 s |




|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is in delete alert<br><br>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/*[@id='delete']/tbody/tr[2]/td[11]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br><br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | FAILED | 0.009 s |
|---|--|--------|---------|


|   |   |         |         |
|---|---|---------|---------|
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_delete_alert(Class_StepDefinition.java:1153)<br>at ?.Admin is in delete alert(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:38)<br>* Not displayable characters are replaced by '?'.<br>at ?.Admin is in delete alert(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:38) |         |         |
| 2 | When Admin clicks yes button  | SKIPPED | 0.000 s |
| 3 | Then Admin should land on manage class page and validate particular classes details are deleted from the data table from "Class" and 1  | SKIPPED | 0.000 s |



|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is in delete alert<br><br>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, | FAILED | 0.009 s |
|---|--|--------|---------|


|   |   |         |         |
|---|---|---------|---------|
|   | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651)<br>at StepDefinition_LMS.Class_StepDefinition.admin_is_in_delete_alert(Class_StepDefinition.java:1153)<br>at ?.Admin is in delete alert(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:46)<br>* Not displayable characters are replaced by '?'.<br><br>2 When Admin clicks no button<br>3 Then Admin should land on manage class page and validate particular classes details are not deleted from the data table from "Class" and 1 |         |         |
| 2 | When Admin clicks no button   | SKIPPED | 0.000 s |
| 3 | Then Admin should land on manage class page and validate particular classes details are not deleted from the data table from "Class" and 1  | SKIPPED | 0.001 s |







|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is in Manage class page  | PASSED | 0.001 s |
| 2 | When Admin click on Batch id column header to sort<br><br>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression '//*[@id='sort']/tbody/tr[1]/td[1]' because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='sort']/tbody/tr[1]/td[1]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value='//*[@id='sort']/tbody/tr[1]/td[1]'}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_BatchIdSort(Class_PageObject.java:700)<br>at StepDefinition_LMS.Class_StepDefinition.admin_click_on_batch_id_column_header_to_sort(Class_StepDefinition.java:1281) | FAILED | 0.024 s |

|   |  |         |         |
|---|--|---------|---------|
|   | at ?.Admin click on Batch id column header to sort(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature8.feature:7)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should see data table sorted in descending order  | SKIPPED | 0.000 s |




|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is in Manage class page  | PASSED | 0.001 s |
| 2 | When Admin double click on Batch id column header to sort<br><br>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='sort']/tbody/tr[1]/td[1] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='sort']/tbody/tr[1]/td[1]' is not a valid XPath expression. (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//*[@id='sort']/tbody/tr[1]/td[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | FAILED | 0.008 s |

|   |  |         |         |
|---|--|---------|---------|
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqaqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqaqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_BatchIdSort(Class_PageObject.java:700)<br>at StepDefinition_LMS.Class_StepDefinition.admin_double_click_on_batch_id_column_header_to_sort(Class_StepDefinition.java:1293)<br>at ?.Admin double click on Batch id column header to sort(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature8.feature:13)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should see data table sorted in ascending order   | SKIPPED | 0.000 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.165 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error, | FAILED | 10.066 s |

|  |   |         |         |
|--|---|---------|---------|
|  | please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//button[@type='button'][text()='Class']] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72)<br>at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:7)<br>* Not displayable characters are replaced by '?'.<br>3 Then Data table should display 1 page when entries available | SKIPPED | 0.001 s |
|--|---|---------|---------|




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.145 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br/>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br/>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br/>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>fcdm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br/>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br/>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br/>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br/>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br/>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br/>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br/>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br/>at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)<br/>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72)<br/>at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/</pre> | FAILED | 10.013 s |

|   |  |         |         |
|---|--|---------|---------|
|   | resources/Features_LMS/ClassFeature/ClassFeature9.feature:12)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Right arrow should be enabled in page one when entries are more than 5 available                              | SKIPPED | 0.000 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.147 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | FAILED | 10.044 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:17) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Left arrow should be disabled in page one when entries are more than 5 available  | SKIPPED | 0.001 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.137 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br/>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br/>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br/>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</pre> | FAILED | 10.055 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:22) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Right arrow should be enabled in page two when entries are more than 10 available   | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.127 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br>value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | FAILED | 10.048 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:27) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Left arrow should be enabled in page two  | SKIPPED | 0.001 s |




|   |  |         |          |
|---|--|---------|----------|
|   |  |         |          |
| 1 | Given Admin is on dashboard page after Login   | PASSED  | 0.147 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br>fcdm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br><br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)<br>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72)<br>at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/<br>resources/Features_LMS/ClassFeature/ClassFeature9.feature:32)<br>* Not displayable characters are replaced by '?'. | FAILED  | 10.016 s |
| 3 | Then Data table should display page 1 when entries are available   | SKIPPED | 0.001 s  |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.167 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br/>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0',<br/>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br/>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>fcdm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br/>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br/>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br/>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br/>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br/>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br/>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br/>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br/>at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)<br/>at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72)<br/>at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/</pre> | FAILED | 10.027 s |

|   |  |         |         |
|---|--|---------|---------|
|   | resources/Features_LMS/ClassFeature/ClassFeature9.feature:37)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then When entries are more than 5 in data table pagination controls enabled  | SKIPPED | 0.000 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.142 s  |
| 2 | When Admin clicks "Class" button on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.188) For documentation on this error,<br>please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0',<br>revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.<br>selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br>value=/button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | FAILED | 10.060 s |

|   |  |         |         |
|---|--|---------|---------|
|   | <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:72) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:42) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then When entries are less than 5 in data table pagination controls disabled   | SKIPPED | 0.001 s |




|   |  |         |         |
|---|--|---------|---------|
| 1 | Given Admin is in add class details popup window   | PASSED  | 0.135 s |
| 2 | When Admin creates six new class from "Class" and 1<br><br><pre>java.lang.IllegalStateException: Cannot get a STRING value from a NUMERIC cell at org.apache.poi.xssf.usermodel.XSSFCell.typeMismatch(XSSFCell.java:987) at org.apache.poi.xssf.usermodel.XSSFCell.getRichStringValue(XSSFCell.java:336) at org.apache.poi.xssf.usermodel.XSSFCell.getStringCellValue(XSSFCell.java:280) at Utilities.ExcelReader.getCellData(ExcelReader.java:63) at StepDefinition_LMS.Class_StepDefinition.admin_creates_six_new_class_from(Class_StepDefinition.java:1375) at ?.Admin creates six new class from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:47) * Not displayable characters are replaced by '?'.</pre> | FAILED  | 0.016 s |
| 3 | Then When total class entries above 5 next page is enabled ( On multiples of 5 new page will be enabled)   | SKIPPED | 0.002 s |




|   |   |         |         |
|---|---|---------|---------|
| 1 | Given Admin is in add class details popup window  | PASSED  | 0.053 s |
| 2 | When Admin creates less than or equal to five new class from "Class" and 1<br><br>java.lang.IllegalStateException: Cannot get a STRING value from a NUMERIC cell<br>at org.apache.poi.xssf.usermodel.XSSFCell.typeMismatch(XSSFCell.java:987)<br>at org.apache.poi.xssf.usermodel.XSSFCell.getRichStringValue(XSSFCell.java:336)<br>at org.apache.poi.xssf.usermodel.XSSFCell.getStringCellValue(XSSFCell.java:280)<br>at Utilities.ExcelReader.getCellData(ExcelReader.java:63)<br>at StepDefinition_LMS.Class_StepDefinition.adminCreatesLessThanOrEqualToFiveNewClassFrom(Class_StepDefinition.java:1413)<br>at ?.Admin creates less than or equal to five new class from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:55)<br>* Not displayable characters are replaced by '?'.<br> | FAILED  | 0.019 s |
| 3 | Then When total class entries 5 or below next page is disabled  | SKIPPED | 0.001 s |






|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.060 s  |
| 2 | When Admin clicks Student on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48)<br>at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44)<br>at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/) | FAILED | 10.023 s |

|   |   |         |         |
|---|---|---------|---------|
|   | Features_LMS/StudentFeature/StudentFeature1.feature:8)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should see the Student details Page Title  | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.150 s  |
| 2 | <p>When Admin clicks Student on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 10.031 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48) at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44) at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:14) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Maximum navigation time in milliseconds, defaults to 30 seconds  | SKIPPED | 0.000 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.140 s  |
| 2 | When Admin clicks Student on the navigation bar<br><br><pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</pre> | FAILED | 10.048 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48) at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44) at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:20) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then HTTP response >= 400 Then the link is broken   | SKIPPED | 0.000 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.147 s  |
| 2 | When Admin clicks Student on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//button[@type='button'][text()='Student']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | FAILED | 10.046 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48) at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44) at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:26) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Admin should see LMS -Learning management system as title Verify LMS title   | SKIPPED | 0.000 s |




|   |  |         |          |
|---|--|---------|----------|
|   |  |         |          |
| 1 | Given Admin is on dashboard page after Login   | PASSED  | 0.198 s  |
| 2 | When Admin clicks Student on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48)<br>at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44)<br>at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:32)<br>* Not displayable characters are replaced by '?'.<br> | FAILED  | 10.026 s |
| 3 | Then Student Detail title should be in centre of the page  | SKIPPED | 0.001 s  |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.147 s  |
| 2 | When Admin clicks Student on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48)<br>at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44)<br>at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/) | FAILED | 10.011 s |

|   |  |         |         |
|---|--|---------|---------|
|   | Features_LMS/StudentFeature/StudentFeature1.feature:38)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then 2 dropdowns should be present in the page   | SKIPPED | 0.002 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.167 s  |
| 2 | <p>When Admin clicks Student on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this<br/>error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version:<br/>'4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.<br/>openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500)<br/>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br/>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br/>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br/>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 10.051 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48) at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44) at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:44) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Admin should see search box inside the drop down   | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.133 s  |
| 2 | When Admin clicks Student on the navigation bar<br><br><code>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this<br/>error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version:<br/>'4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.<br/>openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</code> | FAILED | 10.044 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48) at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44) at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:50) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Admin should see search box inside batch id drop down  | SKIPPED | 0.000 s |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.141 s  |
| 2 | When Admin clicks Student on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//button[@type='button'][text()='Student']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | FAILED | 10.012 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48) at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44) at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:56) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Admin should see correct spelling select student name  | SKIPPED | 0.000 s |




|   |  |         |          |
|---|--|---------|----------|
|   |  |         |          |
| 1 | Given Admin is on dashboard page after Login   | PASSED  | 0.140 s  |
| 2 | When Admin clicks Student on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48)<br>at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44)<br>at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:62)<br>* Not displayable characters are replaced by '?'.<br> | FAILED  | 10.042 s |
| 3 | Then Admin should see correct spelling select batch id text  | SKIPPED | 0.000 s  |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.190 s  |
| 2 | When Admin clicks Student on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48)<br>at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44)<br>at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/) | FAILED | 10.063 s |

|   |  |         |         |
|---|--|---------|---------|
|   | Features_LMS/StudentFeature/StudentFeature1.feature:68)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should see only numbers inside batch id drop down   | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.143 s  |
| 2 | <p>When Admin clicks Student on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 10.041 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48) at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44) at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:74) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Admin should see select student name in gray color   | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.135 s  |
| 2 | When Admin clicks Student on the navigation bar<br><br><code>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br/>{"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this<br/>error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version:<br/>'4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.<br/>openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath,<br/>value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:<br/>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...},<br/>goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy:<br/>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true,<br/>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,<br/>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,<br/>webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br/>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br/>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</code> | FAILED | 10.068 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48) at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44) at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:80) * Not displayable characters are replaced by '?'. </pre> |         |         |
| 3 | Then Admin should see select batch ID in gray color   | SKIPPED | 0.000 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.145 s  |
| 2 | When Admin clicks Student on the navigation bar<br><pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=//button[@type='button'][text()='Student']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: </pre> | FAILED | 10.059 s |

|   |   |         |         |
|---|---|---------|---------|
|   | <pre>116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48) at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44) at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:86) * Not displayable characters are replaced by '?'.</pre> |         |         |
| 3 | Then Admin should see select student name in first  | SKIPPED | 0.000 s |




|   |  |         |          |
|---|--|---------|----------|
|   |  |         |          |
| 1 | Given Admin is on dashboard page after Login   | PASSED  | 0.160 s  |
| 2 | When Admin clicks Student on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48)<br>at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44)<br>at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:92)<br>* Not displayable characters are replaced by '?'. | FAILED  | 10.047 s |
| 3 | Then Admin should see select batch id in second  | SKIPPED | 0.000 s  |




|   |   |        |          |
|---|---|--------|----------|
| 1 | Given Admin is on dashboard page after Login  | PASSED | 0.136 s  |
| 2 | When Admin clicks Student on the navigation bar<br><br>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48)<br>at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44)<br>at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/) | FAILED | 10.049 s |

|   |  |         |         |
|---|--|---------|---------|
|   | Features_LMS/StudentFeature/StudentFeature1.feature:98)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should able to scroll down to select the name   | SKIPPED | 0.001 s |




|   |  |        |          |
|---|--|--------|----------|
| 1 | Given Admin is on dashboard page after Login   | PASSED | 0.198 s  |
| 2 | <p>When Admin clicks Student on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7b6fd251696b1f42df678a86821cb11c, findElement {using=xpath, value=/button[@type='button'][text()='Student']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53728/devtoo..., se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b6fd251696b1f42df678a86821cb11c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre> | FAILED | 10.060 s |

|   |   |         |         |
|---|---|---------|---------|
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at POM_LMS.Student_PageObject.Click_Student(Student_PageObject.java:48)<br>at StepDefinition_LMS.Student_StepDefinition.admin_clicks_student_on_the_navigation_bar(Student_StepDefinition.java:44)<br>at ?.Admin clicks Student on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature1.feature:104)<br>* Not displayable characters are replaced by '?'. |         |         |
| 3 | Then Admin should able to scroll down to select the batch id  | SKIPPED | 0.001 s |





|   |  |        |         |
|---|--|--------|---------|
|   |  |        |         |
| 1 | Given Admin is on student details page<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149) | FAILED | 0.011 s |



|   |   |         |         |
|---|---|---------|---------|
|   | at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature2.feature:7)<br>* Not displayable characters are replaced by '?'. |         |         |
| 2 | When Admin select student name from the drop down   | SKIPPED | 0.000 s |
| 3 | Then Admin should not see select student name text  | SKIPPED | 0.000 s |



|   |  |         |         |
|---|--|---------|---------|
| 1 | Given Admin is on student details page<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature2.feature:13)<br>* Not displayable characters are replaced by '?'. | FAILED  | 0.005 s |
| 2 | When Admin select batch id from the drop down  | SKIPPED | 0.000 s |
| 3 | Then Admin should not see select batch id text   | SKIPPED | 0.000 s |


|  |                    |  |  |   |
|--|--------------------|--|--|---|
| FAILED                                   | DURATION - 0.007 s |  | Steps<br>Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 |  |
| / 7:21:32.191 p.m. // 7:21:32.198 p.m. / |                    |  |  |   |
| Student Page verification2               |                    |  |  |   |
| @StudentModule_Main2_3                   |                    |  |  |   |

|   |  |         |         |
|---|--|---------|---------|
| 1 | Given Admin is on student details page<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature2.feature:19)<br>* Not displayable characters are replaced by '?'. | FAILED  | 0.005 s |
| 2 | When Admin clicks select student name and enters x alphabet in the search box  | SKIPPED | 0.000 s |
| 3 | Then Admin should see student name start with x is listed below  | SKIPPED | 0.000 s |

|  |                    |  |  |   |
|--|--------------------|--|--|---|
| FAILED                                   | DURATION - 0.006 s |  | Steps<br>Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 |  |
| / 7:21:32.210 p.m. // 7:21:32.216 p.m. / |                    |  |  |   |
| Student Page verification2               |                    |  |  |   |
| @StudentModule_Main2_4                   |                    |  |  |   |


|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is on student details page | FAILED | 0.004 s |
|---|--|--------|---------|

|   |  |         |         |
|---|--|---------|---------|
|   | java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/<br>Features_LMS/StudentFeature/StudentFeature2.feature:25)<br>* Not displayable characters are replaced by '?'. |         |         |
| 2 | When Admin clicks select batch id and enter x number in the search box   | SKIPPED | 0.000 s |
| 3 | Then Admin should see batch id start with x is listed below  | SKIPPED | 0.000 s |




|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is on student details page<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/<br>Features_LMS/StudentFeature/StudentFeature2.feature:31)<br>* Not displayable characters are replaced by '?'. | FAILED | 0.003 s |
|---|--|--------|---------|


|   |   |         |         |
|---|---|---------|---------|
|   |   |         |         |
| 2 | When Admin selects only student name from "Student" and 1 | SKIPPED | 0.001 s |
| 3 | Then Student details should not be displayed              | SKIPPED | 0.000 s |




|   |   |         |         |
|---|---|---------|---------|
|   |   |         |         |
| 1 | Given Admin is on student details page<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature2.feature:39)<br>* Not displayable characters are replaced by '?'.<br><br>2 When Admin selects only batch id from "Student" and 1<br><br>3 Then Student details should not be displayed | FAILED  | 0.004 s |
| 2 | When Admin selects only batch id from "Student" and 1   | SKIPPED | 0.000 s |
| 3 | Then Student details should not be displayed  | SKIPPED | 0.000 s |




|   |  |         |         |
|---|--|---------|---------|
| 1 | Given Admin is on student details page<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature2.feature:47)<br>* Not displayable characters are replaced by '?'.<br> | FAILED  | 0.005 s |
| 2 | When Admin selects student name and batch id from "Student" and 1  | SKIPPED | 0.000 s |
| 3 | Then Particular student informations should be display   | SKIPPED | 0.000 s |






|   |   |         |         |
|---|---|---------|---------|
| 1 | Given Admin is on student details page<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature3.feature:7)<br>* Not displayable characters are replaced by '?'. | FAILED  | 0.004 s |
| 2 | When Admin clicks on program link on student page   | SKIPPED | 0.000 s |
| 3 | Then Admin is redirected to Program page  | SKIPPED | 0.000 s |




|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is on student details page | FAILED | 0.005 s |
|---|--|--------|---------|

|   |  |         |         |
|---|--|---------|---------|
|   | java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/<br>Features_LMS/StudentFeature/StudentFeature3.feature:13)<br>* Not displayable characters are replaced by '?'. |         |         |
| 2 | When Admin clicks on Batch link on student page  | SKIPPED | 0.000 s |
| 3 | Then Admin is redirected to Batch page   | SKIPPED | 0.000 s |





|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is on student details page<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/<br>Features_LMS/StudentFeature/StudentFeature3.feature:19)<br>* Not displayable characters are replaced by '?'. | FAILED | 0.009 s |
|---|--|--------|---------|



|   |   |         |         |
|---|---|---------|---------|
|   |   |         |         |
| 2 | When Admin clicks on Class link on student page | SKIPPED | 0.000 s |
| 3 | Then Admin is redirected to Class page          | SKIPPED | 0.000 s |



|   |   |         |         |
|---|---|---------|---------|
|   |   |         |         |
| 1 | Given Admin is on student details page<br><br><pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]   at org.testng.Assert.fail(Assert.java:110)   at org.testng.Assert.failNotEquals(Assert.java:1577)   at org.testng.Assert.assertEqualsImpl(Assert.java:149)   at org.testng.Assert.assertEquals(Assert.java:131)   at org.testng.Assert.assertEquals(Assert.java:655)   at org.testng.Assert.assertEquals(Assert.java:665)   at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)   at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/ Features_LMS/StudentFeature/StudentFeature3.feature:25) * Not displayable characters are replaced by '?'.</pre> | FAILED  | 0.005 s |
| 2 | When Admin clicks on User link on student page  | SKIPPED | 0.000 s |
| 3 | Then Admin is redirected to User page   | SKIPPED | 0.000 s |


|   |                    |  |  |   |
|---|--------------------|--|--|---|
| FAILED  | DURATION - 0.008 s |  | Steps<br>Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 |  |
| / 7:21:32.381 p.m. // 7:21:32.389 p.m. /                      |                    |  |  |   |
| <i>Navigation Validation from student page to other Pages</i> |                    |  |  |   |
| @StudentModule_Navigation5                                    |                    |  |  |   |

|   |  |         |         |
|---|--|---------|---------|
| 1 | Given Admin is on student details page<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/StudentFeature/StudentFeature3.feature:31)<br>* Not displayable characters are replaced by '?'. | FAILED  | 0.005 s |
| 2 | When Admin clicks on Assignment link on student page   | SKIPPED | 0.000 s |
| 3 | Then Admin is redirected to Assignment page  | SKIPPED | 0.000 s |

|   |                    |  |  |   |
|---|--------------------|--|--|---|
| FAILED  | DURATION - 0.008 s |  | Steps<br>Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 |  |
| / 7:21:32.401 p.m. // 7:21:32.409 p.m. /                      |                    |  |  |   |
| <i>Navigation Validation from student page to other Pages</i> |                    |  |  |   |
| @StudentModule_Navigation6                                    |                    |  |  |   |

|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is on student details page | FAILED | 0.004 s |
|---|--|--------|---------|

|   |  |         |         |
|---|--|---------|---------|
|   | java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/<br>Features_LMS/StudentFeature/StudentFeature3.feature:37)<br>* Not displayable characters are replaced by '?'. |         |         |
| 2 | When Admin clicks on Attendance link on student page   | SKIPPED | 0.000 s |
| 3 | Then Admin is redirected to Attendance page  | SKIPPED | 0.000 s |



|   |  |        |         |
|---|--|--------|---------|
| 1 | Given Admin is on student details page<br><br>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/student]<br>at org.testng.Assert.fail(Assert.java:110)<br>at org.testng.Assert.failNotEquals(Assert.java:1577)<br>at org.testng.Assert.assertEqualsImpl(Assert.java:149)<br>at org.testng.Assert.assertEquals(Assert.java:131)<br>at org.testng.Assert.assertEquals(Assert.java:655)<br>at org.testng.Assert.assertEquals(Assert.java:665)<br>at StepDefinition_LMS.Student_StepDefinition.admin_is_on_student_details_page(Student_StepDefinition.java:175)<br>at ?.Admin is on student details page(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/<br>Features_LMS/StudentFeature/StudentFeature3.feature:43)<br>* Not displayable characters are replaced by '?'. | FAILED | 0.004 s |
|---|--|--------|---------|

| 2 | When Admin clicks on Logout link on student page | SKIPPED | 0.000 s |
|---|--|---------|---------|
| 3 | Then Admin is redirected to Login page           | SKIPPED | 0.000 s |