

# Cucumber Report

Sept 13, 2023, 12:10:34 a.m.

Start : Sept 12, 11:59:38.975 p.m.

End : Sept 13, 12:10:32.322 a.m.

Duration : 10 m 53.347 s

Features




Scenarios

Steps

PASSED - 0  
FAILED - 10  
SKIPPED - 0

PASSED - 0  
FAILED - 98  
SKIPPED - 0

PASSED - 63  
FAILED - 98  
SKIPPED - 133



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Manage Class Page Verification</u>	3 m 1.484 s	17	0	17	0	51	17	17	17
<u>Navigation function validation from manage class page to other pages</u>	1 m 10.538 s	7	0	7	0	21	7	7	7
<u>Manage Class Page Verification</u>	1 m 52.205 s	10	0	10	0	30	10	10	10
<u>Class detail Popup window verification</u>	1 m 30.775 s	9	0	9	0	27	9	9	9
<u>Add New Class</u>	0.827 s	18	0	18	0	54	0	18	36
<u>Edit class Validation</u>	1 m 51.131 s	13	0	13	0	39	2	13	24
<u>Delete class validation</u>	0.226 s	5	0	5	0	15	3	5	7
<u>Delete multiple class validation</u>	0.325 s	7	0	7	0	21	3	7	11
<u>Verify sort function in manage class page</u>	0.075 s	2	0	2	0	6	2	2	2
<u>Pagination in manage class</u>	1 m 25.399 s	10	0	10	0	30	10	10	10

#	Feature Name	Scenario Name
1	<u>Manage Class Page Verification</u>	<u>Verify landing in class page</u>
2		<u>Capture the response time to navigate to manage class page</u>
3		<u>Verify Manage Class Page Header</u>
4		<u>Validate text in manage class page</u>
5		<u>Verify delete icon below the header</u>
6		<u>Verify search bar on the class page</u>
7		<u>Verify add new class button on class page</u>
8		<u>Verify data table on the class page</u>
9		<u>Verify Edit icon in the data table</u>
10		<u>Verify Edit icon when no data in the table</u>
11		<u>Verify delete icon in the data table</u>
12		<u>Verify delete icon when no data in the table</u>
13		<u>Verify sort icon in the data table</u>

#	Feature Name	Scenario Name
14	<u>Manage Class Page Verification</u>	<u>Verify check box in the data table</u>
15		<u>Validate the number entries displaying</u>
16		<u>Verify Pagination control below the data table</u>
17		<u>Validate footer text</u>
18	<u>Navigation function validation from manage class page to other pages</u>	<u>Verify admin is able to navigate from manage class to student page</u>
19		<u>Verify admin is able to navigate from manage class to program page</u>
20		<u>Verify admin is able to navigate from manage class to batch page</u>
21		<u>Verify admin is able to navigate from manage class to user page</u>
22		<u>Verify admin is able to navigate from manage class to assignment page</u>
23		<u>Verify admin is able to navigate from manage class to attendance page</u>
24		<u>Verify admin should be able to do logout function from manage class</u>
25	<u>Manage Class Page Verification</u>	<u>Validate search box function</u>

#	Feature Name	Scenario Name
26	<u>Manage Class Page Verification</u>	<u>Validate search box function</u>
27		<u>Validate search box function</u>
28		<u>Validate search box function</u>
29		<u>Validate search box function</u>
30		<u>Validate search box function</u>
31		<u>Validate search box function</u>
32		<u>Validate search box function</u>
33		<u>Validate search box function</u>
34		<u>Validate search box function</u>
35	<u>Class detail Popup window verification</u>	<u>Verify class details popup window</u>
36		<u>Verify input fields in class details popup window</u>
37		<u>Verify text box present in class details popup window</u>
38		<u>Verify drop down in Batch Id in class details popup window</u>

#	Feature Name	Scenario Name
39	<u>Class detail Popup window verification</u>	<u>Verify drop down in Staff Id in class details popup window</u>
40		<u>Verify calendar icon in class date in class details popup window</u>
41		<u>Verify save button is present</u>
42		<u>Verify cancel button is present</u>
43		<u>Verify close button in class details popup window</u>
44	<u>Add New Class</u>	<u>Validate all batch id is reflecting in the dropdown</u>
45		<u>Validate admin able to add new class with valid data in mandatory fields</u>
46		<u>Validate admin able to add new class with invalid data in mandatory fields</u>
47		<u>Validate admin able to add new class with valid data in all fields</u>
48		<u>Validate admin able to add new class with invalid data in optional fields</u>
49		<u>Validate admin able to add new class missing Batch Id</u>
50		<u>Validate admin able to add new class missing No of Class</u>
51		<u>Validate admin able to add new class missing Class Date</u>

#	Feature Name	Scenario Name
52	<u>Add New Class</u>	<u>Validate admin able to add new class missing staff id</u>
53		<u>Validate admin able to add new class passing past date</u>
54		<u>Validate date picker</u>
55		<u>Validate date picker should be correct format</u>
56		<u>Validate right arrow in data picker to navigate to next month</u>
57		<u>Validate left arrow in data picker to navigate to previous month</u>
58		<u>Validate current date is highlighted in the date picker</u>
59		<u>Validate selected date is highlighted in the date picker</u>
60		<u>Validate cancel button function in class details popup window</u>
61		<u>Validate cancel button function in class details popup window with values in field</u>
62	<u>Edit class Validation</u>	<u>Verify Edit class popup window</u>
63		<u>Verify values in popup window</u>

#	Feature Name	Scenario Name
64	<u>Edit class Validation</u>	<u>Validate admin able to update class with valid data in mandatory fields</u>
65		<u>Validate admin able to update class with invalid data in mandatory fields</u>
66		<u>Validate admin able to update class with valid data in all fields</u>
67		<u>Validate admin able to update class with invalid data in all fields</u>
68		<u>Validate admin able to update class missing Batch Id</u>
69		<u>Validate admin able to update class missing No of Class</u>
70		<u>Validate admin able to update class missing Class Date</u>
71		<u>Validate admin able to update class missing staff id</u>
72		<u>Validate admin able to update class passing past date</u>
73		<u>Validate cancel button function in Edit class details popup window</u>
74		<u>Validate cancel button function in Edit class details popup window with values in field</u>
75	<u>Delete class validation</u>	<u>Verify Delete class alert</u>




#	Feature Name	Scenario Name
76	<u>Delete class validation</u>	<u>Verify accept enabled in alert</u>
77		<u>Verify reject enabled in alert</u>
78		<u>Validate accept in alert</u>
79		<u>Validate reject in alert</u>
80	<u>Delete multiple class validation</u>	<u>Verify delete multiple class button is enabled</u>
81		<u>verify tick mark is visible after clicking on check box</u>
82		<u>verify admin able to click multiple check box</u>
83		<u>Verify accept alert in delete multiple class function by selecting single checkbox</u>
84		<u>Verify reject alert in delete multiple class function by selecting single checkbox</u>
85		<u>Verify accept alert in delete multiple class function by selecting multiple checkbox</u>


#	Feature Name	Scenario Name
86	<u>Delete multiple class validation</u>	<u>Verify reject alert in delete multiple class function by selecting multiple checkbox</u>
87	<u>Verify sort function in manage class page</u>	<u>Verify sort function in data table for descending order</u>
88		<u>Verify sort function in data table for ascending order</u>
89	<u>Pagination in manage class</u>	<u>Verify sheet one is displayed on default in data table</u>
90		<u>Verify right arrow is enable when sheet one is displayed in data table</u>
91		<u>Verify left arrow is disable when sheet one is displayed in data table</u>
92		<u>Verify right arrow is enable when sheet two is displayed in data table when entries are more than 10</u>
93		<u>Verify left arrow is enable when sheet two is displayed in data table</u>
94		<u>Verify right arrow is disable when sheet two is displayed in data table when entries are less than 10</u>
95		<u>Verify pagination controls enabled</u>
96		<u>Verify pagination controls disabled</u>

#	Feature Name	Scenario Name
97	<u>Pagination in manage class</u>	<u>Verify next page is enabled</u>
98		<u>Verify next page is disabled</u>


<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@Class1	4	0	4	0	1	0	1	0
@tag	30	0	30	0	2	0	2	0



#	Feature Name	T	P	F	S	Duration
1	<u>Manage Class Page Verification</u>	17	0	17	0	3 m 1.484 s
2	<u>Navigation function validation from manage class page to other pages</u>	7	0	7	0	1 m 10.538 s
3	<u>Manage Class Page Verification</u>	10	0	10	0	1 m 52.205 s
4	<u>Class detail Popup window verification</u>	9	0	9	0	1 m 30.775 s
5	<u>Add New Class</u>	18	0	18	0	0.827 s
6	<u>Edit class Validation</u>	13	0	13	0	1 m 51.131 s
7	<u>Delete class validation</u>	5	0	5	0	0.226 s
8	<u>Delete multiple class validation</u>	7	0	7	0	0.325 s
9	<u>Verify sort function in manage class page</u>	2	0	2	0	0.075 s
10	<u>Pagination in manage class</u>	10	0	10	0	1 m 25.399 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Manage Class Page Verification</u>	<u>Verify landing in class page</u>	3	1	1	1	11.104 s
2		<u>Capture the response time to navigate to manage class page</u>	3	1	1	1	10.351 s
3		<u>Verify Manage Class Page Header</u>	3	1	1	1	10.302 s
4		<u>Validate text in manage class page</u>	3	1	1	1	11.785 s
5		<u>Verify delete icon below the header</u>	3	1	1	1	10.504 s
6		<u>Verify search bar on the class page</u>	3	1	1	1	10.737 s
7		<u>Verify add new class button on class page</u>	3	1	1	1	10.559 s
8		<u>Verify data table on the class page</u>	3	1	1	1	10.478 s
9		<u>Verify Edit icon in the data table</u>	3	1	1	1	10.295 s
10		<u>Verify Edit icon when no data in the table</u>	3	1	1	1	10.256 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Manage Class Page Verification</u>	<u>Verify delete icon in the data table</u>	3	1	1	1	10.462 s
12		<u>Verify delete icon when no data in the table</u>	3	1	1	1	10.740 s
13		<u>Verify sort icon in the data table</u>	3	1	1	1	10.954 s
14		<u>Verify check box in the data table</u>	3	1	1	1	10.690 s
15		<u>Validate the number entries displaying</u>	3	1	1	1	10.564 s
16		<u>Verify Pagination control below the data table</u>	3	1	1	1	10.591 s
17		<u>Validate footer text</u>	3	1	1	1	10.271 s
18	<u>Navigation function validation from manage class page to other pages</u>	<u>Verify admin is able to navigate from manage class to student page</u>	3	1	1	1	10.045 s
19		<u>Verify admin is able to navigate from manage class to program page</u>	3	1	1	1	10.066 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
20		<u>Verify admin is able to navigate from manage class to batch page</u>	3	1	1	1	10.040 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Navigation function validation from manage class page to other pages</u>	<u>Verify admin is able to navigate from manage class to user page</u>	3	1	1	1	10.030 s
22		<u>Verify admin is able to navigate from manage class to assignment page</u>	3	1	1	1	10.025 s
23		<u>Verify admin is able to navigate from manage class to attendance page</u>	3	1	1	1	10.069 s
24		<u>Verify admin should be able to do logout function from manage class</u>	3	1	1	1	10.035 s
25	<u>Manage Class Page Verification</u>	<u>Validate search box function</u>	3	1	1	1	11.663 s
26		<u>Validate search box function</u>	3	1	1	1	11.095 s
27		<u>Validate search box function</u>	3	1	1	1	11.202 s
28		<u>Validate search box function</u>	3	1	1	1	11.143 s
29		<u>Validate search box function</u>	3	1	1	1	11.148 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30		<u>Validate search box function</u>	3	1	1	1	11.121 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>Manage Class Page Verification</u>	<u>Validate search box function</u>	3	1	1	1	11.189 s
32		<u>Validate search box function</u>	3	1	1	1	11.104 s
33		<u>Validate search box function</u>	3	1	1	1	11.112 s
34		<u>Validate search box function</u>	3	1	1	1	11.104 s
35	<u>Class detail Popup window verification</u>	<u>Verify class details popup window</u>	3	1	1	1	10.062 s
36		<u>Verify input fields in class details popup window</u>	3	1	1	1	10.035 s
37		<u>Verify text box present in class details popup window</u>	3	1	1	1	10.030 s
38		<u>Verify drop down in Batch Id in class details popup window</u>	3	1	1	1	10.069 s
39		<u>Verify drop down in Staff Id in class details popup window</u>	3	1	1	1	10.028 s
40		<u>Verify calendar icon in class date in class details popup window</u>	3	1	1	1	10.042 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Class detail Popup window verification</u>	<u>Verify save button is present</u>	3	1	1	1	10.080 s
42		<u>Verify cancel button is present</u>	3	1	1	1	10.056 s
43		<u>Verify close button in class details popup window</u>	3	1	1	1	10.068 s
44	<u>Add New Class</u>	<u>Validate all batch id is reflecting in the dropdown</u>	3	0	1	2	0.041 s
45		<u>Validate admin able to add new class with valid data in mandatory fields</u>	3	0	1	2	0.017 s
46		<u>Validate admin able to add new class with invalid data in mandatory fields</u>	3	0	1	2	0.031 s
47		<u>Validate admin able to add new class with valid data in all fields</u>	3	0	1	2	0.019 s
48		<u>Validate admin able to add new class with invalid data in optional fields</u>	3	0	1	2	0.011 s
49		<u>Validate admin able to add new class missing Batch Id</u>	3	0	1	2	0.017 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
50		<u>Validate admin able to add new class missing No of Class</u>	3	0	1	2	0.018 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
51	<u>Add New Class</u>	<u>Validate admin able to add new class missing Class Date</u>	3	0	1	2	0.000 s
52		<u>Validate admin able to add new class missing staff id</u>	3	0	1	2	0.017 s
53		<u>Validate admin able to add new class passing past date</u>	3	0	1	2	0.016 s
54		<u>Validate date picker</u>	3	0	1	2	0.031 s
55		<u>Validate date picker should be correct format</u>	3	0	1	2	0.030 s
56		<u>Validate right arrow in data picker to navigate to next month</u>	3	0	1	2	0.012 s
57		<u>Validate left arrow in data picker to navigate to previous month</u>	3	0	1	2	0.016 s
58		<u>Validate current date is highlighted in the date picker</u>	3	0	1	2	0.030 s
59		<u>Validate selected date is highlighted in the date picker</u>	3	0	1	2	0.016 s
60		<u>Validate cancel button function in class details popup window</u>	3	0	1	2	0.011 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
61	<u>Add New Class</u>	<u>Validate cancel button function in class details popup window with values in field</u>	3	0	1	2	0.013 s
62	<u>Edit class Validation</u>	<u>Verify Edit class popup window</u>	3	1	1	1	0.056 s
63		<u>Verify values in popup window</u>	3	1	1	1	0.072 s
64		<u>Validate admin able to update class with valid data in mandatory fields</u>	3	0	1	2	10.026 s
65		<u>Validate admin able to update class with invalid data in mandatory fields</u>	3	0	1	2	10.067 s
66		<u>Validate admin able to update class with valid data in all fields</u>	3	0	1	2	10.086 s
67		<u>Validate admin able to update class with invalid data in all fields</u>	3	0	1	2	10.057 s
68		<u>Validate admin able to update class missing Batch Id</u>	3	0	1	2	10.054 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
69		<u>Validate admin able to update class missing No of Class</u>	3	0	1	2	10.028 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
70	<u>Edit class Validation</u>	<u>Validate admin able to update class missing Class Date</u>	3	0	1	2	10.069 s
71		<u>Validate admin able to update class missing staff id</u>	3	0	1	2	10.031 s
72		<u>Validate admin able to update class passing past date</u>	3	0	1	2	10.069 s
73		<u>Validate cancel button function in Edit class details popup window</u>	3	0	1	2	10.100 s
74		<u>Validate cancel button function in Edit class details popup window with values in field</u>	3	0	1	2	10.066 s
75	<u>Delete class validation</u>	<u>Verify Delete class alert</u>	3	1	1	1	0.044 s
76		<u>Verify accept enabled in alert</u>	3	1	1	1	0.025 s
77		<u>Verify reject enabled in alert</u>	3	1	1	1	0.032 s
78		<u>Validate accept in alert</u>	3	0	1	2	0.028 s
79		<u>Validate reject in alert</u>	3	0	1	2	0.016 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
80	<u>Delete multiple class validation</u>	<u>Verify delete multiple class button is enabled</u>	3	1	1	1	0.050 s
81		<u>verify tick mark is visible after clicking on check box</u>	3	1	1	1	0.024 s
82		<u>verify admin able to click multiple check box</u>	3	1	1	1	0.032 s
83		<u>Verify accept alert in delete multiple class function by selecting single checkbox</u>	3	0	1	2	0.018 s
84		<u>Verify reject alert in delete multiple class function by selecting single checkbox</u>	3	0	1	2	0.018 s
85		<u>Verify accept alert in delete multiple class function by selecting multiple checkbox</u>	3	0	1	2	0.021 s
86		<u>Verify reject alert in delete multiple class function by selecting multiple checkbox</u>	3	0	1	2	0.017 s
87	<u>Verify sort function in manage class page</u>	<u>Verify sort function in data table for descending order</u>	3	1	1	1	0.036 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
88		<u>Verify sort function in data table for ascending order</u>	3	1	1	1	0.015 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
89	<u>Pagination in manage class</u>	<u>Verify sheet one is displayed on default in data table</u>	3	1	1	1	10.822 s
90		<u>Verify right arrow is enable when sheet one is displayed in data table</u>	3	1	1	1	10.330 s
91		<u>Verify left arrow is disable when sheet one is displayed in data table</u>	3	1	1	1	10.279 s
92		<u>Verify right arrow is enable when sheet two is displayed in data table when entries are more than 10</u>	3	1	1	1	10.624 s
93		<u>Verify left arrow is enable when sheet two is displayed in data table</u>	3	1	1	1	10.397 s
94		<u>Verify right arrow is disable when sheet two is displayed in data table when entries are less than 10</u>	3	1	1	1	10.637 s
95		<u>Verify pagination controls enabled</u>	3	1	1	1	10.818 s
96		<u>Verify pagination controls disabled</u>	3	1	1	1	10.435 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
97		<u>Verify next page is enabled</u>	3	1	1	1	0.582 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
98	<u>Pagination in manage class</u>	<u>Verify next page is disabled</u>	3	1	1	1	0.187 s

## Manage Class Page Verification

<b>FAILED</b>	DURATION - 3 m 1.484 s	Scenarios Total - 17 Pass - 0 Fail - 17 Skip - 0		Steps Total - 51 Pass - 17 Fail - 17 Skip - 17	
/ 11:59:38.975 p.m. // 12:02:40.459 a.m. /					



## Verify landing in class page

<b>FAILED</b>	DURATION - 11.104 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:59:38.982 p.m. // 11:59:50.086 p.m. /				
Manage Class Page Verification				
@Class1 @tag				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.941 s
2	When Admin clicks "Class" button on the navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value="//button[@type='button'][(text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)	FAILED	10.034 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:10) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see URL with Manage Class from "Class" and 1	SKIPPED	0.001 s

### Capture the response time to navigate to manage class page

FAILED	DURATION - 10.351 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:59:50.219 p.m. // 12:00:00.570 a.m. /				
Manage Class Page Verification				
@Class1 @tag				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.322 s
2	When Admin clicks "Class" button on the navigation bar	FAILED	10.022 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, </pre>		



#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)  at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81)  at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:20)  * Not displayable characters are replaced by '?'. </p>		
3	Then Get the response time for navigation from dashboard page to manage class page	SKIPPED	0.000 s



### Verify Manage Class Page Header

<b>FAILED</b> DURATION - 10.302 s / 12:00:00.611 a.m. // 12:00:10.913 a.m. / Manage Class Page Verification @Class1 @tag		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.229 s
2	When Admin clicks "Class" button on the navigation bar	FAILED	10.064 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		

#	Step / Hook Details	Status	Duration
	<p>{ "method": "xpath", "selector": "//button[@type='button'][text()='Class']" } (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49859/devtoo..., se.cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)  at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81)  at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:26)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then Admin should see header with Manage Class from "Class" and 1	SKIPPED	0.001 s



### Validate text in manage class page

<div>FAILED</div> <div>DURATION - 11.785 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 12:00:10.966 a.m. // 12:00:22.751 a.m. /				
Manage Class Page Verification				
@Class1 @tag				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.672 s
2	When Admin clicks Class button on the navigation bar and get all text from the portal page "Class" and 1  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition. admin_clicks_class_button_on_the_navigation_bar_and_get_all_text_from_the_portal_page(Class_StepDefinition.java:146)	FAILED	11.100 s

#	Step / Hook Details	Status	Duration
	at ?.Admin clicks Class button on the navigation bar and get all text from the portal page "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:35) * Not displayable characters are replaced by '?'. 3 Then Admin should see correct spelling for the all the fields from "Class" and 1		
3	Then Admin should see correct spelling for the all the fields from "Class" and 1	SKIPPED	0.001 s



### Verify delete icon below the header

FAILED		DURATION - 10.504 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1			
/ 12:00:22.817 a.m. // 12:00:33.321 a.m. /								
Manage Class Page Verification								
@tag								

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.444 s
2	When Admin clicks "Class" button on the navigation bar	FAILED	10.033 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][(text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:43) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see disabled delete icon below the Manage Class	SKIPPED	0.013 s



### Verify search bar on the class page

FAILED	DURATION - 10.737 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:00:33.363 a.m. // 12:00:44.100 a.m. /				
Manage Class Page Verification				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.667 s
2	When Admin clicks "Class" button on the navigation bar	FAILED	10.063 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:48) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see search bar on the class page	SKIPPED	0.000 s



### Verify add new class button on class page

<b>FAILED</b> DURATION - 10.559 s / 12:00:44.173 a.m. // 12:00:54.732 a.m. / Manage Class Page Verification @tag		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.498 s
2	When Admin clicks "Class" button on the navigation bar <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'] [text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'] [text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: </pre>	FAILED	10.052 s

#	Step / Hook Details	Status	Duration
	<p>116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)  at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81)  at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:53)  * Not displayable characters are replaced by '?'. </p>		
3	Then Admin should see +Add New Class button on the class page	SKIPPED	0.000 s

### Verify data table on the class page



<div>FAILED</div> <div>DURATION - 10.478 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 12:00:54.794 a.m. // 12:01:05.272 a.m. /				
Manage Class Page Verification				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.407 s
2	<p>When Admin clicks "Class" button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Class')]"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][(text()='Class')]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)     at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81)     at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:58)     * Not displayable characters are replaced by '?'. </pre>	FAILED	10.066 s
3	Then Admin should see data table on the Manage Class Page With following column headers	SKIPPED	0.002 s

## Verify Edit icon in the data table





<div>FAILED</div> <div>DURATION - 10.295 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 12:01:05.314 a.m. // 12:01:15.609 a.m. /</div>				
<div>Manage Class Page Verification</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.268 s
2	When Admin clicks "Class" button on the navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/	FAILED	10.027 s

#	Step / Hook Details	Status	Duration
	resources/Features_LMS/ClassFeature/ClassFeature1.feature:64) * Not displayable characters are replaced by '?'. 3 Then Edit Icon in each row of data table only when entries are available		
3	Then Edit Icon in each row of data table only when entries are available	SKIPPED	0.000 s



### Verify Edit icon when no data in the table

FAILED		DURATION - 10.256 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:01:15.656 a.m. // 12:01:25.912 a.m. /						
Manage Class Page Verification						
@tag						

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.157 s
2	When Admin clicks "Class" button on the navigation bar	FAILED	10.097 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:69) * Not displayable characters are replaced by '?'. </pre>		
3	Then Edit Icon will not be present in data table	SKIPPED	0.000 s



### Verify delete icon in the data table

FAILED	DURATION - 10.462 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:01:25.957 a.m. // 12:01:36.419 a.m. /				
Manage Class Page Verification				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.379 s
2	When Admin clicks "Class" button on the navigation bar  <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>	FAILED	10.076 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:74) * Not displayable characters are replaced by '?'. </pre>		
3	Then Delete Icon in each row of data table only when entries are available	SKIPPED	0.000 s



### Verify delete icon when no data in the table

<b>FAILED</b> DURATION - 10.740 s / 12:01:36.448 a.m. // 12:01:47.188 a.m. / Manage Class Page Verification @tag		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.652 s
2	When Admin clicks "Class" button on the navigation bar <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'] [text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'] [text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: </pre>	FAILED	10.031 s



#	Step / Hook Details	Status	Duration
	116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:79) * Not displayable characters are replaced by '?'.		
3	Then Admin cant see delete Icon in data table	SKIPPED	0.046 s

### Verify sort icon in the data table

<b>FAILED</b> DURATION - 10.954 s / 12:01:47.221 a.m. // 12:01:58.175 a.m. / Manage Class Page Verification @tag		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.760 s
2	<p>When Admin clicks "Class" button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Class')]"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][(text()='Class')]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)     at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81)     at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:84)     * Not displayable characters are replaced by '?'. </pre>	FAILED	10.176 s
3	Then Admin should see sort icon near the column headers except for Edit and Delete	SKIPPED	0.008 s

**Verify check box in the data table**



<div>FAILED</div> <div>DURATION - 10.690 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:01:58.222 a.m. // 12:02:08.912 a.m. /				
Manage Class Page Verification				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.589 s
2	When Admin clicks "Class" button on the navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/	FAILED	10.088 s



#	Step / Hook Details	Status	Duration
	resources/Features_LMS/ClassFeature/ClassFeature1.feature:89) * Not displayable characters are replaced by '?'. 3 Then Admin should see check box in the all rows of data table		
3	Then Admin should see check box in the all rows of data table	SKIPPED	0.000 s

### Validate the number entries displaying



FAILED		DURATION - 10.564 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:02:08.958 a.m. // 12:02:19.522 a.m. /						
Manage Class Page Verification						
@tag						

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.506 s
2	When Admin clicks "Class" button on the navigation bar	FAILED	10.051 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)            at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)            at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)            at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)            at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)            at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:94) * Not displayable characters are replaced by '?'. </pre>		
3	Then Above the footer Admin should see the text as ""Showing x to y of z entries"" below the table.	SKIPPED	0.001 s



### Verify Pagination control below the data table

FAILED	DURATION - 10.591 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:02:19.561 a.m. // 12:02:30.152 a.m. /				
Manage Class Page Verification				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.538 s
2	When Admin clicks "Class" button on the navigation bar	FAILED	10.032 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:102) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see the pagination controls under the data table	SKIPPED	0.001 s



### Validate footer text

FAILED		DURATION - 10.271 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:02:30.188 a.m. // 12:02:40.459 a.m. /						
Manage Class Page Verification						
@tag						



#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.207 s
2	When Admin clicks "Class" button on the navigation bar	FAILED	10.056 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Class')]"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][(text()='Class')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: </pre>		

#	Step / Hook Details	Status	Duration
	116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature1.feature:107) * Not displayable characters are replaced by '?'.		
3	Then Admin should see the text with total number classes in the data table	SKIPPED	0.001 s

### Navigation function validation from manage class page to other pages

<b>FAILED</b>	<b>DURATION - 1 m 10.538 s</b>	Scenarios		Steps	
/ 12:02:40.487 a.m. // 12:03:51.025 a.m. /		Total - 7		Total - 21	
		Pass - 0		Pass - 7	
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 7	



Verify admin is able to navigate from manage class to student page

FAILED	DURATION - 10.045 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:02:40.487 a.m. // 12:02:50.532 a.m. /				
Navigation function validation from manage class page to other pages				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.002 s
2	When Admin clicks Student button in the navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Student']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value="//button[@type='button'][text()='Student']"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Student(Class_PageObject.java:869) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_student_button_in_the_navigation_bar(Class_StepDefinition.java:1455) at ?.Admin clicks Student button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/	FAILED	10.037 s

#	Step / Hook Details	Status	Duration
	resources/Features_LMS/ClassFeature/ClassFeature10.feature:7) * Not displayable characters are replaced by '?'. 3 Then Admin should able to land on student page		
		SKIPPED	0.000 s



### Verify admin is able to navigate from manage class to program page

<b>FAILED</b> DURATION - 10.066 s / 12:02:50.563 a.m. // 12:03:00.629 a.m. / Navigation function validation from manage class page to other pages		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.002 s
2	When Admin clicks Program button in the navigation bar org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Program']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Program']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	10.058 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Program(Class_PageObject.java:873) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_program_button_in_the_navigation_bar(Class_StepDefinition.java:1473) at ?.Admin clicks Program button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature10.feature:12) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should able to land on program page	SKIPPED	0.000 s

### Verify admin is able to navigate from manage class to batch page

<b>FAILED</b> DURATION - 10.040 s / 12:03:00.688 a.m. // 12:03:10.728 a.m. / Navigation function validation from manage class page to other pages		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin clicks Batch button in the navigation bar <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Batch']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Batch']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>	FAILED	10.032 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Batch(Class_PageObject.java:877) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_batch_button_in_the_navigation_bar(Class_StepDefinition.java:1492) at ?.Admin clicks Batch button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature10.feature:17) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should able to land on batch page	SKIPPED	0.001 s

### Verify admin is able to navigate from manage class to user page



<b>FAILED</b> DURATION - 10.030 s / 12:03:10.760 a.m. // 12:03:20.790 a.m. / Navigation function validation from manage class page to other pages		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.001 s
2	When Admin clicks User button in the navigation bar <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'] [text()='User']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'] [text()='User']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: </pre>	FAILED	10.015 s



#	Step / Hook Details	Status	Duration
	<p>116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Click_User(Class_PageObject.java:881)  at StepDefinition_LMS.Class_StepDefinition.admin_clicks_user_button_in_the_navigation_bar(Class_StepDefinition.java:1510)  at ?.Admin clicks User button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature10.feature:22)  * Not displayable characters are replaced by '?'. </p>		
3	Then Admin should able to land on user page	SKIPPED	0.001 s



### Verify admin is able to navigate from manage class to assignment page

<div>FAILED</div> <div>DURATION - 10.025 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 12:03:20.817 a.m. // 12:03:30.842 a.m. /</div>				
<div>Navigation function validation from manage class page to other pages</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin clicks Assignment button in the navigation bar  <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Assignment')]"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][(text()='Assignment')]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at POM_LMS.Class_PageObject.Click_Assignment(Class_PageObject.java:885)     at StepDefinition_LMS.Class_StepDefinition.admin_clicks_assignment_button_in_the_navigation_bar(Class_StepDefinition.java:1528)     at ?.Admin clicks Assignment button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/ resources/Features_LMS/ClassFeature/ClassFeature10.feature:27)     * Not displayable characters are replaced by '?'. </pre>	FAILED	10.020 s
3	Then Admin should able to land on Assignment page	SKIPPED	0.001 s



**Verify admin is able to navigate from manage class to attendance page**

FAILED	DURATION - 10.069 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:03:30.877 a.m. // 12:03:40.946 a.m. /				
Navigation function validation from manage class page to other pages				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.001 s
2	When Admin clicks Attendance button in the navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Attendance']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Attendance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Attendance(Class_PageObject.java:890) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_attendance_button_in_the_navigation_bar(Class_StepDefinition.java:1547) at ?.Admin clicks Attendance button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/	FAILED	10.060 s

#	Step / Hook Details	Status	Duration
	resources/Features_LMS/ClassFeature/ClassFeature10.feature:32) * Not displayable characters are replaced by '?'. 3 Then Admin should able to land on Attendance page		
3	Then Admin should able to land on Attendance page	SKIPPED	0.001 s



### Verify admin should able to do logout function from manage class

FAILED		DURATION - 10.035 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:03:40.990 a.m. // 12:03:51.025 a.m. /						
Navigation function validation from manage class page to other pages						



#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.002 s
2	When Admin clicks Logout button in the navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"//button[@type='button'][text()='Logout']\"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Logout']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\\Users\\shaun\\AppData\\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	10.028 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Logout(Class_PageObject.java:895) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_logout_button_in_the_navigation_bar(Class_StepDefinition.java:1566) at ?.Admin clicks Logout button in the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature10.feature:37) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should able to land on login page	SKIPPED	0.001 s

## Manage Class Page Verification

FAILED	DURATION - 1 m 52.205 s	Scenarios		Steps	
/ 12:03:51.069 a.m. // 12:05:43.274 a.m. /		Total - 10		Total - 30	
		Pass - 0		Pass - 10	
		Fail - 10		Fail - 10	
		Skip - 0		Skip - 10	



## Validate search box function

FAILED	DURATION - 11.663 s		Steps	
/ 12:03:51.069 a.m. // 12:04:02.732 a.m. /			Total - 3	
Manage Class Page Verification			Pass - 1	
			Fail - 1	
		Skip - 1		

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.001 s
2	When Admin enters batch id into search box from "Class" and 1	FAILED	11.650 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os. </pre>		



#	Step / Hook Details	Status	Duration
	<p>arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305)  at StepDefinition_LMS.Class_StepDefinition.admin_enters_batch_id_into_search_box_from(Class_StepDefinition.java:362)  at ?.Admin enters batch id into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:6)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then Displays entries with that batch Id from "Class" and 1	SKIPPED	0.000 s

## Validate search box function

<b>FAILED</b> DURATION - 11.095 s / 12:04:02.771 a.m. // 12:04:13.866 a.m. / Manage Class Page Verification	 <p>A bar chart with a grid. The x-axis is labeled 1, 2, 3. The y-axis is labeled 0, 5, 10. A single black bar is present at position 2, reaching a height of 10.</p>	Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	 <p>A donut chart with a total of 3 segments. One segment is red (Fail), and two segments are green (Pass). The number 3 is in the center.</p>
--	---	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.002 s
2	<p>When Admin enters batch id which is not existing the table into search box from "Class" and 1</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49859/devtoo..., se.cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305)     at StepDefinition_LMS.Class_StepDefinition.admin_enters_batch_id_which_is_not_existing_the_table_into_search_box_from(Class_StepDefinition.java:383)     at ?Admin enters batch id which is not existing the table into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:14)     * Not displayable characters are replaced by '?'. </pre>	FAILED	11.090 s
3	Then Displays empty details in the data table	SKIPPED	0.000 s

## Validate search box function



FAILED	DURATION - 11.202 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:04:13.892 a.m. // 12:04:25.094 a.m. /				
Manage Class Page Verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.001 s
2	When Admin enters class no into search box from "Class" and 1  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aad3cae90, findElement {using=xpath, value=//a[text()='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305) at StepDefinition_LMS.Class_StepDefinition.admin_enters_class_no_into_search_box_from(Class_StepDefinition.java:400) at ?.Admin enters class no into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/	FAILED	11.198 s



#	Step / Hook Details	Status	Duration
	test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:22) * Not displayable characters are replaced by '?'. 3 Then Displays entries with that class no from "Class" and 1		
3	Then Displays entries with that class no from "Class" and 1	SKIPPED	0.000 s

### Validate search box function



FAILED		DURATION - 11.143 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:04:25.114 a.m. // 12:04:36.257 a.m. /						
Manage Class Page Verification						

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.000 s
2	When Admin enters class no which is not existing the table into search box from "Class" and 1  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49859/devtoo..., se.cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	11.130 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305) at StepDefinition_LMS.Class_StepDefinition. admin_enters_class_no_which_is_not_existing_the_table_into_search_box_from(Class_StepDefinition.java:424)   at ?.Admin enters class no which is not existing the table into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:30) * Not displayable characters are replaced by '?'. </pre>		
3	Then Displays empty details in the data table	SKIPPED	0.000 s



### Validate search box function

FAILED		DURATION - 11.148 s			<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1		
/ 12:04:36.288 a.m. // 12:04:47.436 a.m. /							
Manage Class Page Verification							

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.001 s
2	When Admin enters class topic into search box from "Class" and 1  <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aad3cae90, findElement {using=xpath, value=//a[text()='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aad3cae90   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>	FAILED	11.128 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305) at StepDefinition_LMS.Class_StepDefinition.admin_enters_class_topic_into_search_box_from(Class_StepDefinition.java:433) at ?.Admin enters class topic into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:38) * Not displayable characters are replaced by '?'. </pre>		
3	Then Displays entries with that class topic	SKIPPED	0.000 s



### Validate search box function

FAILED		DURATION - 11.121 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:04:47.482 a.m. // 12:04:58.603 a.m. /						
Manage Class Page Verification						

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.004 s
2	When Admin enters class topic which is not existing the table into search box from "Class" and 1 <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aad3cae90, findElement {using=xpath, value=//a[text()='Search']}] Capabilities {acceptInsecureCerts: false, </pre>	FAILED	11.114 s



#	Step / Hook Details	Status	Duration
	<p>browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305)  at StepDefinition_LMS.Class_StepDefinition.  admin_enters_class_topic_which_is_not_existing_the_table_into_search_box_from(Class_StepDefinition.java:455)  at ?.Admin enters class topic which is not existing the table into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:47)  * Not displayable characters are replaced by '?'. </p>		
3	Then Displays empty details in the data table	SKIPPED	0.003 s

### Validate search box function

<b>FAILED</b> DURATION - 11.189 s / 12:04:58.630 a.m. // 12:05:09.819 a.m. / Manage Class Page Verification	 <p>A bar chart with a y-axis from 0 to 10 and an x-axis with steps 1, 2, and 3. A single black bar is present at step 2, reaching a height of 1.</p>	Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	 <p>A donut chart divided into three equal segments: green (top), red (bottom), and yellow (left). The number 3 is in the center.</p>
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.006 s
2	When Admin enters staff id into search box from "Class" and 1 <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49859/devtoo..., se.cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305)     at StepDefinition_LMS.Class_StepDefinition.admin_enters_staff_id_into_search_box_from(Class_StepDefinition.java:464)     at ?.Admin enters staff id into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:56)     * Not displayable characters are replaced by '?'.           </pre>	FAILED	11.164 s
3	Then Displays entries with that staff id from "Class" and 1	SKIPPED	0.001 s



## Validate search box function

FAILED	DURATION - 11.104 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:05:09.849 a.m. // 12:05:20.953 a.m. /				
Manage Class Page Verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.000 s
2	When Admin enters staff id which is not existing the table into search box from "Class" and 1  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aad3cae90, findElement {using=xpath, value=//a[text()='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305) at StepDefinition_LMS.Class_StepDefinition. admin_enters_staff_id_which_is_not_existing_the_table_into_search_box_from(Class_StepDefinition.java:486)	FAILED	11.085 s

#	Step / Hook Details	Status	Duration
	at ?.Admin enters staff id which is not existing the table into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:64) * Not displayable characters are replaced by '?'. 3 Then Displays empty details in the data table	SKIPPED	0.000 s



### Validate search box function

FAILED		DURATION - 11.112 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:05:21.026 a.m. // 12:05:32.138 a.m. /						
Manage Class Page Verification						

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.001 s
2	When Admin enters class date into search box from "Class" and 1 org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	11.104 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305) at StepDefinition_LMS.Class_StepDefinition.admin_enters_class_date_into_search_box_from(Class_StepDefinition.java:495) at ?.Admin enters class date into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:72) * Not displayable characters are replaced by '?'. </pre>		
3	Then Displays entries with that class date from "Class" and 1	SKIPPED	0.000 s

### Validate search box function



FAILED		DURATION - 11.104 s			<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1		
/ 12:05:32.170 a.m. // 12:05:43.274 a.m. /							
Manage Class Page Verification							

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.006 s
2	When Admin enters invalid class date into search box from "Class" and 1 <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='Search']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49859/devtoo..., se.cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>	FAILED	11.096 s





#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Text(Class_PageObject.java:305) at StepDefinition_LMS.Class_StepDefinition.admin_enters_invalid_class_date_into_search_box_from(Class_StepDefinition.java:516) at ?.Admin enters invalid class date into search box from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature2.feature:80) * Not displayable characters are replaced by '?'. </pre>		
3	Then Displays empty details in the data table	SKIPPED	0.000 s

## Class detail Popup window verification

<b>FAILED</b>	DURATION - 1 m 30.775 s	Scenarios		Steps	
/ 12:05:43.321 a.m. // 12:07:14.096 a.m. /		Total - 9		Total - 27	
		Pass - 0		Pass - 9	
		Fail - 9		Fail - 9	
		Skip - 0		Skip - 9	



## Verify class details popup window

<b>FAILED</b>	DURATION - 10.062 s		Steps	
/ 12:05:43.321 a.m. // 12:05:53.383 a.m. /			Total - 3	
Class detail Popup window verification			Pass - 1	
			Fail - 1	
		Skip - 1		



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.007 s
2	When Admin click +Add New Class button  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Add New')]"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][(text()='Add New')]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:522) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:6) * Not displayable characters are replaced by '?'.	FAILED	10.035 s
3	Then Admin should see a popup with heading class details	SKIPPED	0.000 s



**Verify input fields in class details popup window**

<div>FAILED</div> <div>DURATION - 10.035 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:05:53.417 a.m. // 12:06:03.452 a.m. /				
Class detail Popup window verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.000 s
2	When Admin click +Add New Class button  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Add New']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:522) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/	FAILED	10.033 s

#	Step / Hook Details	Status	Duration
	Features_LMS/ClassFeature/ClassFeature3.feature:11) * Not displayable characters are replaced by '?'. 3 Then Admin should see input fields Text		
		SKIPPED	0.000 s



### Verify text box present in class details popup window

FAILED		DURATION - 10.030 s			<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:06:03.484 a.m. // 12:06:13.514 a.m. /						
Class detail Popup window verification						

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.001 s
2	When Admin click +Add New Class button  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"//button[@type='button'][text()='Add New']\"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Add New']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\\Users\\shaun\\AppData\\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	10.026 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:522) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:18) * Not displayable characters are replaced by '?'. </pre>		
3	Then 6 textbox should be present in Class details popup window	SKIPPED	0.000 s



### Verify drop down in Batch Id in class details popup window

FAILED		DURATION - 10.069 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:06:13.554 a.m. // 12:06:23.623 a.m. /						
Class detail Popup window verification						

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.002 s
2	When Admin click +Add New Class button	FAILED	10.055 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Add New']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:522) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:26) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see dropdown option for Batch ID	SKIPPED	0.000 s



### Verify drop down in Staff Id in class details popup window

<b>FAILED</b>	DURATION - 10.028 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:06:23.666 a.m. // 12:06:33.694 a.m. /				
Class detail Popup window verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.005 s
2	When Admin click +Add New Class button	FAILED	10.021 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Add New')]"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][(text()='Add New')]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: </pre>		

#	Step / Hook Details	Status	Duration
	116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:522) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:31) * Not displayable characters are replaced by '?'.		
3	Then Admin should see dropdown option for Staff Id	SKIPPED	0.001 s



### Verify calendar icon in class date in class details popup window

<b>FAILED</b> DURATION - 10.042 s / 12:06:33.725 a.m. // 12:06:43.767 a.m. / Class detail Popup window verification		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.001 s
2	When Admin click +Add New Class button	FAILED	10.034 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Add New')]"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][(text()='Add New')]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320)  at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:522)  at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:36)  * Not displayable characters are replaced by '?'. </p>		
3	Then Admin should see calendar icon for class date	SKIPPED	0.000 s

**Verify save button is present**





<div>FAILED</div> <div>DURATION - 10.080 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 12:06:43.810 a.m. // 12:06:53.890 a.m. /</div>				
<div>Class detail Popup window verification</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.010 s
2	When Admin click +Add New Class button  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Add New']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:522) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/	FAILED	10.069 s



#	Step / Hook Details	Status	Duration
	Features_LMS/ClassFeature/ClassFeature3.feature:41) * Not displayable characters are replaced by '?'. 3 Then Admin should see save button in the class detail popup window		
		SKIPPED	0.000 s



### Verify cancel button is present

<div>FAILED</div> <div>DURATION - 10.056 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 12:06:53.931 a.m. // 12:07:03.987 a.m. /				
Class detail Popup window verification				

#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.000 s
2	When Admin click +Add New Class button	FAILED	10.048 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Add New')]"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][(text()='Add New')]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)            at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)            at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)            at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)            at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)            at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:522) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:46) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see cancel button in the class detail popup window	SKIPPED	0.000 s



### Verify close button in class details popup window

FAILED	DURATION - 10.068 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:07:04.028 a.m. // 12:07:14.096 a.m. /				
Class detail Popup window verification				



#	Step / Hook Details	Status	Duration
1	Given Admin is on Manage Class Page	PASSED	0.000 s
2	When Admin click +Add New Class button	FAILED	10.061 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Add New']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Add New']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_AddNew(Class_PageObject.java:320) at StepDefinition_LMS.Class_StepDefinition.admin_click_add_new_class_button(Class_StepDefinition.java:522) at ?.Admin click +Add New Class button(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature3.feature:51) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see close button on the class details popup window	SKIPPED	0.000 s

## Add New Class



<b>FAILED</b>	DURATION - 0.827 s	Scenarios		Steps	
/ 12:07:14.168 a.m. // 12:07:14.995 a.m. /		Total - 18		Total - 54	
		Pass - 0		Pass - 0	
		Fail - 18		Fail - 13	
		Skip - 0		Skip - 36	

## Validate all batch id is reflecting in the dropdown

<div>FAILED</div> <div>DURATION - 0.041 s</div>			Steps	
/ 12:07:14.168 a.m. // 12:07:14.209 a.m. /			Total - 3	
Add New Class			Pass - 0	
			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:7)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.035 s
2	When Admin clicks Batch ID dropdown	SKIPPED	0.000 s
3	Then Batch id in the drop down should match with Batch id manage batch page table	SKIPPED	0.000 s



### Validate admin able to add new class with valid data in mandatory fields

<b>FAILED</b> DURATION - 0.017 s / 12:07:14.270 a.m. // 12:07:14.287 a.m. / Add New Class		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	---	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:12) </pre>	FAILED	0.017 s



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. When Admin enters all mandatory field values with valid data and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1	SKIPPED	0.000 s
3	Then Admin should see new class details is added in the data table from "Class" and 1	SKIPPED	0.000 s

### Validate admin able to add new class with invalid data in mandatory fields

FAILED		DURATION - 0.031 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>		
/ 12:07:14.319 a.m. // 12:07:14.350 a.m. /							
Add New Class							



#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window  java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612) at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:20) * Not displayable characters are replaced by '?'. When Admin enters all mandatory field values with invalid data and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id, )from "Class" and 1	FAILED	0.015 s
2	Then Error message should appear in alert	SKIPPED	0.000 s
3		SKIPPED	0.000 s

### Validate admin able to add new class with valid data in all fields

FAILED	DURATION - 0.019 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:07:14.372 a.m. // 12:07:14.391 a.m. /				
Add New Class				

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:28)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.009 s
2	When Admin enters values in all fields with valid data and clicks save button (Batch ID , No of Classes, Class Date, Class Topic, Staff Id, Class description, Comments, Notes, Recordings)from "Class" and 1	SKIPPED	0.000 s
3	Then Admin should see new class details is added in the data table from "Class" and 1	SKIPPED	0.000 s

### Validate admin able to add new class with invalid data in optional fields

FAILED	DURATION - 0.011 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:07:14.415 a.m. // 12:07:14.426 a.m. /				
Add New Class				

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:36)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.011 s
2	When Admin enters with invalid data in optional fields and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1	SKIPPED	0.000 s
3	Then Error message should appear in alert	SKIPPED	0.000 s

### Validate admin able to add new class missing Batch Id

<b>FAILED</b> DURATION - 0.017 s / 12:07:14.444 a.m. // 12:07:14.461 a.m. / Add New Class		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/ </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	Features_LMS/ClassFeature/ClassFeature4.feature:44) * Not displayable characters are replaced by '?'. 1		
2	When Admin enters data missing value in Batch ID and clicks save button (No of Classes, Class Date, Staff Id)from "Class" and 1	SKIPPED	0.000 s
3	Then Batch Id is missing	SKIPPED	0.000 s



### Validate admin able to add new class missing No of Class

<b>FAILED</b> DURATION - 0.018 s / 12:07:14.475 a.m. // 12:07:14.493 a.m. / Add New Class		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612) at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:52) * Not displayable characters are replaced by '?'.	FAILED	0.017 s
2	When Admin enters data missing value in No of class and clicks save button Batch ID ,Class Date, Staff Id from "Class" and 1	SKIPPED	0.001 s
3	Then No of classes is missing	SKIPPED	0.000 s



### Validate admin able to add new class missing Class Date



<div>FAILED</div> <div>DURATION - 0.000 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:07:14.523 a.m. // 12:07:14.523 a.m. /				
Add New Class				



#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:60)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
2	When Admin enters data missing value in class date and clicks save button (Batch ID , No of Classes, Staff Id, )from "Class" and 1	SKIPPED	0.000 s
3	Then class date is missing	SKIPPED	0.000 s

### Validate admin able to add new class missing staff id

<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:07:14.569 a.m. // 12:07:14.586 a.m. /				
Add New Class				

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window  java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612) at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:68) * Not displayable characters are replaced by '?'. 	FAILED	0.017 s
2	When Admin enters data missing value in staff id and clicks save button (Batch ID , No of Classes, Class Date )from "Class" and 1	SKIPPED	0.000 s
3	Then staff id is missing	SKIPPED	0.000 s



### Validate admin able to add new class passing past date

FAILED	DURATION - 0.016 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 12:07:14.618 a.m. // 12:07:14.634 a.m. /				
Add New Class				

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window  java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612) at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/	FAILED	0.016 s


#	Step / Hook Details	Status	Duration
	Features_LMS/ClassFeature/ClassFeature4.feature:76) * Not displayable characters are replaced by '?'. When Admin enters passed date in the class date field and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1		
2		SKIPPED	0.000 s
3	Then class cannot be created for the passed date	SKIPPED	0.000 s

### Validate date picker

FAILED	DURATION - 0.031 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 12:07:14.663 a.m. // 12:07:14.694 a.m. /				
Add New Class				


#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612) at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:84) * Not displayable characters are replaced by '?'. When Admin clicks date from date picker from "Class" and 1	FAILED	0.014 s
2		SKIPPED	0.000 s
3	Then selected date should be their in class date text box	SKIPPED	0.000 s

### Validate date picker should be correct format



#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:92)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
2	When Admin clicks date from date picker from "Class" and 1	SKIPPED	0.000 s
3	Then selected date should be in mm/dd/yyyy format	SKIPPED	0.016 s



### Validate right arrow in data picker to navigate to next month



#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:100)     * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks right arrow in the date picker near month	SKIPPED	0.000 s
3	Then Next month calender should visible	SKIPPED	0.000 s



### Validate left arrow in data picker to navigate to previous month

<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:07:14.805 a.m. // 12:07:14.821 a.m. /				
Add New Class				

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window	FAILED	0.016 s
	<pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:105)     * Not displayable characters are replaced by '?'. </pre>		

#	Step / Hook Details	Status	Duration
2	When Admin clicks left arrow in the date picker near month	SKIPPED	0.000 s
3	Then previous month calender should visible	SKIPPED	0.000 s

### Validate current date is highlighted in the date picker

<div>FAILED</div> <div>DURATION - 0.030 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 12:07:14.838 a.m. // 12:07:14.868 a.m. /</div>				
<div>Add New Class</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:110)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.030 s
2	When Admin clicks date picker button	SKIPPED	0.000 s
3	Then Admin should see current date is highled in the date picker	SKIPPED	0.000 s

### Validate selected date is highlighted in the date picker

<b>FAILED</b>	<b>DURATION - 0.016 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 12:07:14.899 a.m. // 12:07:14.915 a.m. /				
Add New Class				

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:115)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.016 s
2	When Admin clicks date picker button and selects future date	SKIPPED	0.000 s
3	Then Admin should see selected date is highled in the date picker	SKIPPED	0.000 s



### Validate cancel button function in class details popup window

<b>FAILED</b>	<b>DURATION - 0.011 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 12:07:14.955 a.m. // 12:07:14.966 a.m. /				
Add New Class				

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:120)     * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks Cancel button without entering values in the fields	SKIPPED	0.001 s
3	Then Admin should land on Manage Class page from "Class" and 1	SKIPPED	0.000 s

### Validate cancel button function in class details popup window with values in field



FAILED	DURATION - 0.013 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:07:14.982 a.m. // 12:07:14.995 a.m. /				
Add New Class				

#	Step / Hook Details	Status	Duration
1	Given Admin is in class detail popup window <pre>java.lang.AssertionError: expected [https://lms.herokuapp.com/dashboard] but found [https://lms.herokuapp.com/addclass]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1577)     at org.testng.Assert.assertEqualsImpl(Assert.java:149)     at org.testng.Assert.assertEquals(Assert.java:131)     at org.testng.Assert.assertEquals(Assert.java:655)     at org.testng.Assert.assertEquals(Assert.java:665)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_class_detail_popup_window(Class_StepDefinition.java:612)     at ?.Admin is in class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature4.feature:128)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.013 s





#	Step / Hook Details	Status	Duration
2	When Admin clicks Cancel button entering values in the fields "Class" and 1	SKIPPED	0.000 s
3	Then Admin should land on Manage Class Page and validate new class is not created in the data table from "Class" and 1	SKIPPED	0.000 s

## Edit class Validation

<b>FAILED</b>	DURATION - 1 m 51.131 s	Scenarios		Steps	
/ 12:07:15.020 a.m. // 12:09:06.151 a.m. /		Total - 13		Total - 39	
		Pass - 0	13	Pass - 2	39
		Fail - 13		Fail - 13	
		Skip - 0		Skip - 24	



## Verify Edit class popup window

<b>FAILED</b>	DURATION - 0.056 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:07:15.020 a.m. // 12:07:15.076 a.m. /				
Edit class Validation				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.001 s
2	When Admin clicks Edit button in data table	FAILED	0.040 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='edit']/tbody/tr[1]/td[10] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='edit']/tbody/tr[1]/td[10]' is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aad3cae90, findElement {using=xpath, value=//*[@id='edit']/tbody/tr[1]/td[10]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aad3cae90		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Edit(Class_PageObject.java:599) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_edit_button_in_data_table(Class_StepDefinition.java:1016) at ?.Admin clicks Edit button in data table(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:8) * Not displayable characters are replaced by '?'. </pre>		
3	Then Edit popup window appears with heading Class Details	SKIPPED	0.001 s



### Verify values in popup window

FAILED		DURATION - 0.072 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>		
/ 12:07:15.107 a.m. // 12:07:15.179 a.m. /							
Edit class Validation							
@tag							

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin clicks Edit button from one of the row in data table	FAILED	0.056 s
	<pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='edit']/tbody/tr[2]/td[10] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='edit']/tbody/tr[2]/td[10]' is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os. </pre>		



#	Step / Hook Details	Status	Duration
	<p>name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='edit']/tbody/tr[2]/td[10]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Click_EditA(Class_PageObject.java:604)  at StepDefinition_LMS.Class_StepDefinition.admin_clicks_edit_button_from_one_of_the_row_in_data_table(Class_StepDefinition.java:1029)  at ?.Admin clicks Edit button from one of the row in data table(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:13)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
3	Then Edit popup window appears with same row values in the all fields	SKIPPED	0.000 s

### Validate admin able to update class with valid data in mandatory fields

<b>FAILED</b> DURATION - 10.026 s / 12:07:15.203 a.m. // 12:07:25.229 a.m. / Edit class Validation @tag		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1059)     at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:17)     * Not displayable characters are replaced by '?'. </pre>	FAILED	10.023 s
2	When Admin enters all mandatory field values with valid data and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1	SKIPPED	0.001 s
3	Then Admin should see particular class details is updated in the data table "Class" and 1	SKIPPED	0.001 s

**Validate admin able to update class with invalid data in mandatory fields**

<div>FAILED</div> <div>DURATION - 10.067 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:07:25.276 a.m. // 12:07:35.343 a.m. /				
Edit class Validation				
@tag				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog.chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325)     at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1059)     at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:25)</pre>	FAILED	10.062 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. When Admin enters all mandatory field values with invalid data and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id, )from "Class" and 1	SKIPPED	0.000 s
3	Then Error message should appear in alert	SKIPPED	0.000 s



### Validate admin able to update class with valid data in all fields

<b>FAILED</b> DURATION - 10.086 s / 12:07:35.367 a.m. // 12:07:45.453 a.m. / Edit class Validation @tag	<p>A bar chart with a y-axis from 0 to 10 and an x-axis with labels 1, 2, and 3. A single black bar is present at position 1, reaching a height of 10.</p>	Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	<p>A donut chart with a total of 3 segments. One segment is red, representing the failure, and two segments are yellow, representing the skipped steps. The number 3 is displayed in the center.</p>
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in Edit class detail popup window <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre>	FAILED	10.079 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1059) at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:33) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters values in all fields with valid data and clicks save button (Batch ID , No of Classes, Class Date, Class Topic, Staff Id, Class description, Comments, Notes, Recordings)from "Class" and 1	SKIPPED	0.001 s
3	Then Admin should see particular class details is updated in the data table "Class" and 1	SKIPPED	0.001 s

### Validate admin able to update class with invalid data in all fields



<div>FAILED</div> <div>DURATION - 10.057 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 12:07:45.486 a.m. // 12:07:55.543 a.m. /</div>				
<div>Edit class Validation</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in Edit class detail popup window</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 </pre>	FAILED	10.051 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1059) at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:41) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters with invalid data in optional fields and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1	SKIPPED	0.001 s
3	Then Error message should appear in alert	SKIPPED	0.001 s

### Validate admin able to update class missing Batch Id



<b>FAILED</b> DURATION - 10.054 s / 12:07:55.576 a.m. // 12:08:05.630 a.m. / Edit class Validation @tag		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	---	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is in Edit class detail popup window <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: </pre>	FAILED	10.049 s



#	Step / Hook Details	Status	Duration
	<p>'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325)  at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1059)  at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:49)  * Not displayable characters are replaced by '?'. </p>		
2	When Admin enters data missing value in Batch ID and clicks save button (No of Classes, Class Date, Staff Id)from "Class" and 1	SKIPPED	0.000 s
3	Then Batch Id is missing	SKIPPED	0.000 s



**Validate admin able to update class missing No of Class**

<div>FAILED</div> <div>DURATION - 10.028 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:08:05.663 a.m. // 12:08:15.691 a.m. /				
Edit class Validation				
@tag				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog.chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1059) at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/ Features_LMS/ClassFeature/ClassFeature5.feature:57)</pre>	FAILED	10.017 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. When Admin enters data missing value in No of class and clicks save button Batch ID ,Class Date, Staff Id from "Class" and 1		
2	Then No of classes is missing	SKIPPED	0.000 s
3		SKIPPED	0.001 s



### Validate admin able to update class missing Class Date

<div>FAILED</div> <div>DURATION - 10.069 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 12:08:15.709 a.m. // 12:08:25.778 a.m. /</div>				
<div>Edit class Validation</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in Edit class detail popup window</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)</pre>	FAILED	10.059 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1059) at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:65) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters data missing value in class date and clicks save button (Batch ID , No of Classes, Staff Id, )from "Class" and 1	SKIPPED	0.000 s
3	Then class date is missing	SKIPPED	0.000 s



### Validate admin able to update class missing staff id

<b>FAILED</b> DURATION - 10.031 s / 12:08:25.810 a.m. // 12:08:35.841 a.m. / Edit class Validation @tag		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is in Edit class detail popup window <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>	FAILED	10.015 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1059) at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:73) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin enters data missing value in staff id and clicks save button (Batch ID , No of Classes, Class Date )from "Class" and 1	SKIPPED	0.000 s
3	Then staff id is missing	SKIPPED	0.000 s



### Validate admin able to update class passing past date

<b>FAILED</b> DURATION - 10.069 s / 12:08:35.862 a.m. // 12:08:45.931 a.m. / Edit class Validation @tag		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in Edit class detail popup window <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. </pre>	FAILED	10.057 s

#	Step / Hook Details	Status	Duration
	<p>chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='ClassDetails']}]</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325)  at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1059)  at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:81)  * Not displayable characters are replaced by '?'. </p>		
2	When Admin enters passed date in the class date field and clicks save button ( Batch ID , No of Classes, Class Date, Staff Id)from "Class" and 1	SKIPPED	0.000 s
3	Then class cannot be updated for the passed date	SKIPPED	0.000 s

### Validate cancel button function in Edit class details popup window



<div>FAILED</div> <div>DURATION - 10.100 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:08:45.945 a.m. // 12:08:56.045 a.m. /				
Edit class Validation				
@tag				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in Edit class detail popup window</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog.chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325)  at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1059)  at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:89)</p>	FAILED	10.083 s



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. When Admin clicks Cancel button without entering values in the fields		
2	When Admin clicks Cancel button without entering values in the fields	SKIPPED	0.000 s
3	Then Admin should land on Manage Class page from "Class" and 1	SKIPPED	0.000 s

### Validate cancel button function in Edit class details popup window with values in field



<div>FAILED</div> <div>DURATION - 10.066 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 12:08:56.085 a.m. // 12:09:06.151 a.m. /</div>				
<div>Edit class Validation</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Edit class detail popup window  <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='ClassDetails']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//a[text()='ClassDetails']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)</pre>	FAILED	10.061 s





#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.ClassDetails(Class_PageObject.java:325) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_edit_class_detail_popup_window(Class_StepDefinition.java:1059) at ?.Admin is in Edit class detail popup window(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature5.feature:97) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks Cancel button entering values in the fields "Class" and 1	SKIPPED	0.002 s
3	Then Admin should land on Manage Class Page and validate particular class details are not changed in the data table from "Class" and 1	SKIPPED	0.000 s

## Delete class validation

<b>FAILED</b>	DURATION - 0.226 s	Scenarios		Steps	
/ 12:09:06.191 a.m. // 12:09:06.417 a.m. /		Total - 5		Total - 15	
		Pass - 0		Pass - 3	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 7	



## Verify Delete class alert

<b>FAILED</b>	DURATION - 0.044 s		Steps	
/ 12:09:06.191 a.m. // 12:09:06.235 a.m. /				
Delete class validation				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin clicks delete button in data table row level	FAILED	0.038 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/		

#	Step / Hook Details	Status	Duration
	<p>tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se.cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651)  at StepDefinition_LMS.Class_StepDefinition.admin_clicks_delete_button_in_data_table_row_level(Class_StepDefinition.java:1136)  at ?.Admin clicks delete button in data table row level(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature6.feature:7)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then Admin should see alert	SKIPPED	0.000 s



**Verify accept enabled in alert**

<div>FAILED</div> <div>DURATION - 0.025 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 12:09:06.259 a.m. // 12:09:06.284 a.m. /				
Delete class validation				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin clicks delete button in data table row level  org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49859/devtoo..., se.cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_delete_button_in_data_table_row_level(Class_StepDefinition.java:1136)	FAILED	0.023 s

#	Step / Hook Details	Status	Duration
	at ?.Admin clicks delete button in data table row level(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature6.feature:12) * Not displayable characters are replaced by '?'. 3 Then Alert should have "yes" button to accept		
3	Then Alert should have "yes" button to accept	SKIPPED	0.001 s



### Verify reject enabled in alert

FAILED		DURATION - 0.032 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1		
/ 12:09:06.308 a.m. // 12:09:06.340 a.m. /							
Delete class validation							

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin clicks delete button in data table row level org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_delete_button_in_data_table_row_level(Class_StepDefinition.java:1136) at ?.Admin clicks delete button in data table row level(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature6.feature:17) * Not displayable characters are replaced by '?'. </pre>		
3	Then Alert should have "No" button to reject	SKIPPED	0.000 s



### Validate accept in alert

<b>FAILED</b> DURATION - 0.028 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 12:09:06.359 a.m. // 12:09:06.387 a.m. /			
Delete class validation			

#	Step / Hook Details	Status	Duration
1	Given Admin is in delete alert <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>	FAILED	0.026 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_delete_alert(Class_StepDefinition.java:1162) at ?.Admin is in delete alert(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature6.feature:21) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks yes button	SKIPPED	0.000 s
3	Then Success message and validate particular class details are deleted from the data table from "Class" and 1	SKIPPED	0.000 s



### Validate reject in alert

<b>FAILED</b>	DURATION - 0.016 s		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 12:09:06.401 a.m. // 12:09:06.417 a.m. /				
Delete class validation				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in delete alert</p> <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver </pre>	FAILED	0.016 s



#	Step / Hook Details	Status	Duration
	<p>Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651)  at StepDefinition_LMS.Class_StepDefinition.admin_is_in_delete_alert(Class_StepDefinition.java:1162)  at ?.Admin is in delete alert(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature6.feature:29)  * Not displayable characters are replaced by '?'. </p>		
2	When Admin clicks no button	SKIPPED	0.000 s
3	Then Admin should land on manage class page and validate particular class details are not deleted from the data table from "Class" and 1	SKIPPED	0.000 s

## Delete multiple class validation

<b>FAILED</b>	DURATION - 0.325 s	Scenarios		Steps	
/ 12:09:06.458 a.m. // 12:09:06.783 a.m. /		Total - 7		Total - 21	
		Pass - 0		Pass - 3	
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 11	



## Verify delete multiple class button is enabled



<div>FAILED</div> <div>DURATION - 0.050 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 12:09:06.458 a.m. // 12:09:06.508 a.m. /				
Delete multiple class validation				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin clicks single row level check box in the data table	FAILED	0.044 s
	<p>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression <code>//*[@id='checkbox']/tbody/tr[2]/td[1]</code> because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string <code>//*[@id='checkbox']/tbody/tr[2]/td[1]</code> is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='checkbox']/tbody/tr[2]/td[1]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49859/devtoo..., se.cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p>		



#	Step / Hook Details	Status	Duration
	at POM_LMS.Class_PageObject.Click_CheckBoxA(Class_PageObject.java:684) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_single_row_level_check_box_in_the_data_table(Class_StepDefinition.java:1213) at ?.Admin clicks single row level check box in the data table(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:8) * Not displayable characters are replaced by '?'.		
3	Then Admin should see delete icon below the header is enabled	SKIPPED	0.000 s

### verify tick mark is visible after clicking on check box

FAILED	DURATION - 0.024 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:09:06.528 a.m. // 12:09:06.552 a.m. /				
Delete multiple class validation				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin clicks single row level check box in the data table  org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression <code>//*[@id='checkbox']/tbody/tr[2]/td[1]</code> because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string <code>//*[@id='checkbox']/tbody/tr[2]/td[1]</code> is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='checkbox']/tbody/tr[2]/td[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)	FAILED	0.024 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_CheckBoxA(Class_PageObject.java:684) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_single_row_level_check_box_in_the_data_table(Class_StepDefinition.java:1213) at ?.Admin clicks single row level check box in the data table(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:13) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see tick mark in check box	SKIPPED	0.000 s



### verify admin able to click multiple check box

<b>FAILED</b> DURATION - 0.032 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:09:06.575 a.m. // 12:09:06.607 a.m. /			
Delete multiple class validation			

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin clicks multiple row level check box in the data table  <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='checkbox']/tbody/tr[2]/td[1] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='checkbox']/tbody/tr[2]/td[1]' is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='checkbox']/tbody/tr[2]/td[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: </pre>	FAILED	0.022 s

#	Step / Hook Details	Status	Duration
	<pre> true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)   at POM_LMS.Class_PageObject.Click_CheckBoxA(Class_PageObject.java:684)   at StepDefinition_LMS.Class_StepDefinition.admin_clicks_multiple_row_level_check_box_in_the_data_table(Class_StepDefinition. java:1233)   at ?.Admin clicks multiple row level check box in the data table(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/ test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:18) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see tick mark in check box of the selected rows	SKIPPED	0.000 s



### Verify accept alert in delete multiple class function by selecting single checkbox

<b>FAILED</b> <i>DURATION - 0.018 s</i> / 12:09:06.629 a.m. // 12:09:06.647 a.m. / Delete multiple class validation		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	---	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is in delete alert <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/ tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' </pre>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<p>is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651)  at StepDefinition_LMS.Class_StepDefinition.admin_is_in_delete_alert(Class_StepDefinition.java:1162)  at ?.Admin is in delete alert(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:22)  * Not displayable characters are replaced by '?'. </p>		
2	When Admin clicks yes button	SKIPPED	0.000 s
3	Then Success message and validate particular class details are deleted from the data table from "Class" and 1	SKIPPED	0.000 s



**Verify reject alert in delete multiple class function by selecting single checkbox**

<div>FAILED</div> <div>DURATION - 0.018 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:09:06.676 a.m. // 12:09:06.694 a.m. /				
Delete multiple class validation				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in delete alert</p> <p>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression <code>//*[@id='delete']/tbody/tr[2]/td[11]</code> because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string <code>'//*[@id='delete']/tbody/tr[2]/td[11]'</code> is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651)  at StepDefinition_LMS.Class_StepDefinition.admin_is_in_delete_alert(Class_StepDefinition.java:1162)  at ?.Admin is in delete alert(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/</p>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	ClassFeature/ClassFeature7.feature:30) * Not displayable characters are replaced by '?'. 2 When Admin clicks no button		
2	When Admin clicks no button	SKIPPED	0.000 s
3	Then Admin should land on manage class page and validate particular class details are not deleted from the data table from "Class" and 1	SKIPPED	0.000 s

### Verify accept alert in delete multiple class function by selecting multiple checkbox

FAILED	DURATION - 0.021 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 12:09:06.718 a.m. // 12:09:06.739 a.m. /				
Delete multiple class validation				

#	Step / Hook Details	Status	Duration
1	Given Admin is in delete alert <pre>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se.cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651) at StepDefinition_LMS.Class_StepDefinition.admin_is_in_delete_alert(Class_StepDefinition.java:1162) at ?.Admin is in delete alert(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:38) * Not displayable characters are replaced by '?'. </pre>		
2	When Admin clicks yes button	SKIPPED	0.000 s
3	Then Admin should land on manage class page and validate particular classes details are deleted from the data table from "Class" and 1	SKIPPED	0.000 s

### Verify reject alert in delete multiple class function by selecting multiple checkbox



<b>FAILED</b> DURATION - 0.017 s / 12:09:06.766 a.m. // 12:09:06.783 a.m. / Delete multiple class validation		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in delete alert <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='delete']/tbody/tr[2]/td[11] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='delete']/tbody/tr[2]/td[11]' is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='delete']/tbody/tr[2]/td[11]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	0.017 s





#	Step / Hook Details	Status	Duration
	<p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Click_Delete(Class_PageObject.java:651)  at StepDefinition_LMS.Class_StepDefinition.admin_is_in_delete_alert(Class_StepDefinition.java:1162)  at ?.Admin is in delete alert(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature7.feature:46)  * Not displayable characters are replaced by '?'. </p>		
2	When Admin clicks no button	SKIPPED	0.000 s
3	Then Admin should land on manage class page and validate particular classes details are not deleted from the data table from "Class" and 1	SKIPPED	0.000 s

## Verify sort function in manage class page

<b>FAILED</b>	DURATION - 0.075 s	Scenarios		Steps	
/ 12:09:06.816 a.m. // 12:09:06.891 a.m. /		Total - 2		Total - 6	
		Pass - 0		Pass - 2	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	

## Verify sort function in data table for descending order





<div>FAILED</div> <div>DURATION - 0.036 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 12:09:06.816 a.m. // 12:09:06.852 a.m. /				
Verify sort function in manage class page				

#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin click on Batch id column header to sort  org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='sort']/tbody/tr[1]/td[1] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='sort']/tbody/tr[1]/td[1]' is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os: name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='sort']/tbody/tr[1]/td[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se.cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_BatchIdSort(Class_PageObject.java:700) at StepDefinition_LMS.Class_StepDefinition.admin_click_on_batch_id_column_header_to_sort(Class_StepDefinition.java:1290)	FAILED	0.031 s

#	Step / Hook Details	Status	Duration
	at ?.Admin click on Batch id column header to sort(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature8.feature:7) * Not displayable characters are replaced by '?'. 3 Then Admin should see data table sorted in descending order		
3	Then Admin should see data table sorted in descending order	SKIPPED	0.003 s



### Verify sort function in data table for ascending order

FAILED	DURATION - 0.015 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:09:06.876 a.m. // 12:09:06.891 a.m. /				
Verify sort function in manage class page				



#	Step / Hook Details	Status	Duration
1	Given Admin is in Manage class page	PASSED	0.000 s
2	When Admin double click on Batch id column header to sort  org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //*[@id='sort']/tbody/tr[1]/td[1] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id='sort']/tbody/tr[1]/td[1]' is not a valid XPath expression. (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os: name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//*[@id='sort']/tbody/tr[1]/td[1]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_BatchIdSort(Class_PageObject.java:700) at StepDefinition_LMS.Class_StepDefinition.admin_double_click_on_batch_id_column_header_to_sort(Class_StepDefinition.java:1302) at ?.Admin double click on Batch id column header to sort(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature8.feature:13) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin should see data table sorted in ascending order	SKIPPED	0.000 s

## Pagination in manage class

<b>FAILED</b>	DURATION - 1 m 25.399 s	Scenarios		Steps	
/ 12:09:06.923 a.m. // 12:10:32.322 a.m. /		Total - 10		Total - 30	
		Pass - 0		Pass - 10	
		Fail - 10		Fail - 10	
		Skip - 0		Skip - 10	



## Verify sheet one is displayed on default in data table

<b>FAILED</b>	DURATION - 10.822 s		Steps	
/ 12:09:06.924 a.m. // 12:09:17.746 a.m. /			Total - 3	
Pagination in manage class			Pass - 1	
			Fail - 1	
		Skip - 1		

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.765 s
2	When Admin clicks "Class" button on the navigation bar	FAILED	10.057 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, </pre>		

#	Step / Hook Details	Status	Duration
	<p>please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)  at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81)  at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:7)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
3	Then Data table should display 1 page when entries available	SKIPPED	0.000 s



**Verify right arrow is enable when sheet one is displayed in data table**

<div>FAILED</div> <div>DURATION - 10.330 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 12:09:17.794 a.m. // 12:09:28.124 a.m. /				
Pagination in manage class				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.280 s
2	When Admin clicks "Class" button on the navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/	FAILED	10.042 s

#	Step / Hook Details	Status	Duration
	resources/Features_LMS/ClassFeature/ClassFeature9.feature:12) * Not displayable characters are replaced by '?'. 3 Then Right arrow should be enabled in page one when entries are more than 5 available		
3	Then Right arrow should be enabled in page one when entries are more than 5 available	SKIPPED	0.003 s



### Verify left arrow is disable when sheet one is displayed in data table

<div>FAILED</div> <div>DURATION - 10.279 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 12:09:28.141 a.m. // 12:09:38.420 a.m. /				
Pagination in manage class				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.262 s
2	When Admin clicks "Class" button on the navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"//button[@type='button'][text()='Class']\"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\\Users\\shaun\\AppData\\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	10.013 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:17) * Not displayable characters are replaced by '?'. </pre>		
3	Then Left arrow should be disabled in page one when entries are more than 5 available	SKIPPED	0.000 s

### Verify right arrow is enable when sheet two is displayed in data table when entries are more than 10



<b>FAILED</b> DURATION - 10.624 s / 12:09:38.438 a.m. // 12:09:49.062 a.m. / <i>Pagination in manage class</i>		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.564 s
2	When Admin clicks "Class" button on the navigation bar <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'] [text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'] [text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>	FAILED	10.056 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:22) * Not displayable characters are replaced by '?'. </pre>		
3	Then Right arrow should be enabled in page two when entries are more than 10 available	SKIPPED	0.000 s

### Verify left arrow is enable when sheet two is displayed in data table



<b>FAILED</b>	DURATION - 10.397 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:09:49.101 a.m. // 12:09:59.498 a.m. /				
Pagination in manage class				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.350 s
2	When Admin clicks "Class" button on the navigation bar	FAILED	10.047 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Class')]"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][(text()='Class')]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: </pre>		





#	Step / Hook Details	Status	Duration
	116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:27) * Not displayable characters are replaced by '?'.		
3	Then Left arrow should be enabled in page two	SKIPPED	0.000 s

### Verify right arrow is disable when sheet two is displayed in data table when entries are less than 10

<b>FAILED</b> DURATION - 10.637 s / 12:09:59.529 a.m. // 12:10:10.166 a.m. / <i>Pagination in manage class</i>		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.568 s
2	<p>When Admin clicks "Class" button on the navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Class')]"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][(text()='Class')]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109)     at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81)     at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:32)     * Not displayable characters are replaced by '?'. </pre>	FAILED	10.069 s
3	Then Data table should display page 1 when entries are available	SKIPPED	0.000 s



## Verify pagination controls enabled

<div>FAILED</div> <div>DURATION - 10.818 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 12:10:10.200 a.m. // 12:10:21.018 a.m. /				
Pagination in manage class				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.756 s
2	When Admin clicks "Class" button on the navigation bar  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][text()='Class']"} (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/	FAILED	10.061 s

#	Step / Hook Details	Status	Duration
	resources/Features_LMS/ClassFeature/ClassFeature9.feature:37) * Not displayable characters are replaced by '?'. 3 Then When entries are more than 5 in data table pagination controls enabled		
3	Then When entries are more than 5 in data table pagination controls enabled	SKIPPED	0.000 s

### Verify pagination controls disabled

FAILED	DURATION - 10.435 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:10:21.048 a.m. // 12:10:31.483 a.m. /				
Pagination in manage class				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	PASSED	0.361 s
2	When Admin clicks "Class" button on the navigation bar	FAILED	10.069 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='button'][(text()='Class']") (Session info: chrome=116.0.5845.182) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5cdeec5ee0c8d3c1a3212aaad3cae90, findElement {using=xpath, value=//button[@type='button'][(text()='Class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.182, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\shaun\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49859/devtoo..., se:cdpVersion: 116.0.5845.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5cdeec5ee0c8d3c1a3212aaad3cae90</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)            at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)            at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)            at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)            at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)            at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at POM_LMS.Class_PageObject.Click_Class(Class_PageObject.java:109) at StepDefinition_LMS.Class_StepDefinition.admin_clicks_button_on_the_navigation_bar(Class_StepDefinition.java:81) at ?.Admin clicks "Class" button on the navigation bar(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:42) * Not displayable characters are replaced by '?'. </pre>		
3	Then When entries are less than 5 in data table pagination controls disabled	SKIPPED	0.000 s

### Verify next page is enabled

<b>FAILED</b> DURATION - 0.582 s / 12:10:31.502 a.m. // 12:10:32.084 a.m. / <i>Pagination in manage class</i>		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	---	--

#	Step / Hook Details	Status	Duration
1	Given Admin is in add class details popup window	PASSED	0.531 s
2	When Admin creates six new class from "Class" and 1 <pre> java.lang.IllegalStateException: Cannot get a STRING value from a NUMERIC cell at org.apache.poi.xssf.usermodel.XSSFCell.typeMismatch(XSSFCell.java:987) at org.apache.poi.xssf.usermodel.XSSFCell.getRichStringCellValue(XSSFCell.java:336) at org.apache.poi.xssf.usermodel.XSSFCell.getStringCellValue(XSSFCell.java:280) at Utilities.ExcelReader.getCellData(ExcelReader.java:63) at StepDefinition_LMS.Class_StepDefinition.admin_creates_six_new_class_from(Class_StepDefinition.java:1384) at ?.Admin creates six new class from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:47) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.035 s
3	Then When total class entries above 5 next page is enabled ( On multiples of 5 new page will be enabled)	SKIPPED	0.000 s

### Verify next page is disabled

<div>FAILED</div> <div>DURATION - 0.187 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 12:10:32.135 a.m. // 12:10:32.322 a.m. /</div>				
<div>Pagination in manage class</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin is in add class details popup window	PASSED	0.114 s
2	When Admin creates less than or equal to five new class from "Class" and 1  java.lang.IllegalStateException: Cannot get a STRING value from a NUMERIC cell at org.apache.poi.xssf.usermodel.XSSFCell.typeMismatch(XSSFCell.java:987) at org.apache.poi.xssf.usermodel.XSSFCell.getRichStringCellValue(XSSFCell.java:336) at org.apache.poi.xssf.usermodel.XSSFCell.getStringCellValue(XSSFCell.java:280) at Utilities.ExcelReader.getCellData(ExcelReader.java:63) at StepDefinition_LMS.Class_StepDefinition.admin_creates_less_than_or_equal_to_five_new_class_from(Class_StepDefinition.java:1422) at ?.Admin creates less than or equal to five new class from "Class" and 1(file:///C:/Users/shaun/eclipse-workspace/Team5_CucumberSlicers_LMS/src/test/resources/Features_LMS/ClassFeature/ClassFeature9.feature:55) * Not displayable characters are replaced by '?'.	FAILED	0.054 s
3	Then When total class entries 5 or below next page is disabled	SKIPPED	0.000 s