

adenc-beamer.sty Feature Showcase

Aden Chen

May 8, 2026

3 Annotations & Markup

Theorem Environments

Theorem Environments

Assumption

The matrix $A \in \mathbb{R}^{n \times n}$ is symmetric and has a simple largest eigenvalue λ_1 .

Claim

For any unit vector x , we have $x^\top Ax \leq \lambda_1$.

Proof.

We first prove the following claim. ... □

Remark

The converse of Lagrange's theorem fails in general.

Observation

If x is an eigenvector of A , then any scalar multiple of x is also an eigenvector.

Math Commands

Number Sets & Blackboard Bold

Number sets (long and short forms):

$$\mathbb{N}, \mathbb{Z}, \mathbb{Q}, \mathbb{R}, \mathbb{C}, \mathbb{F}, \mathbb{P}$$

equivalent to `\bN` , `\bZ` , `\bQ` , `\bR` , `\bC`
 , `\bF` , `\bP` .

Mathcal shortcuts `\cA` – `\cZ` :

$$\mathcal{A}, \mathcal{B}, \mathcal{F}, \mathcal{G}, \mathcal{H}, \mathcal{L}, \mathcal{M}, \mathcal{X}$$

Mathscr shortcuts `\sA` – `\sZ` :

$$\mathscr{A}, \mathscr{B}, \mathscr{F}, \mathscr{L}, \mathscr{M}$$

Imaginary unit: `i` (`\ii`)

Indicator function: `\mathbb{1}\{A\}` (`\ind{A}`)

Annotations & Markup

Draft Annotations

`\draftnote [Label][color]{text}` — inline draft comment.

`\draftnote {fix this}` produces **Note: fix this**

`\draftnote [TODO][blue]{rewrite}` produces **TODO: rewrite**

`\vocab {word}` — bold vocabulary term, as in: a **normal subgroup** $N \trianglelefteq G$ satisfies $gNg^{-1} = N$.

Two-Column Layout

`\twocolumns {lw}{rw}{left content}{right content}` splits a frame:

Left column ($lw=0.45$)

Content here spans 45% of `\textwidth` .

Item one

Item two

Right column ($rw=0.45$)

Content here spans another 45%.

(i) First

(ii) Second