Assignment-15.5

Name: Adepu Tejaswini

Ht.no: 2303A51423

Batch. No: 21

Task 1 – Student Attendance API
Task:
Create a RESTful API for student attendance tracking.
Instructions:
• Endpoints required:
o GET /attendance → View attendance records
o POST /attendance → Mark attendance
o PUT /attendance/{id} → Update attendance record
o DELETE /attendance/{id} → Remove attendance entry
• Ensure JSON-based request and response handling.
Prompt:

- Created REST API for student attendance using Flask
- Implemented endpoints for POST and GET requests
- Used PowerShell to send JSON data
- Retrieved attendance data using browser

Code:

```python
from flask import Flask, request, jsonify

app = Flask(__name__)

# Predefined attendance data
attendance = [
    {"id": 1, "name": "Akshaya", "date": "2026-03-23", "status": "Present"},
    {"id": 2, "name": "Rahul", "date": "2026-03-23", "status": "Absent"}
]

@app.route('/attendance', methods=['GET'])
def get_attendance():
    return jsonify(attendance)


@app.route('/attendance', methods=['POST'])
def add_attendance():
    data = request.get_json()

    new_record = {
        "id": len(attendance) + 1,
        "name": data["name"],
        "date": data["date"],
        "status": data["status"]
    }

    attendance.append(new_record)
    return jsonify({"message": "Attendance added", "data": new_record})


@app.route('/attendance/<int:id>', methods=['PUT'])
def update_attendance(id):
    data = request.get_json()
```

```python
def add_attendance():
        "id": len(attendance) + 1,
        "name": data["name"],
        "date": data["date"],
        "status": data["status"]
    }

    attendance.append(new_record)
    return jsonify({"message": "Attendance added", "data": new_record})


@app.route('/attendance/<int:id>', methods=['PUT'])
def update_attendance(id):
    data = request.get_json()

    for record in attendance:
        if record["id"] == id:
            record["name"] = data.get("name", record["name"])
            record["date"] = data.get("date", record["date"])
            record["status"] = data.get("status", record["status"])
            return jsonify({"message": "Attendance updated", "data": record})

    return jsonify({"message": "Record not found"}), 404


@app.route('/attendance/<int:id>', methods=['DELETE'])
def delete_attendance(id):
    for record in attendance:
        if record["id"] == id:
            attendance.remove(record)
            return jsonify({"message": "Attendance deleted"})

    return jsonify({"message": "Record not found"}), 404


if __name__ == '__main__':
    app.run(debug=True)
```

Output:

retty-print


```
{
  "name": "Tejaswini",
  "status": "Present"
},
{
  "name": "Rahul",
  "status": "Absent"
}
```


Observation:

The code creates an API to manage student attendance records.
It uses JSON format, so data can be easily sent and received.
The structure is simple, clean, and easy to understand and test.

Task 2 – Inventory Management API

Task:

Develop a REST API for warehouse inventory management.

Instructions:

• Endpoints required:

o GET /inventory → List all items

o POST /inventory → Add new item

o PUT /inventory/{id} → Update stock quantity

o DELETE /inventory/{id} → Remove an item

• Implement validation for stock values.

Prompt:

- Developed API for inventory management
- Implemented POST, GET, PUT, DELETE operations
- Added item with stock value
- Updated and deleted inventory items

Code:

```python
from flask import Flask, request, jsonify

app = Flask(__name__)

# Predefined inventory data
inventory = [
    {"id": 1, "item": "Laptop", "stock": 10},
    {"id": 2, "item": "Mouse", "stock": 25}
]


@app.route('/inventory', methods=['GET'])
def get_inventory():
    return jsonify(inventory)


@app.route('/inventory', methods=['POST'])
def add_item():
    data = request.get_json()

    # Validation
    if not data.get("item") or not isinstance(data.get("stock"), int) or data["s
        return jsonify({"message": "Invalid data"}), 400

    new_item = {
        "id": len(inventory) + 1,
        "item": data["item"],
        "stock": data["stock"]
    }

    inventory.append(new_item)
    return jsonify({"message": "Item added", "data": new_item})


@app.route('/inventory/<int:id>', methods=['PUT'])
def update_item(id):
```

```python
def add_item():
    }

    inventory.append(new_item)
    return jsonify({"message": "Item added", "data": new_item})


@app.route('/inventory/<int:id>', methods=['PUT'])
def update_item(id):
    data = request.get_json()

    # Validation
    if not isinstance(data.get("stock"), int) or data["stock"] < 0:
        return jsonify({"message": "Invalid stock value"}), 400

    for item in inventory:
        if item["id"] == id:
            item["stock"] = data["stock"]
            return jsonify({"message": "Stock updated", "data": item})

    return jsonify({"message": "Item not found"}), 404

#
@app.route('/inventory/<int:id>', methods=['DELETE'])
def delete_item(id):
    for item in inventory:
        if item["id"] == id:
            inventory.remove(item)
            return jsonify({"message": "Item deleted"})

    return jsonify({"message": "Item not found"}), 404


if __name__ == '__main__':
    app.run(debug=True)
```

Output:

```
(venv) PS C:\Users\dell\Documents\OneDrive\Desktop\AI\backend-api-lab> Invoke-RestMethod -Uri "http:
//127.0.0.1:5000/inventory" -Method POST -ContentType "application/json" -Body '{"item":"Laptop","st
ock":5}'

message
-------
Item added


(venv) PS C:\Users\dell\Documents\OneDrive\Desktop\AI\backend-api-lab>
```

127.0.0.1:5000/inventory

Pretty print


```
{
  "id": 1,
  "item": "Laptop",
  "stock": 10
},
{
  "id": 2,
  "item": "Mouse",
  "stock": 25
}
```


Pretty-print


```
[
  {
    "stock": 10
  }
]
```


Pretty-print


```
[]
```

Observation:
The code creates an API to manage inventory items and stock levels.
It checks the stock value to make sure it is valid before updating.
The structure is simple and helps to easily add, view, update, and delete items.

Task 3 – Hotel Room Booking API

Task:
Develop a RESTful API for hotel room booking.

Instructions:

- Endpoints required:
  - GET /rooms → View available rooms
  - POST /rooms/book → Book a room
  - GET /rooms/{id} → View booking details
  - DELETE /rooms/{id} → Cancel booking

Implement error handling for unavailable rooms.

Prompt:

- Created API for hotel room booking
- Implemented endpoints for booking, viewing, and cancelling rooms
- Used JSON input for booking details

Code:

```python
from flask import Flask, request, jsonify

app = Flask(__name__)

# Predefined rooms
rooms = [
    {"id": 1, "type": "Single", "available": True, "guest": None},
    {"id": 2, "type": "Double", "available": True, "guest": None},
    {"id": 3, "type": "Suite", "available": True, "guest": None}
]


@app.route('/rooms', methods=['GET'])
def get_rooms():
    available_rooms = [room for room in rooms if room["available"]]
    return jsonify(available_rooms)


@app.route('/rooms/book', methods=['POST'])
def book_room():
    data = request.get_json()
    room_id = data.get("id")
    guest_name = data.get("name")

    for room in rooms:
        if room["id"] == room_id:
            if not room["available"]:
                return jsonify({"message": "Room not available"}), 400

            room["available"] = False
            room["guest"] = guest_name

            return jsonify({"message": "Room booked successfully", "room": room})

    return jsonify({"message": "Room not found"}), 404
```

```python
def book_room():
            room["available"] = False
            room["guest"] = guest_name

            return jsonify({"message": "Room booked successfully", "room": room})

    return jsonify({"message": "Room not found"}), 404


@app.route('/rooms/<int:id>', methods=['GET'])
def get_room(id):
    for room in rooms:
        if room["id"] == id:
            return jsonify(room)

    return jsonify({"message": "Room not found"}), 404


@app.route('/rooms/<int:id>', methods=['DELETE'])
def cancel_booking(id):
    for room in rooms:
        if room["id"] == id:
            if room["available"]:
                return jsonify({"message": "Room is not booked"}), 400

            room["available"] = True
            room["guest"] = None

            return jsonify({"message": "Booking cancelled"})

    return jsonify({"message": "Room not found"}), 404


if __name__ == '__main__':
    app.run(debug=True)
```

Output:

```
Pretty-print

[]
```

Observation:

The code creates an API to manage hotel room booking operations.

It checks if a room is available before booking and shows an error if not.

The structure is simple and makes it easy to book, view, and cancel rooms.

Task 4 – Online Voting API

Task:

Create a RESTful API for an online voting system.

Instructions:

- Endpoints required:
  - GET /candidates → List candidates
  - POST /vote → Cast a vote
  - GET /results → View voting results
- Ensure one vote per user using in-memory validation.

Prompt:

- Developed API for online voting system
- Implemented endpoints for candidates, voting, and results
- Ensured one vote per user

Code:

```python
app = Flask(__name__)

# Candidates list
candidates = [
    {"id": 1, "name": "Alice", "votes": 0},
    {"id": 2, "name": "Bob", "votes": 0},
    {"id": 3, "name": "Charlie", "votes": 0}
]

# Store users who already voted
voted_users = set()


@app.route('/candidates', methods=['GET'])
def get_candidates():
    return jsonify(candidates)


@app.route('/vote', methods=['POST'])
def vote():
    data = request.get_json()
    user = data.get("user")
    candidate_id = data.get("candidate_id")

    # Check if user already voted
    if user in voted_users:
        return jsonify({"message": "User already voted"}), 400

    # Find candidate
    for candidate in candidates:
        if candidate["id"] == candidate_id:
            candidate["votes"] += 1
            voted_users.add(user)
            return jsonify({"message": "Vote cast successfully"})

    return jsonify({"message": "Candidate not found"}), 404


@app.route('/results', methods=['GET'])
def get_results():
    return jsonify(candidates)


if __name__ == '__main__':
```

Output:

Pretty print


```
[
  {
    "id": 1,
    "name": "Alice",
    "votes": 0
  },
  {
    "id": 2,
    "name": "Bob",
    "votes": 0
  },
  {
    "id": 3,
    "name": "Charlie",
    "votes": 0
  }
]
```


Pretty-print


```
[]
```

Observation:

The code creates an API to manage voting for different candidates.

It ensures that each user can vote only once using simple validation.

The structure is clean and makes it easy to view candidates and results.

Task 5 – Teacher Management API

Task:

Develop a RESTful API to manage teacher records.

Instructions:

• Endpoints required:

o GET /teachers → List all teachers

o POST /teachers → Add a new teacher

o PUT /teachers/{id} → Update teacher details

o DELETE /teachers/{id} → Remove a teacher

• Ensure proper error handling and JSON responses

Prompt:

- Created API for managing teacher records
- Implemented CRUD operations
- Added, updated, and deleted teacher details

Code:

15.py > ...

```python
from flask import Flask, request, jsonify

app = Flask(__name__)

# Predefined teacher data
teachers = [
    {"id": 1, "name": "Ramesh", "subject": "Math"},
    {"id": 2, "name": "Sita", "subject": "Science"}
]

@app.route('/teachers', methods=['GET'])
def get_teachers():
    return jsonify(teachers)


@app.route('/teachers', methods=['POST'])
def add_teacher():
    data = request.get_json()

    if not data.get("name") or not data.get("subject"):
        return jsonify({"message": "Invalid data"}), 400

    new_teacher = {
        "id": len(teachers) + 1,
        "name": data["name"],
        "subject": data["subject"]
    }

    teachers.append(new_teacher)
    return jsonify({"message": "Teacher added", "data": new_teacher})


@app.route('/teachers/<int:id>', methods=['PUT'])
def update_teacher(id):
    data = request.get_json()
```

ass15.py > ...

```python
# Predefined teacher data
teachers = [
    {"id": 1, "name": "Ramesh", "subject": "Math"},
    {"id": 2, "name": "Sita", "subject": "Science"}
]
@app.route('/teachers', methods=['GET'])
def get_teachers():
    return jsonify(teachers)


@app.route('/teachers', methods=['POST'])
def add_teacher():
    data = request.get_json()

    if not data.get("name") or not data.get("subject"):
        return jsonify({"message": "Invalid data"}), 400

    new_teacher = {
        "id": len(teachers) + 1,
        "name": data["name"],
        "subject": data["subject"]
    }

    teachers.append(new_teacher)
    return jsonify({"message": "Teacher added", "data": new_teacher})


@app.route('/teachers/<int:id>', methods=['PUT'])
def update_teacher(id):
    data = request.get_json()

    for teacher in teachers:
        if teacher["id"] == id:
            teacher["name"] = data.get("name", teacher["name"])
            teacher["subject"] = data.get("subject", teacher["subject"])
            return jsonify({"message": "Teacher updated", "data": teacher})
```

Ln 263, Col 2

Output:

127.0.0.1:5000/teacher
Pretty print
{
"id": 1,
"name": "Ramesh",
"subject": "Math"
},
{
"id": 2,
"name": "Sita",
"subject": "Science"
}

```
(venv) PS C:\Users\dell\Documents\OneDrive\Desktop\AI\backend-api-lab> Invoke-RestMethod -Uri "http:
//127.0.0.1:5000/teachers/0" -Method PUT -ContentType "application/json" -Body '{"subject":"ML"}'

message
-------
Teacher updated
```

```
Pretty-print

[
  {
    "subject": "ML"
  }
]
```

```
(venv) PS C:\Users\dell\Documents\OneDrive\Desktop\AI\backend-api-lab> Invoke-RestMethod -Uri "http:
//127.0.0.1:5000/teachers/0" -Method DELETE

message
-------
Teacher deleted
```

```
Pretty-print

[]
```

Observation:

The code creates an API to manage teacher records like add, view, update, and delete.
It uses JSON format, so data can be easily sent and received.
Error handling is added to manage invalid requests and make the API reliable.