Assignment-14.2

Name: Adepu Tejaswini

Ht.no: 2303A51423

Batch. No: 21

Task Description 1 – (Landing Page Design)

Prompt:

Generate a simple responsive landing page for a product using HTML and CSS.

The page should include a header, hero section, and footer.

Use clean layout alignment, modern typography, and responsive design so the page works on mobile, tablet, and desktop screens.

Code:

```html
<!-- Use clear layout alignment, modern typography, and responsive design so the page works on mobile, tablet, and desktop screens. -->
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Product Landing Page</title>
    <style>
        /* Reset some default styles */
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body {
            font-family: 'Arial', sans-serif;
            line-height: 1.6;
            color: #333;
        }

        header {
            background-color: #4CAF50;
            color: white;
            padding: 20px 0;
            text-align: center;
        }

        .hero {
            display: flex;
            flex-direction: column;
            align-items: center;
            justify-content: center;
            padding: 50px 20px;
            background-color: #f0f0f0;
        }

        .hero h1 {
            font-size: 2.5em;
            margin-bottom: 20px;
        }

        .hero p {
            font-size: 1.2em;
            margin-bottom: 30px;
            max-width: 600px;
            text-align: center;
        }

        .hero button {
            padding: 10px 20px;
            font-size: 1em;
            color: white;
            background-color: #4CAF50;
            border: none;
            cursor: pointer;
        }

        footer {
            background-color: #333;
            color: white;
            text-align: center;
            padding: 10px 0;
        }

        /* Responsive Design */
        @media (min-width: 768px) {
            .hero {
                flex-direction: row;
                text-align: left;
                padding: 50px 100px;
            }

            .hero h1 {
                font-size: 3em;
                margin-right: 50px;
                margin-bottom: 0;
            }

            .hero p {
                font-size: 1.5em;
                max-width: none;
                margin-bottom: 0;
                margin-right: auto; /* Push the button to the right */
                margin-left: auto; /* Center the button */
                text-align: left; /* Align text to the left on larger screens */
            }
        }
    </style>
</head>
<body>
    <header>
        <h1>Welcome to Our Product</h1>
    </header>

    <section class="hero">
        <h1>Discover the Future of Technology</h1>
        <p>Our product is designed to revolutionize the way you interact with technology. Experience unparalleled performance and cutting-edge features that will enhance your daily life.</p>
        <button>Learn More</button>
    </section>

    <footer>
        <p>&copy; 2024 Your Company. All rights reserved.</p>
    </footer>
</body>
</html>
```

Output:



Observation:

The generated code creates a simple landing page with a header, hero section, and footer.
CSS is used to improve layout alignment, spacing, and typography so the page looks clean.
The responsive design makes the page adjust properly on mobile, tablet, and desktop screens.

Task Description 2 – (Theme Toggle Feature)

Prompt:

Generate a simple HTML, CSS, and JavaScript code for a Theme Toggle button that switches between light mode and dark mode.

Use JavaScript to toggle CSS classes when the button is clicked.

Ensure good color contrast for accessibility and apply the theme instantly when the user clicks the button.

Code:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Theme Toggle Button</title>
    <style>
        body {
            font-family: 'Arial', sans-serif;
            transition: background-color 0.3s, color 0.3s;
        }

        .light-mode {
            background-color: #ffffff;
            color: #333333;
        }

        .dark-mode {
            background-color: #333333;
            color: #ffffff;
        }

        .toggle-button {
            position: fixed;
            top: 20px;
            right: 20px;
            padding: 10px 20px;
            font-size: 1em;
            color: white;
            background-color: #4CAF50;
            border: none;
            cursor: pointer;
        }
    </style>
</head>
<body class="light-mode">
    <button class="toggle-button" id="theme-toggle">Toggle Theme</button>
    <h1>Welcome to the Theme Toggle Example</h1>
    <p>Click the button above to switch between light mode and dark mode.</p>
    <script>
        const toggleButton = document.getElementById('theme-toggle');
        const body = document.body;

        toggleButton.addEventListener('click', () => {
            body.classList.toggle('light-mode');
            body.classList.toggle('dark-mode');
        });
    </script>
</body>
</html>
```

Output:



Observation:

The generated code creates a button that allows the user to switch between light and dark themes.
JavaScript toggles CSS classes to change the theme instantly when the button is clicked.
The colors are chosen carefully so the text remains clear and readable in both themes.

Task Description 3 – (User Feedback Form)

Prompt:

Generate a simple User Feedback Form using HTML, CSS, and JavaScript.

The form should include Username, Rating, and Comments fields.

Use JavaScript to validate required fields and show dynamic success or error messages.

Improve the form layout and usability with a clean and simple design.

Code:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>User Feedback Form</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            background-color: #f0f0f0;
            display: flex;
            justify-content: center;
            align-items: center;
            height: 100vh;
            margin: 0;
        }
        .feedback-form {
            background-color: #fff;
            padding: 20px;
            border-radius: 5px;
            box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
            width: 300px;
        }
        .feedback-form h2 {
            margin-top: 0;
        }
        .feedback-form label {
            display: block;
            margin-bottom: 5px;
        }
        .feedback-form input[type="text"],
        .feedback-form select,
        .feedback-form textarea {
            width: 100%;
            padding: 8px;
            margin-bottom: 10px;
            border: 1px solid #ccc;
            border-radius: 4px;
        }
        .feedback-form button {
            background-color: #28a745;
            color: white;
            padding: 10px;
            border: none;
            border-radius: 4px;
            cursor: pointer;
        }
        .feedback-form button:hover {
            background-color: #218838;
        }
        .message {
            margin-top: 10px;
        }
    </style>
</head>
<body>
    <div class="feedback-form">
        <h2>User Feedback</h2>
        <form id="feedbackForm">
            <label for="username">Username:</label>
            <input type="text" id="username" name="username" required>

            <label for="rating">Rating:</label>
            <select id="rating" name="rating" required>
                <option value="">Select a rating</option>
                <option value="1">1 - Poor</option>
                <option value="2">2 - Fair</option>
                <option value="3">3 - Good</option>
                <option value="4">4 - Very Good</option>
                <option value="5">5 - Excellent</option>
            </select>

            <label for="comments">Comments:</label>
            <textarea id="comments" name="comments" rows="4"></textarea>

            <button type="submit">Submit Feedback</button>
        </form>
        <div class="message" id="message"></div>
    </div>

    <script>
        document.getElementById('feedbackForm').addEventListener('submit', function(event) {
            event.preventDefault();

            const username = document.getElementById('username').value.trim();
            const rating = document.getElementById('rating').value;
            const comments = document.getElementById('comments').value.trim();
            const messageDiv = document.getElementById('message');

            if (username === '' || rating === '') {
                messageDiv.textContent = 'Please fill in all required fields.';
                messageDiv.style.color = 'red';
                return;
            }

            // Simulate form submission
            messageDiv.textContent = 'Thank you for your feedback!';
            messageDiv.style.color = 'green';

            // Reset the form
            this.reset();
        });
    </script>
</body>
</html>
```

Output:



Observation:

The generated code creates a feedback form with fields for username, rating, and comments.
JavaScript validation checks if the required fields are filled and shows error or success messages to the user.
The form layout is simple and clean, which makes it easy for users to understand and submit feedback.

Task Description - 4 (Image Gallery with JavaScript)

Prompt:

Generate a simple image gallery web page using HTML, CSS, and JavaScript.

Load images dynamically using JavaScript and add Next and Previous buttons to navigate between images.

Make the layout responsive so it works well on mobile and desktop screens.

Code:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Simple Image Gallery</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            margin: 0;
            padding: 0;
            display: flex;
            flex-direction: column;
            align-items: center;
        }
        .gallery {
            display: flex;
            flex-direction: column;
            align-items: center;
            margin-top: 20px;
        }
        .image-container {
            width: 80%;
            max-width: 600px;
            height: 400px;
            overflow: hidden;
            display: flex;
            justify-content: center;
            align-items: center;
        }
        .image-container img {
            width: 100%;
            height: auto;
        }
        .buttons {
            margin-top: 10px;
        }
        .buttons button {
            padding: 10px 20px;
            margin: 0 5px;
            font-size: 16px;
        }
        @media (max-width: 600px) {
            .image-container {
                width: 100%;
                height: auto;
            }
        }
    </style>
</head>
<body>
    <h1>Simple Image Gallery</h1>
    <div class="gallery">
        <div class="image-container">
            <img id="gallery-image" src="" alt="Gallery Image">
        </div>
        <div class="buttons">
            <button id="prev-btn">Previous</button>
            <button id="next-btn">Next</button>
        </div>
    </div>

    <script>
        const images = [
            'https://unsplash.com/s/illustrations/cute',
            'https://www.pinterest.com/pin/1067564286639334932/',
            'https://www.vectorstock.com/royalty-free-vector/cute-ghost-playful-boo-cartoon-character-vector-48258372',
            'https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcTjBU6ckKg3rxzE8nzNuOsVNaiXzHiCD8vdnOu8OPAjqA&s',
            'https://www.google.com/imgres?q=cute%20ghost&imgurl=https%3A%2F%2Fimg.pikbest.com%2Fpng-images%2F20240924%2Fcute-g
        ];

        let currentIndex = 0;
        const galleryImage = document.getElementById('gallery-image');
        const prevBtn = document.getElementById('prev-btn');
        const nextBtn = document.getElementById('next-btn');

        function updateImage() {
            galleryImage.src = images[currentIndex];
        }

        prevBtn.addEventListener('click', () => {
            currentIndex = (currentIndex - 1 + images.length) % images.length;
            updateImage();
        });

        nextBtn.addEventListener('click', () => {
            currentIndex = (currentIndex + 1) % images.length;
            updateImage();
        });

        // Initialize the gallery with the first image
        updateImage();
    </script>
</body>
```

Output:

Observation:

The code loads images dynamically using JavaScript instead of writing all images directly in HTML. This makes the gallery easier to manage because images can be added or removed from the array. The responsive layout allows

the gallery to adjust properly on different screen sizes, making it simple and user friendly.

Task Description - 5: (Notification Banner)

Prompt:

Generate a simple notification banner at the top of a webpage using HTML, CSS, and JavaScript.

The banner should have a message and a close (×) button. Use JavaScript to show and hide the banner, and CSS for styling and smooth transition effects.

Keep the design clean, responsive, and beginner-friendly.

Code:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Notification Banner</title>
    <style>
        /* Basic styling for the notification banner */
        #notification-banner {
            position: fixed;
            top: 0;
            left: 0;
            width: 100%;
            background-color: #8c66ed; /* Green background */
            color: white; /* White text */
            text-align: center; /* Centered text */
            padding: 15px; /* Some padding */
            font-size: 18px; /* Larger font size */
            display: none; /* Hidden by default */
            transition: top 0.3s ease-in-out; /* Smooth transition */
        }

        /* Close button styling */
        #close-btn {
            position: absolute;
            right: 20px;
            top: 15px;
            font-size: 20px;
            cursor: pointer;
        }
    </style>
</head>
<body>

    <h1>Welcome to the Notification Banner Example</h1>
    <p>Click the button below to see the notification banner in action.</p>
    <!-- Notification Banner -->
    <div id="notification-banner">
        This is a notification message!
        <span id="close-btn">&times;</span>
    </div>


    <!-- Button to show the notification banner -->
    <button onclick="showBanner()">Show Notification</button>

    <script>
        // Function to show the notification banner
        function showBanner() {
            const banner = document.getElementById('notification-banner');
            banner.style.display = 'block'; // Show the banner
            setTimeout(() => {
                banner.style.top = '0'; // Slide down the banner
            }, 10); // Slight delay for transition effect
        }

        // Function to hide the notification banner
        document.getElementById('close-btn').addEventListener('click', () => {
            const banner = document.getElementById('notification-banner');
            banner.style.top = '-100px'; // Slide up the banner
            setTimeout(() => {
                banner.style.display = 'none'; // Hide the banner after sliding up
            }, 300); // Wait for the transition to finish
        });
    </script>
</body>
</html>
```

Output:



Observation:

The code creates a notification banner that appears at the top of the page with a message and a close button.
JavaScript controls the banner so it can be shown and hidden when the user clicks the close button.
CSS styles the banner and adds smooth transitions so the interface looks clean and easy to use.