Practical – 8

<u>Aim</u>: Perform following programs of PHP with database.

Exercise:

1. Create Login module for Student with registration page, login page, welcome page, change password page and logout page. [Note: Student's registration fields Enrollment, Name, Branch, Password, Photo]. Register.php

```
<?php
session_start();
include 'db_connect.php';
if ($ SERVER['REQUEST METHOD'] == 'POST') {
  $enrollment = $_POST['enrollment'];
  ne = \POST['name'];
  $branch = $_POST['branch'];
  $password = password_hash($_POST['password'], PASSWORD_DEFAULT);
  $photo = $_FILES['photo']['name'];
  $photo_tmp = $_FILES['photo']['tmp_name'];
  $photo_folder = 'uploads/' . $photo;
  if (move_uploaded_file($photo_tmp, $photo_folder)) {
    $sql = "INSERT INTO students (enrollment, name, branch, password, photo) VALUES
('$enrollment', '$name', '$branch', '$password', '$photo_folder')";
    if (mysqli_query($conn, $sql)) {
       $_SESSION['message'] = "Registration successful!";
       header('Location: login.php');
    } else {
       $_SESSION['message'] = "Error: " . mysqli_error($conn);
  } else {
    $_SESSION['message'] = "Failed to upload photo.";
  }
?>
<!DOCTYPE html>
<a href="html"></a>
```

```
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Student Registration</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <div class="container">
    <h2>Student Registration</h2>
    <?php
    if (isset($_SESSION['message'])) {
      echo "" . $_SESSION['message'] . "";
      unset($_SESSION['message']);
    }
    ?>
    <form action="register.php" method="POST" enctype="multipart/form-data">
      <label>Enrollment: </label>
      <input type="text" name="enrollment" required>
      <label>Name: </label>
      <input type="text" name="name" required>
      <label>Branch: </label>
      <select name="branch" required>
         <option value="IT">IT</option>
         <option value="CE">CE</option>
        <option value="IOT">IOT</option>
        <option value="ME">ME</option>
        <option value="EE">EE</option>
      </select>
      <label>Password: </label>
      <input type="password" name="password" required>
      <label>Photo: </label>
      <input type="file" name="photo" required>
      <input type="submit" value="Register">
    </form>
    <a href="login.php">Already have an account? Login here.</a>
  </div>
</body>
</html>
```

Login.php

```
<?php
session_start();
include 'db_connect.php';
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
  $enrollment = $_POST['enrollment'];
  $password = $_POST['password'];
  $sql = "SELECT * FROM students WHERE enrollment='$enrollment'";
  $result = mysqli query($conn, $sql);
  if (mysqli_num_rows($result) == 1) {
    $row = mysqli_fetch_assoc($result);
    if (password_verify($password, $row['password'])) {
      $_SESSION['username'] = $row['name'];
      $_SESSION['enrollment'] = $row['enrollment'];
      header('Location: welcome.php');
    } else {
      $_SESSION['message'] = "Invalid password.";
    }
  } else {
    $_SESSION['message'] = "Invalid enrollment number.";
  }
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Student Login</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <div class="container">
    <h2>Student Login</h2>
    if (isset($ SESSION['message'])) {
      echo "" . $_SESSION['message'] . "";
```

```
unset($_SESSION['message']);
}
?>
<form action="login.php" method="POST">
<label>Enrollment: </label>
<input type="text" name="enrollment" required>
<label>Password: </label>
<input type="password" name="password" required>
<input type="password" name="password" required>
<input type="submit" value="Login">
</form>
<a href="register.php">Don't have an account? Register here.</a>
</div>
</body>
</html>
```

Logout.php

```
<?php
session_start();
session_destroy();
header('Location: login.php');
exit;
?>
```

edit_profile.php

```
<?php
session_start();
include 'db_connect.php';
if (!isset($_SESSION['username'])) {
  header('Location: login.php');
  exit:
$enrollment = $_SESSION['enrollment'];
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
  ne = POST['name'];
  $branch = $_POST['branch'];
  $current_password = $_POST['current_password'];
  $new_password = !empty($_POST['new_password']) ?
password_hash($_POST['new_password'], PASSWORD_DEFAULT) : null;
  $sql = "SELECT password, photo FROM students WHERE enrollment='$enrollment'";
  $result = mysqli_query($conn, $sql);
  $row = mysqli_fetch_assoc($result);
```

```
if (password_verify($current_password, $row['password'])) {
    $update_password_sql = $new_password ? ", password='$new_password'" : "";
    if (!empty($_FILES['photo']['name'])) {
       $photo = $_FILES['photo']['name'];
       $photo_tmp = $_FILES['photo']['tmp_name'];
       $photo folder = 'uploads/' . $photo;
       if (move_uploaded_file($photo_tmp, $photo_folder)) {
         $photo_sql = ", photo='$photo_folder'";
       } else {
         $_SESSION['message'] = "Failed to upload photo.";
         header('Location: edit profile.php');
         exit;
       }
    } else {
       $photo sql = "";
    }
    $update_sql = "UPDATE students SET name='$name', branch='$branch'
$update_password_sql $photo_sql WHERE enrollment='$enrollment'";
    if (mysqli_query($conn, $update_sql)) {
       $_SESSION['message'] = "Profile updated successfully.";
       $ SESSION['username'] = $name; // Update the session username
       header('Location: welcome.php');
       exit:
    } else {
       $ SESSION['message'] = "Error updating profile: " . mysqli error($conn);
  } else {
    $_SESSION['message'] = "Current password is incorrect.";
  }
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Edit Profile</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <div class="container">
```

```
<h2>Edit Profile</h2>
    <?php
    if (isset($ SESSION['message'])) {
      echo "" . $_SESSION['message'] . "";
      unset($_SESSION['message']);
    }
    ?>
    <form action="edit_profile.php" method="POST" enctype="multipart/form-data">
      <label>Name: </label>
      <input type="text" name="name" value="<?php echo</pre>
htmlspecialchars($_SESSION['username']); ?>" required>
      <label>Branch: </label>
      <select name="branch" required>
         <option value="IT" <?php echo isset($_SESSION['branch']) &&</pre>
$_SESSION['branch'] == 'IT' ? 'selected' : "; ?>>IT</option>
         <option value="CE" <?php echo isset($ SESSION['branch']) &&</pre>
$_SESSION['branch'] == 'CE' ? 'selected' : "; ?>>CE</option>
         <option value="IOT" <?php echo isset($_SESSION['branch']) &&</pre>
$_SESSION['branch'] == 'IOT' ? 'selected' : "; ?>>IOT</option>
         <option value="ME" <?php echo isset($ SESSION['branch']) &&</pre>
$_SESSION['branch'] == 'ME' ? 'selected' : "; ?>>ME</option>
         <option value="EE" <?php echo isset($ SESSION['branch']) &&</pre>
$_SESSION['branch'] == 'EE' ? 'selected' : "; ?>>EE</option>
      </select>
      <label>Current Password: </label>
      <input type="password" name="current password" required>
      <label>New Password (leave blank to keep current password): </label>
      <input type="password" name="new_password">
      <label>Photo: </label>
      <input type="file" name="photo">
      <input type="submit" value="Update Profile">
    </form>
    <a href="welcome.php">Go back</a>
  </div>
</body>
</html>
```

Db_connect.php

```
<?php
$servername = "localhost";
$username = "root";</pre>
```


```
$password = "";
$dbname = "WT_P7";

// Create connection
$conn = mysqli_connect($servername, $username, $password, $dbname);

// Check connection
if (!$conn) {
    die("Connection failed: " . mysqli_connect_error());
}
?>
```

Welcome.php

```
<?php
session_start();
include 'db_connect.php';
if (!isset($_SESSION['username'])) {
  header('Location: login.php');
  exit;
$enrollment = $_SESSION['enrollment'];
$sql = "SELECT photo FROM students WHERE enrollment='$enrollment'";
$result = mysqli_query($conn, $sql);
$row = mysqli_fetch_assoc($result);
$photo = $row['photo'];
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Welcome</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <div class="container">
    <h2>Welcome, <?php echo htmlspecialchars($_SESSION['username']); ?>!</h2>
    Enrollment: <?php echo htmlspecialchars($_SESSION['enrollment']); ?>
    <div class="profile-picture">
       <img src="<?php echo htmlspecialchars($photo); ?>" alt="Profile Picture"> </div>
```



2. Create Admin module to perform update, delete, display records with order by and search operation with Student table. [Note: Same as grid view design].

Admin_login.php

```
<?php
session_start();
include 'db_connect.php';
if ($_SERVER['REQUEST_METHOD'] == 'POST') {
  $username = $_POST['username'];
  $password = $_POST['password'];
  $sql = "SELECT * FROM admin WHERE username='$username' AND
password='$password'";
  $result = mysqli_query($conn, $sql);
  if (mysqli num rows($result) == 1) {
    $_SESSION['admin'] = $username;
    header('Location: admin_dashboard.php');
  } else {
    $ SESSION['message'] = "Invalid username or password.";
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Admin Login</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <div class="container">
    <h2>Admin Login</h2>
    <?php
    if (isset($_SESSION['message'])) {
      echo "" . $_SESSION['message'] . "";
      unset($_SESSION['message']);
    }
```

```
?>
<form action="admin_login.php" method="POST">
<label>Username: </label>
<input type="text" name="username" required>
<label>Password: </label>
<input type="password" name="password" required>
<input type="submit" value="Login">
</form>
</div>
</body>
</html>
```

Admin_dashboard.php

```
<?php
session_start();
include 'db_connect.php';
if (!isset($_SESSION['admin'])) {
  header('Location: admin_login.php');
  exit;
search = ";
if (isset($_GET['search'])) {
  $search = $_GET['search'];
  $sql = "SELECT * FROM students WHERE name LIKE '%$search%' ORDER BY
name";
} else {
  $sql = "SELECT * FROM students ORDER BY name";
$result = mysqli_query($conn, $sql);
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Admin Dashboard</title>
  <link rel="stylesheet" href="styles.css">
```

```
</head>
<body>
 <div class="container">
   <h2>Admin Dashboard</h2>
   <form action="admin_dashboard.php" method="GET">
     <input type="text" name="search" placeholder="Search by name" value="<?php</pre>
echo $search; ?>">
     <input type="submit" value="Search">
   </form>
   <thead>
       Enrollment
         Name
         Branch
         Actions
       </thead>
     <?php while ($row = mysqli_fetch_assoc($result)) { ?>
       <?php echo $row['enrollment']; ?>
         <?php echo $row['name']; ?>
         <?php echo $row['branch']; ?>
         <a href="update_student.php?id=<?php echo $row['id']; ?>">Update</a>
           <a href="delete_student.php?id=<?php echo $row['id']; ?>" onclick="return"
confirm('Are you sure you want to delete this record?')">Delete</a>
         <?php } ?>
     <a href="admin_logout.php">Logout</a>
 </div>
</body>
</html>
```

Update_student.php

```
<?php
session_start();
include 'db_connect.php';</pre>
```

```
if (!isset($_SESSION['admin'])) {
  header('Location: admin login.php');
  exit;
if (isset($_GET['id'])) {
  $id = $_GET['id'];
  $sql = "SELECT * FROM students WHERE id='$id'";
  $result = mysqli_query($conn, $sql);
  $student = mysqli_fetch_assoc($result);
  if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    ne = \POST['name'];
    $branch = $_POST['branch'];
    $enrollment = $_POST['enrollment'];
    $update_sql = "UPDATE students SET name='$name', branch='$branch',
enrollment='$enrollment' WHERE id='$id'";
    if (mysqli_query($conn, $update_sql)) {
       $_SESSION['message'] = "Record updated successfully.";
       header('Location: admin_dashboard.php');
    } else {
       $_SESSION['message'] = "Error updating record.";
  }
} else {
  header('Location: admin_dashboard.php');
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Update Student</title>
  k rel="stylesheet" href="styles.css">
</head>
<body>
  <div class="container">
    <h2>Update Student</h2>
```

```
<?php
    if (isset($_SESSION['message'])) {
       echo "" . $_SESSION['message'] . "";
       unset($_SESSION['message']);
    }
    ?>
    <form action="update student.php?id=<?php echo $id; ?>" method="POST">
       <label>Name: </label>
       <input type="text" name="name" value="<?php echo $student['name']; ?>" required>
       <label>Branch: </label>
       <select name="branch" required>
         <option value="IT" <?php echo $student['branch'] == 'IT' ? 'selected' : ";</pre>
?>>IT</option>
         <option value="CE" <?php echo $student['branch'] == 'CE' ? 'selected' : ";</pre>
?>>CE</option>
         <option value="IOT" <?php echo $student['branch'] == 'IOT' ? 'selected' : ";</pre>
?>>IOT</option>
       </select>
       <label>Enrollment: </label>
       <input type="text" name="enrollment" value="<?php echo $student['enrollment'];</pre>
?>" required>
       <input type="submit" value="Update">
    <a href="admin_dashboard.php">Go back</a>
  </div>
</body>
</html>
```

Delete_student.php

```
<?php
session_start();
include 'db_connect.php';

if (!isset($_SESSION['admin'])) {
    header('Location: admin_login.php');
    exit;
}

if (isset($_GET['id'])) {
    $id = $_GET['id'];
    $delete_sql = "DELETE FROM students WHERE id='$id'";</pre>
```

```
if (mysqli_query($conn, $delete_sql)) {
    $_SESSION['message'] = "Record deleted successfully.";
} else {
    $_SESSION['message'] = "Error deleting record.";
}
header('Location: admin_dashboard.php');
?>
```

Db_connect.php

```
<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "WT_P7";

// Create connection
$conn = mysqli_connect($servername, $username, $password, $dbname);

// Check connection
if (!$conn) {
    die("Connection failed: " . mysqli_connect_error());
}
?>
```

Admin_logout.php

```
<?php
session_start();
session_destroy();
header('Location: admin_login.php');
exit;
?>
```

