

⊕ WEB SERVICE

Portfolio

Node Free Upgrade your instance →

Connect ∨ Manual Deploy

Adeun-llemobola / Portfolio °♥ main

https://portfolio-972t.onrender.com □

Settings

Name A unique name for your Web Service. Portfolio ∠ Edit Region Your services in the same region can communicate over a private network.

Oregon (US West)

Instance Type

Free

0.1 CPU **512** MB

- i) Please ask the owner (adeunilemobola@gmail.com) to enter their payment information.
- (i) See remaining free usage, or learn about free service limits.

Build & Deploy Repository The repository used for your Web Service. https://github.com/Adeun-llemobola/Portfolio **Branch** The Git branch to build and deploy. main **Git Credentials** User providing the credentials to pull the repository. adeunilemobola@gmail.com (you) Use My Credentials


Root Directory Optional





M My Workspace ≎

Q



Build Filters

Include or ignore specific paths in your repo when determining whether to trigger an autodeploy. Paths are relative to your repo's root directory. Learn more.

Included Paths

Changes that match these paths will trigger a new build.

+ Add Included Path

Ignored Paths

Changes that match these paths will not trigger a new build.

+ Add Ignored Path

Build Command

Render runs this command to build your app before each deploy.

\$ npm install; npm run build

Pre-Deploy Command Optional

Render runs this command before the start command. Useful for database migrations and static asset uploads.

\$

Start Command

Render runs this command to start your app with each deploy.

\$ npm run start

Ø Edit

Auto-Deploy

By default, Render automatically deploys your service whenever you update its code or configuration. Disable to handle deploys manually. Learn more.



Deploy Hook

Your private URL to trigger a deploy for this server. Remember to keep this a secret.



G Regenerate hook

Custom Domains

You can point custom domains you own to this service. See DNS configuration instructions.

+ Add Custom Domain

Render Subdomain

If enabled, your service remains reachable at its onrender.com subdomain in addition to all custom domains. Disable to serve exclusively from custom domains.



Your service is reachable at https://portfolio-972t.onrender.com.

PR Previews

Pull Request Previews

Spin up temporary instances to test pull requests opened against the main branch of Adeun-Ilemobola/Portfolio. Choose **Automatic** to preview all PRs, or **Manual** for only PRs with [render preview] in their title. Pull Request Previews create a new instance for just this service. Use Preview Environments to clone a group of services for every PR.



Notifications

Service Notifications

Set notifications to receive for your service. This setting will override your workspace's default settings.

Use workspace default (Only failure notifications)

Preview Environment Notifications

Configure notifications for preview environments and service previews.

Use account default (Disabled)

Ø Edit

Health Checks

Health Check Path

Provide an HTTP endpoint path that Render messages periodically to monitor your service. **Learn More**.

/healthz

Maintenance Mode

Maintenance Mode

Temporarily disable public access to your service. While enabled, Render serves a static maintenance page for all incoming requests. Learn more.

Maintenance Mode Disabled

Custom Maintenance Page Optional

If provided, Render uses the specified URL for your maintenance page instead of serving the default page.

PAID

Maintenance mode is only available for paid instances.

Upgrade

Delete Web Service II Suspend Web Service