07-1 Pushing Data to the Cloud via Sheets

Using Google Sheets with the Bone

Steps to and from the Cloud

- Create a new Sheet
- Get Credentials
- Run the script
- Plot the data

Create a Sheet

- Go to https://sheets.google.com
- Make a new sheet
- Rename it
- Add some column headings



Note the sheetID



Get Credentials

bone$ **cd exercises/iot/google/sheets**

- JavaScript: https://developers.google.com/sheets/api/quickstart/nodejs
- Python: https://developers.google.com/sheets/api/quickstart/python

Step 1: Turn on the Google Sheets API

Click this button to create a new console project and automatically enable the Google Sheets API:

ENABLE THE GOOGLE SHEETS API

This opens a new dialog. In the dialog, do the following:

a. Select **+ Create a new project**.

b. Download the configuration file.

c. Move the downloaded file to your working directory and ensure it is named `credentials.json`

Step 2: Install the client library

Run the following commands to install the libraries using npm:

```
$ npm install googleapis@27 --save
```

Step 1: Turn on the Google Sheets API

Click this button to create a new console project and automatically enable the Google Sheets API:

ENABLE THE GOOGLE SHEETS API

This opens a new dialog. In the dialog, do the following:

a. Select **+ Create a new project**.

b. Download the configuration file.

c. Move the downloaded file to your working directory and ensure it is named `credentials.json`.

Step 2: Install the Google Client Library

Run the following command to install the library using pip:

```
$ pip install --upgrade google-api-python-client oauth2client
```

Get Credentials

- You will download the file **credentials.json**
- Put it in the sheets directory

Run the example

- To log 3.14 and 10 run:

```
bone$ ./demo.js 3.14 10

Authorize this app by visiting this url:
https://accounts.google.com/o/oauth2/v2/auth?access_type=offline&scope=https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fspreadsheets&response_type=code&client_id=834314057708-fucjrsdnm1nvmvvbqkfr9008g63d7k2r.apps.googleusercontent.com&redirect_uri=urn%3Aietf%3Awg%3Aoauth%3A2.0%3Aoob

Enter the code from that page here:
```

- Paste the URL into your browser and follow the directions.


Sign in with Google
Choose an account
to continue to Logging Data
Mark Yoder
mark.a.yoder@gmail.com
Use another account


Sign in with Google
Logging Data wants to access your Google Account
mark.a.yoder@gmail.com
This will allow Logging Data to:
View and manage your spreadsheets in Google Drive
Make sure you trust Logging Data


Sign in
Please copy this code, switch to your application and paste it there:
4/dAAX8_DywtUOVZYoGXzah9ffdezpDI4J0dOeq-xn1kA0mz3h7rRjAJM

Run the example

- To log 3.14 and 10 run:

```
bone$ ./demo.js 3.14 10

Authorize this app by visiting this url:
https://accounts.google.com/o/oauth2/v2/auth?access_type=offline&scope=https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fspreadsheets&response_type=code&client_id=834314057708-fucjrsdnm1nvmvvbqkfr9008g63d7k2r.apps.googleusercontent.com&redirect_uri=urn%3Aietf%3Awg%3Aoauth%3A2.0%3Aoob

Enter the code from that page here:
```

- Paste the URL into your browser and follow the directions.

Run the e


Sign in with Google
Logging Data wants to access your Google Account
mark.a.yoder@gmail.com
This will allow Logging Data to:
View and manage your spreadsheets in Google Drive
Make sure you trust Logging Data
You may be sharing sensitive info with this site or app. Learn about how Logging Data will handle your data by reviewing its terms of service and privacy policies. You can always see or remove access in your Google Account.
Learn about the risks
Cancel
Allow

Run the example

- To log 3.14 and 10 run:

```
bone$ ./demo.js 3.14 10
Authorize this app by visiting this url:
https://accounts.google.com/o/oauth2/v2/auth?access_type=offline&scope=https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fspreadsheets&response_type=code&client_id=834314057708-fucjrsdnm1nvmvvbqkfr9008g63d7k2r.apps.googleusercontent.com&redirect_uri=urn%3Aietf%3Awg%3Aoauth%3A2.0%3Aoob
Enter the code from that page here:
```

- Paste the URL into your browser and follow the directions.

token.json

- A file **token.json** is created
- Don’t have to authorize again

View the Data



	A	B	C
1	**Time**	**Var 1**	**Var 2**
2	10/10/2018 15:59:07	5	10
3	10/10/2018 16:04:22	10	5
4	10/10/2018 16:05:45	10	5
5	10/10/2018 16:10:22	-5	-10
6	10/10/2018 16:11:22	3.14	6.28
7	10/10/2018 16:12:51	3.14	6.28
8	10/10/2018 16:14:16	6.28	3.14

Plot the data



Plot the Data

- Select all columns
- Select **Insert chart**



Logging to Sheets

File Edit View Insert Format Data Tools Add-ons Help All changes saved in Drive

SHARE

	A	B	C
1	Time	Var 1	Var 2
2	10/10/2018 12:0	1	2
3	10/10/2018 12:0	1	
4	10/10/2018 14:0		



Chart editor

DATA CUSTOMIZE

Chart type
Line chart

Data range
A1:C1003

X-axis
Time

Series
Var 1
Var 2
Add Series

Switch rows / columns
Use row 1 as headers
Use column A as labels
Aggregate column A

Sheet1

Sum: 6/19/2256 14:19...

Plot the Data

- Your data should be plotted
- Running demo.js again will add more data

The code - JavaScript

- Lot’s of code for authentication

```
#!/usr/bin/env node

// From:
https://developers.google.com/sheets/api/quickstart/nodejs#step_3_set_up_the_sample
const fs = require('fs');
const util = require('util');
const readline = require('readline');
const {google} = require('googleapis');


const sheetID = '1hGMHMLwiG3zEDM19zJehpLjTDbVi8LOjVKhD8R0dBO0';


// If modifying these scopes, delete credentials.json.
const SCOPES = ['https://www.googleapis.com/auth/spreadsheets'];
const TOKEN_PATH = 'token.json';
```

The code - JavaScript

```
function recordTemp(auth) {
  const sheets = google.sheets({version: 'v4', auth});
  var date = new Date();
    // Read the variable data
  var var1 = process.argv[2];
  var var2 = process.argv[3];
  console.log('Got: ' + var1 + ", " + var2);
```

The code - JavaScript

```
sheets.spreadsheets.values.append({
  spreadsheetId: sheetID,
  range: 'A2',
  // How the input data should be interpreted.
  valueInputOption: 'USER_ENTERED’,
  resource: {
    values: [   // getTime returs ms.  Convert to days.
        [
          date.getTime()/1000/60/60/24 + 25569 - 4/24,
          var1,
          var2
        ]
      ]
```

The code - JavaScript

```
  sheets.spreadsheets.values.append({
…
}, (err, res) => {
    if (err) return console.log('The API returned an error: '
+ err);
    console.log("res: " + util.inspect(res.data.tableRange));
  });


}
```

The code - Python

```
    # Call the Sheets API
    # Compute a timestamp and pass the first two arguments
    values = [ [time.time()/60/60/24+ 25569 - 4/24, sys.argv[1], sys.argv[2]]]
    body = { 'values': values }
    result =
service.spreadsheets().values().append(spreadsheetId=SPREADSHEET_ID,
                                range=RANGE_NAME,
                                #  How the input data should be interpreted.
                                valueInputOption='USER_ENTERED',
                                # How the input data should be inserted.
                                # insertDataOption='INSERT_ROWS'
                                body=body
                                ).execute()
```