```
C:\Documents and Settings\Administrator\... L. Norgren\Database Schema\MLogger.sql
```

```
SET ANSI NULLS ON
GO
SET QUOTED IDENTIFIER ON
-- Stored procedure for creating a new user
-- Returns: 1 if created
           O if user name existed and not created
CREATE PROCEDURE [dbo].[spCreateUser](@userName varchar(50), @password varchar(50)) AS
   DECLARE @count
                      TNT
   DECLARE @maxUserID INT
   SELECT @count = COUNT(*) FROM tblUsers
   IF @count > 0
       SELECT @maxUserID = MAX(userID + 1) FROM tblUsers
   ELSE
       SET @maxUserID = 0
   IF NOT EXISTS (SELECT * FROM tblUsers WHERE userName = @userName)
       INSERT INTO tblUsers(userID, userName, [password]) VALUES(@maxUserID, @userName, @
   password)
      RETURN 1
   ELSE
       RETURN 0
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[tblSessions](
   [userID] [int] NOT NULL,
    [sessionID] [int] NOT NULL,
    [expiration] [datetime] NOT NULL,
CONSTRAINT [PK Session] PRIMARY KEY CLUSTERED
    [userID] ASC
) WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS ≰
     = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
INSERT [dbo].[tblSessions] ([userID], [sessionID], [expiration]) VALUES (0, 1234567890, CAST 🕊
   (0x00009E51003A6D2B AS DateTime))
SET ANSI NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
SET ANSI PADDING ON
GO
CREATE TABLE [dbo].[tblMessages](
   [messageID] [int] NOT NULL,
    [userID] [int] NOT NULL,
    [postDate] [datetime] NOT NULL,
    [title] [varchar] (max) NULL,
   [message] [varchar] (max) NULL,
CONSTRAINT [PK_tblMessages] PRIMARY KEY CLUSTERED
    [messageID] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW ROW LOCKS ≰
     = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
SET ANSI PADDING OFF
GO
INSERT [dbo].[tblMessages] ([messageID], [userID], [postDate], [title], [message]) VALUES (0, ✔
    0, CAST(0x00009B79012F9322 AS DateTime), N'Memo Title', N'Memo Descrioption')
```