

# **1Z0-1157-26**

## **Agentic AI Foundations Associate**

### **2026 Exam Questions & Answers**

Oracle Cloud Free Certification - Practice Exam Question Bank

*This document was transcribed directly from the on-screen text of the YouTube video below. It contains all 40 practice-exam questions shown in the video, together with their multiple-choice answer options. For a subset of questions, the video's on-screen UI later revealed which option had been selected (via a filled radio button during an end-of-exam review pass); those are marked with a "Correct answer" line. Where no answer was ever shown on screen for a question, no answer line is given below - it was not fabricated or guessed.*

Source video: <https://youtu.be/Qe8xCliupig>

Video title: 1Z0-1157-26 Agentic AI Foundations Associate 2026 Questions & Answer Oracle Cloud Free Certification

Questions transcribed: 40 of 40

Questions with a visually-revealed answer: 14 of 40

**Q1.**

What occurs during the MCP initialization phase?

- \* A. The client and server exchange protocol versions and supported capabilities.
- B. The client completes user authentication as part of the protocol initialization exchange.
- C. The LLM is fine-tuned using the server's tool definitions.
- D. The server executes all tools once to warm internal caches.

**Correct answer: A**

**Q2.**

Which approaches are supported by OCI Enterprise AI Agents?

- A. Deploy using Python-only or Java-only options
- B. Build a frontend agent or a backend agent
- \* C. Call the Responses API directly or deploy a hosted agent application
- D. Select a free or paid deployment model

**Correct answer: C**

**Q3.**

What is long-term memory in OCI Enterprise AI Agents?

- A. The model's pretraining corpus.
- B. A static training dataset.
- \* C. Durable memory shared across conversations.
- D. Persistent container block storage.

**Correct answer: C**

**Q4.**

Which statement describes the OCI Responses API?

- A. It supports only read-only operations
- \* B. It provides an OpenAI-compatible API
- C. It supports a single model provider
- D. It requires a proprietary OCI-only SDK

**Correct answer: B**

**Q5.**

What is short-term memory compaction in OCI Enterprise AI Agents?

- \* A. A summarization process for long conversations
- B. A runtime optimization for Python tools
- C. A network optimization for agent requests
- D. A masking process for prompt content

**Correct answer: A**

**Q6.**

What is the purpose of the Vector Stores API?

- A. Translating text between languages.
- B. Indexing and retrieving data by meaning.
- C. Encrypting Object Storage buckets.
- D. Streaming video into AI agents.

**Q7.**

In the given LangChain chain, what is the role of StrOutputParser()?

```
chain = prompt | model | StrOutputParser()
```

- A. It stores tool execution history.
- B. It sends the prompt to the model API.
- C. It converts Python functions into tools.
- D. It extracts plain text from the model response.

**Q8.**

Which native column type does Oracle AI Database use for storing vector embeddings?

- A. BLOB
- B. VARCHAR2
- C. JSON
- \* D. VECTOR

**Correct answer: D**

**Q9.**

What is the default distance metric for VECTOR\_DISTANCE in Oracle for non-BINARY vectors?

- A. Levenshtein edit distance
- B. Euclidean (L2) distance
- \* C. COSINE distance
- D. Bitwise XOR distance

**Correct answer: C**

**Q10.**

Why are docstrings especially important when defining LangChain tools with the @tool decorator?

- A. They encrypt tool arguments before execution.
- B. They determine which API provider LangChain uses.
- \* C. They tell the LLM when and how to use the tool.
- D. They improve Python execution speed.

**Correct answer: C**

**Q11.**

Which tasks is handled automatically by LangChain when using agent.invoke()?

- A. Building tool schemas, parsing tool calls, and orchestrating execution loops.
- B. Managing conversation state, formatting API requests, and routing tool execution across the agent loop.
- C. Optimizing GPU memory allocation and distributing model inference across hardware accelerators.
- D. Training the foundation model from scratch.

**Q12.**

In the OpenAI Agents SDK, when are input guardrails and output guardrails evaluated?

- A. Input guardrails and output guardrails run only if explicitly triggered by the model.
- B. Input guardrails run before the agent processes input; output guardrails run before the response is returned.
- C. Input guardrails and output guardrails both are evaluated only after the final response is generated.
- D. Input guardrails and output guardrails both are evaluated only before the model receives user input.

**Q13.**

In the OpenAI Agents SDK, what is the role of the Runner?

- A. It is the deployment platform for hosting agents in production.
- B. It defines JSON schemas for function tools at compile time.
- C. It handles authentication and rotates API keys for the agent.
- D. It executes the agent loop.

**Q14.**

In the OpenAI Agents SDK, how does a Handoff differ from the Manager pattern?

- \* A. A Handoff transfers control; a Manager keeps control.
- B. A Handoff uses async execution; a Manager uses sync execution.
- C. A Handoff keeps control; a Manager transfers control.
- D. A Handoff calls tools directly; a Manager only routes messages.

**Correct answer: A**

**Q15.**

In the context of MCP, what does the USB-C for AI analogy emphasize?

- A. MCP makes AI models physically faster.
- B. MCP is preinstalled on all modern computers.
- C. MCP is a standardized interface.
- D. MCP needs specialized hardware to run.

**Q16.**

What integration problem does MCP address?

- A. GPU memory fragmentation during inference
- B. N x M custom-connector problem between AI apps and tools
- C. Token-limit problem in large language models
- D. Latency in cloud-hosted models

**Q17.**

What is the architectural advantage of Autonomous AI Database MCP Server over a separately deployed third-party MCP server?

- A. It eliminates the need for SQL queries entirely.
- B. It moves all query execution to a separate compute tier outside the database.
- C. It reduces operational overhead and enforces security inside the database.
- D. It uses a common MCP host for all database connections.

**Q18.**

In OpenAI Agents SDK, how does the model select which tool to call?

- A. It calls every registered tool before answering.
- B. It selects the first registered tool by name.
- \* C. It uses tool names, descriptions, and schemas.
- D. It selects a tool randomly unless hardcoded.

**Correct answer: C**

**Q19.**

What does the `@function_tool` decorator do in the OpenAI Agents SDK?

- A. Converts a regular Python function into a tool the agent can call.
- B. Automatically retries the function if it raises an exception during execution.
- C. Caches the function's return value to disk for faster subsequent calls.
- D. Registers the function as an HTTP endpoint the agent calls via REST.

**Q20.**

Which SQL function computes distance between vectors in Oracle AI Vector Search?

- A. `EMBEDDING_DISTANCE()`
- B. `VECTOR_SCORE()`
- C. `VECTOR_DISTANCE()`
- D. `SCORE_SIMILARITY()`

**Q21.**

Which four behaviors does every Select AI Agent perform?

- A. Retrieve, Rank, Generate, and Validate
- B. Plan, Use tools, Summarize, and Terminate
- C. Plan, Use tools, Reflect, and Remember
- D. Plan, Execute, Monitor, and Scale

**Q22.**

Compared with a standalone LLM call, an AI-agent architecture commonly adds which capabilities?

- \* A. Tool access, memory handling, and iterative execution
- B. Native GUI rendering and visualization support
- C. Larger transformer layers and faster training
- D. Replacement of transformer-based inference entirely

**Correct answer: A**

**Q23.**

Which behavior is NOT a characteristic of modern LLM-based AI agents?

- A. Requiring every execution path to be predefined
- B. Pursuing goals across multiple steps
- C. Adjusting behavior based on observations
- D. Using external APIs or databases

**Q24.**

Which OCI services are used for observability and auditing of deployed AI agents?

- A. OCI Logging, OCI Monitoring, and OCI Audit
- B. OCI Streaming, OCI Queue, and OCI Email Delivery
- C. OCI Events, OCI Functions, and OCI Vault
- D. OCI Data Catalog, OCI Search, and OCI DNS

**Q25.**

Which approaches can generate embeddings for Oracle AI Vector Search workflows?

- A. Train a custom embedding model and manually insert vectors row by row
- B. Export data to a Python environment, generate embeddings, then reimport via SQL\*Loader
- C. Use external REST APIs exclusively, since in-database embedding is not supported
- D. Use ONNX models in-database or external REST-based embedding providers

**Q26.**

Why is chunking necessary before generating embeddings for large documents?

- A. To convert text into SQL-compliant rows
- B. To remove semantic meaning from the document
- C. To overcome token limits for large documents
- D. To automatically encrypt content before indexing

**Q27.**

Which statement describes the purpose of the OpenAI Responses API?

- A. It compresses prompts to reduce the number of tokens billed.
- B. It sends input to an OpenAI model and returns generated output.
- C. It trains language models from scratch on customer-supplied data.
- D. It hosts open-source models locally on the developer's own hardware.

**Q28.**

Which three model categories are available through OCI Enterprise AI Models?

- A. Robotics, Audio, and Vision models.
- B. Forecasting, Clustering, and Regression models.
- C. Chat models, Embed models, and Rerank models.
- D. SQL, NoSQL, and Graph models.

**Q29.**

What is the purpose of OCI Enterprise AI Governance?

- A. Managing model versions and rolling back failed deployments.
- B. Monitoring model latency and optimizing inference throughput.
- C. Applying guardrails, identity controls, and network security controls to AI workloads.
- D. Replacing the AI agent runtime layer.

**Q30.**

Which statement describes an MCP Host?

- A. It defines the protocol messages between clients and servers.
- B. It executes tool implementations directly and returns results to the LLM.
- C. Coordinates the LLM, user interaction, and MCP client connections to servers.
- D. It is the external REST API wrapped by the MCP server.

**Q31.**

According to the MCP architecture model, which statement describes the client-server relationship?

- A. An MCP client maintains a dedicated connection to an MCP server.
- B. MCP clients and servers run on separate machines.
- C. A single MCP client communicates with multiple servers through one shared MCP connection.
- D. An MCP server is used by one client during its lifetime.

**Q32.**

What is the strategic theme behind agentic AI capabilities in Oracle AI Database?

- A. Selling vector products without database integration
- B. Replacing the database with a vector-only system
- C. Removing SQL functionality in favor of REST APIs
- D. Bringing AI capabilities natively into the database

**Q33.**

How are tool calls handled between the LLM and the application?

- A. It allows tools to run without application control.
- B. It generates a tool-call request for the application to validate and run.
- C. It grants the orchestration layer unrestricted system access.
- D. It performs the external operation directly during inference.

**Q34.**

Which Python package is installed first for a simple OCI Responses API setup?

- A. requests-html
- B. django
- C. boto3
- \* D. openai

**Correct answer: D**

**Q35.**

Which authentication approach should be used for production-grade access to OCI Enterprise AI services?

- A. Anonymous access to tenancy-level resources
- B. Browser session cookies stored with application code
- C. OCI IAM authentication with signed requests and IAM policies
- D. Hardcoded credentials checked into source repositories



**Q36.**

Which prompt addition is used for zero-shot Chain-of-Thought prompting?

- A. "Let's think step by step."
- B. "Upload a structured CSV first."
- C. "Disable all external retrieval tools."
- D. "Set temperature equal to zero."

**Q37.**

What is Oracle AI Database Private Agent Factory?

- A. A hardware appliance for training models on-premises
- B. A backup utility for embeddings
- \* C. A no-code platform for building agents
- D. A managed orchestration layer for deploying to Kubernetes

**Correct answer: C**

**Q38.**

Which standard MCP transport supports remote or network-accessible deployments where multiple clients may connect to the same server?

- A. STDIO
- B. Local Unix pipes only
- C. Streamable HTTP
- D. Raw TCP sockets

**Q39.**

Which message format does MCP use for client-server communication?

- A. GraphQL
- B. Protocol Buffers
- C. SOAP/XML
- D. JSON-RPC 2.0

**Q40.**

Which description defines memory poisoning in AI-agent systems?

- A. A SQL injection attack against a database.
- \* B. Malicious content inserted into persistent memory stores.
- C. Long prompts causing temporary context loss.
- D. Hardware instability affecting RAM reliability.

**Correct answer: B**