main.c

Share Run

```c
#include <stdio.h>

int main()
{
    int a[10][10], b[10][10], c[10][10];
    int i, j, k, r1, c1, r2, c2;

    printf("Enter rows and columns of first matrix: ");
    scanf("%d %d", &r1, &c1);

    printf("Enter rows and columns of second matrix: ");
    scanf("%d %d", &r2, &c2);

    if(c1 != r2)
    {
        printf("Matrix multiplication not possible");
        return 0;
    }

```

Output

Clear

```
Enter rows and columns of first matrix: 2 2
Enter rows and columns of second matrix: 2 2
Enter elements of first matrix:
1 2
3 4
Enter elements of second matrix:
5 6
7 8
Resultant Matrix:
19 22
43 50


=== Code Execution Successful ===
```

main.c

Share Run

```c
#include <stdio.h>

int main()
{
    int n, i, num[50];

    printf("Enter the number of elements: ");
    scanf("%d", &n);

    printf("Enter %d numbers:\n", n);

    for(i = 0; i < n; i++)
    {
        scanf("%d", &num[i]);
    }

    printf("\nOdd and Even Numbers:\n");

    for(i = 0; i < n; i++)
```

Output

Clear

```
Enter the number of elements: 4
Enter 4 numbers:
1 5 8 2

Odd and Even Numbers:
1 is Odd
5 is Odd
8 is Even
2 is Even


=== Code Execution Successful ===
```

main.c

Share Run

```c
#include <stdio.h>

int main()
{
    int n, i;
    long long fact = 1;

    printf("Enter a number: ");
    scanf("%d", &n);

    for(i = 1; i <= n; i++)
    {
        fact = fact * i;
    }

    printf("Factorial of %d = %lld", n, fact);

    return 0;
}
```

Output

Clear

```
Enter a number: 4
Factorial of 4 = 24

=== Code Execution Successful ===
```

main.c

Share Run

```c
{
    int n, i;
    int a = 0, b = 1, c;

    printf("Enter number of terms: ");
    scanf("%d", &n);

    printf("Fibonacci Series: ");

    for(i = 1; i <= n; i++)
    {
        printf("%d ", a);
        c = a + b;
        a = b;
        b = c;
    }

    return 0;
}
```

Output

Clear

```
Enter number of terms: 6
Fibonacci Series: 0 1 1 2 3 5

=== Code Execution Successful ===
```

main.c

Share Run

```c
#include <stdio.h>

int factorial(int n)
{
    if(n == 0 || n == 1)
        return 1;
    else
        return n * factorial(n - 1);
}

int main()
{
    int n;

    printf("Enter a number: ");
    scanf("%d", &n);

    printf("Factorial of %d = %d", n, factorial(n));

```

Output

Clear

```
Enter a number: 5
Factorial of 5 = 120

=== Code Execution Successful ===
```