

PRAKTIKUM BASIS DATA

MODUL 08

Scripting SQL Create



Oleh:

Adhi Puspo Hadikusumo

103122430002

PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK


DIREKTORAT KAMPUS PURWOKERTO

UNIVERSITAS TELKOM


2026

JURNAL

1. Buatlah desain database untuk suatu Perusahaan:
 - a. Table department dengan primary key adalah department_id. Tabel departemen terdiri atas field-field: department_id, department_name, manager_id, dan location id.



- b. Table employee dengan constraint foreign key adalah department_id. Tabel employee terdiri atas field-field: employee_id, last_nama NOT NULL, email, salary, commission_pct, hire_date NOT NULL>



The screenshot shows a database query tool interface. The top pane displays the SQL script for creating the 'employee' table. The bottom pane shows the script output, indicating the task was completed in 0.061 seconds. Below the output, a table structure is displayed with columns: Name, Null?, and Type.


```

CREATE TABLE employee (
  employee_id INT PRIMARY KEY,
  last_name VARCHAR(100) NOT NULL,
  email VARCHAR(100),
  salary DECIMAL(10,2),
  commission_pct DECIMAL(5,2),
  hire_date DATE NOT NULL,
  department_id INT,
  FOREIGN KEY (department_id) REFERENCES department (department_id)
);
desc employee;

```

Name	Null?	Type
EMPLOYEE_ID	NOT NULL	NUMBER(38)
LAST_NAME	NOT NULL	VARCHAR2(100)
EMAIL		VARCHAR2(100)
SALARY		NUMBER(10,2)
COMMISSION_PCT		NUMBER(5,2)
HIRE_DATE	NOT NULL	DATE
DEPARTMENT_ID		NUMBER(38)

- c. Tambahkan tabel-tabel lain yang saling berelasi (seperti: tabel persediaan barang, pemasok barang, dst)



The screenshot shows a database query tool interface. The top pane displays the SQL script for creating the 'supplier' and 'inventory' tables. The bottom pane shows the script output, indicating the task was completed in 2.415 seconds. Below the output, the table structures for 'SUPPLIER' and 'INVENTORY' are displayed with columns: Name, Null?, and Type.

```

CREATE TABLE supplier (
  supplier_id INT PRIMARY KEY,
  supplier_name VARCHAR(100),
  contact VARCHAR(100)
);
CREATE TABLE inventory (
  product_id INT PRIMARY KEY,
  product_name VARCHAR(100),
  stock INT,
  supplier_id INT,
  FOREIGN KEY (supplier_id) REFERENCES supplier (supplier_id)
);
desc supplier;
desc inventory;

```


Table SUPPLIER created.

Table INVENTORY created.


Name	Null?	Type
SUPPLIER_ID	NOT NULL	NUMBER(38)
SUPPLIER_NAME		VARCHAR2(100)
CONTACT		VARCHAR2(100)

Name	Null?	Type
PRODUCT_ID	NOT NULL	NUMBER(38)
PRODUCT_NAME		VARCHAR2(100)
STOCK		NUMBER(38)
SUPPLIER_ID		NUMBER(38)

2. Analisis table-table dgn compute statistics



3. Isikan data data yg bersesuaian dengan tabel tabel pada nomer 1 (masing masing 10 record)



~~~~~ARIGATOU GOZAIMASU~~~~~