

LAB EXPERIMENTS

NAME ADHIL BIJUKUMAR

REGISTRATION NUMBER:192411133

COURSE NAME: INTERNET PROGRAMMING

COURSE CODE: CSA4308

11th PROGRAM:

11. Home Finder, an innovative online real estate platform, is designed to simplify the property search and transaction process for buyers, sellers, and renters. The website features a comprehensive database of residential and commercial properties, with advanced search filters for location, price, type, and amenities. Key functionalities include user registration and login, detailed property listings with high-quality images and virtual tours, and interactive maps to explore neighborhood features. Users can schedule property viewings, save favorite listings, and receive notifications for new or updated properties matching their criteria. The platform also offers tools for property valuation, mortgage calculators, and direct communication with real estate agents. Home Finder aims to make the property search process efficient and transparent, providing users with valuable. This website helps the user to search and book lands/houses in their required area in their budget.

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Home Finder - Real Estate Platform</title>
```

```
  <style>
```

```
    * {  
      margin: 0;  
      padding: 0;  
      box-sizing: border-box;  
      font-family: Arial, sans-serif;  
    }
```

```
    body {  
      background: #f5f7fa;
```

```
    color: #333;
}

/* Header */
header {
    background: #12355b;
    color: white;
    padding: 18px 7%;
    display: flex;
    justify-content: space-between;
    align-items: center;
    position: sticky;
    top: 0;
    z-index: 1000;
}

.logo {
    font-size: 28px;
    font-weight: bold;
}

.logo span {
    color: #ffb703;
}

nav a {
    color: white;
    text-decoration: none;
    margin-left: 25px;
    font-size: 16px;
}
```

```
nav a:hover {
  color: #ffb703;
}

/* Hero */
.hero {
  min-height: 430px;
  background: linear-gradient(
    rgba(18, 53, 91, 0.8),
    rgba(18, 53, 91, 0.8)
  ),
  url("https://images.unsplash.com/photo-1560518883-ce09059eeffa")
  center/cover;

  display: flex;
  align-items: center;
  justify-content: center;
  text-align: center;
  color: white;
  padding: 40px 20px;
}

.hero-content h1 {
  font-size: 48px;
  margin-bottom: 15px;
}

.hero-content p {
  font-size: 20px;
  margin-bottom: 30px;
}
```

```
/* Search Box */
.search-box {
  background: white;
  padding: 20px;
  border-radius: 12px;
  display: flex;
  flex-wrap: wrap;
  gap: 10px;
  max-width: 1000px;
  margin: auto;
  box-shadow: 0 5px 20px rgba(0,0,0,0.3);
}

.search-box input,
.search-box select {
  padding: 14px;
  border: 1px solid #ddd;
  border-radius: 6px;
  flex: 1;
  min-width: 150px;
}

button {
  background: #ffb703;
  color: #222;
  border: none;
  padding: 14px 25px;
  border-radius: 6px;
  cursor: pointer;
  font-weight: bold;
}
```

```
button:hover {
    background: #fb8500;
    color: white;
}

/* Sections */
section {
    padding: 60px 7%;
}

.section-title {
    text-align: center;
    margin-bottom: 35px;
}

.section-title h2 {
    color: #12355b;
    font-size: 32px;
}

.section-title p {
    margin-top: 10px;
    color: #666;
}

/* Properties */
.property-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(280px, 1fr));
    gap: 25px;
}
```

```
.property-card {  
    background: white;  
    border-radius: 12px;  
    overflow: hidden;  
    box-shadow: 0 4px 15px rgba(0,0,0,0.1);  
    transition: 0.3s;  
}
```

```
.property-card:hover {  
    transform: translateY(-5px);  
}
```

```
.property-card img {  
    width: 100%;  
    height: 210px;  
    object-fit: cover;  
}
```

```
.property-info {  
    padding: 20px;  
}
```

```
.property-info h3 {  
    color: #12355b;  
    margin-bottom: 10px;  
}
```

```
.price {  
    color: #e63946;  
    font-size: 20px;  
    font-weight: bold;  
    margin: 10px 0;
```

```
}
```

```
.property-info p {  
  margin: 7px 0;  
  color: #666;  
}
```

```
.card-buttons {  
  display: flex;  
  gap: 10px;  
  margin-top: 15px;  
}
```

```
.card-buttons button {  
  flex: 1;  
}
```

```
.favorite {  
  background: #12355b;  
  color: white;  
}
```

```
/* Features */
```

```
.features {  
  background: white;  
}
```

```
.feature-grid {  
  display: grid;  
  grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));  
  gap: 25px;  
}
```

```
.feature-card {  
    padding: 30px;  
    text-align: center;  
    border-radius: 10px;  
    background: #f5f7fa;  
    border: 1px solid #eee;  
}
```

```
.feature-card .icon {  
    font-size: 40px;  
    margin-bottom: 15px;  
}
```

```
.feature-card h3 {  
    color: #12355b;  
    margin-bottom: 10px;  
}
```

```
/* Login */  
.login-section {  
    background: #12355b;  
    color: white;  
}
```

```
.login-box {  
    max-width: 450px;  
    margin: auto;  
    background: white;  
    color: #333;  
    padding: 30px;  
    border-radius: 12px;
```

```
}
```

```
.login-box h2 {  
    text-align: center;  
    color: #12355b;  
    margin-bottom: 20px;  
}
```

```
.login-box input {  
    width: 100%;  
    padding: 14px;  
    margin: 8px 0;  
    border: 1px solid #ddd;  
    border-radius: 6px;  
}
```

```
.login-box button {  
    width: 100%;  
    margin-top: 15px;  
}
```

```
/* Agents */
```

```
.agent-grid {  
    display: grid;  
    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));  
    gap: 25px;  
}
```

```
.agent-card {  
    background: white;  
    padding: 25px;  
    text-align: center;
```

```
border-radius: 10px;
box-shadow: 0 3px 15px rgba(0,0,0,0.1);
}
```

```
.agent-card img {
width: 100px;
height: 100px;
border-radius: 50%;
object-fit: cover;
}
```

```
.agent-card h3 {
margin: 15px 0 5px;
color: #12355b;
}
```

```
/* Map */
```

```
.map-section {
background: white;
}
```

```
.map {
width: 100%;
height: 400px;
border: 0;
border-radius: 10px;
}
```

```
/* Advertisement */
```

```
.advertisement {
background: #ffb703;
padding: 30px;
```

```
        text-align: center;
        border-radius: 10px;
    }

    .advertisement h2 {
        margin-bottom: 10px;
    }

    /* Customer Records */
    .records {
        background: white;
    }

    table {
        width: 100%;
        border-collapse: collapse;
        background: white;
    }

    th, td {
        padding: 15px;
        border: 1px solid #ddd;
        text-align: left;
    }

    th {
        background: #12355b;
        color: white;
    }

    /* Footer */
    footer {
```

```
background: #0b2239;
color: white;
text-align: center;
padding: 30px;
}

footer p {
margin: 8px;
}

/* Responsive */
@media (max-width: 768px) {

header {
flex-direction: column;
gap: 15px;
}

nav a {
margin: 5px;
font-size: 14px;
}

.hero-content h1 {
font-size: 35px;
}

.search-box {
flex-direction: column;
}

.search-box input,
```

```

        .search-box select,
        .search-box button {
            width: 100%;
        }

        table {
            font-size: 12px;
        }
    }
</style>
</head>

<body>

<!-- HEADER -->
<header>

    <div class="logo">
        Home<span>Finder</span>
    </div>

    <nav>
        <a href="#home">Home</a>
        <a href="#properties">Properties</a>
        <a href="#agents">Agents</a>
        <a href="#login">Login</a>
        <a href="#contact">Contact</a>
    </nav>

</header>

```

```
<!-- HERO -->
```

```
<section class="hero" id="home">
```

```
<div class="hero-content">
```

```
<h1>Find Your Dream Home</h1>
```

```
<p>
```

```
    Search and discover houses, lands and commercial properties  
    within your budget.
```

```
</p>
```

```
<!-- SEARCH -->
```

```
<div class="search-box">
```

```
<input
```

```
    type="text"
```

```
    id="location"
```

```
    placeholder="Enter location"
```

```
>
```

```
<input
```

```
    type="number"
```

```
    id="maxPrice"
```

```
    placeholder="Maximum Price"
```

```
>
```

```
<select id="propertyType">
```

```
    <option value="">Property Type</option>
```

```
    <option value="House">
```

House
</option>

<option value="Land">
Land
</option>

<option value="Apartment">
Apartment
</option>

<option value="Commercial">
Commercial
</option>

</select>

<select id="amenity">

<option value="">Amenities</option>

<option value="Parking">
Parking
</option>

<option value="Swimming Pool">
Swimming Pool
</option>

<option value="Garden">
Garden
</option>

```
</select>
```

```
<button onclick="searchProperties()">
```

```
    Search
```

```
</button>
```

```
<button onclick="saveSearch()">
```

```
    Save Search
```

```
</button>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- FEATURES -->
```

```
<section class="features">
```

```
<div class="section-title">
```

```
<h2>Why Choose Home Finder?</h2>
```

```
<p>
```

```
    Everything you need to find the perfect property.
```

```
</p>
```

```
</div>
```

```
<div class="feature-grid">
```

```
<div class="feature-card">
```

```
<div class="icon"> 🏠 </div>
```

```
<h3>Property Search</h3>
```

```
<p>
```

Search residential, commercial and land properties.

```
</p>
```

```
</div>
```

```
<div class="feature-card">
```

```
<div class="icon"> 🔍 </div>
```

```
<h3>Advanced Filters</h3>
```

```
<p>
```

Filter properties by location, price and amenities.

```
</p>
```

```
</div>
```

```
<div class="feature-card">
```

```
<div class="icon"> ❤️ </div>
```

```
<h3>Save Favorites</h3>
```

<p>

Save your favorite properties for future reference.

</p>

</div>

<div class="feature-card">

<div class="icon">  </div>

<h3>Interactive Map</h3>

<p>

Locate properties and explore nearby areas.

</p>

</div>

</div>

</section>

<!-- PROPERTIES -->

<section id="properties">

<div class="section-title">

<h2>Featured Properties</h2>

<p>

Explore some of our latest property listings.

</p>

</div>

<div class="property-grid" id="propertyGrid">

<!-- PROPERTY 1 -->

<div class="property-card"

data-location="Hyderabad"

data-price="7500000"

data-type="House">

<div class="property-info">

<h3>Modern Family House</h3>

<p> 📍 Hyderabad, Telangana</p>

<p> 🛏️ 3 Bedrooms | 🚿 2 Bathrooms</p>

<p> 📏 2,000 Sq. Ft.</p>

<div class="price">

₹75,00,000

</div>

<div class="card-buttons">

<button onclick="viewProperty('Modern Family House')">

View Details

</button>

<button

class="favorite"

onclick="addFavorite('Modern Family House')">



</button>

</div>

</div>

</div>

<!-- PROPERTY 2 -->

<div class="property-card"

data-location="Bangalore"

data-price="4500000"

data-type="Apartment">


```
<div class="property-info">
```

```
  <h3>Luxury Apartment</h3>
```

```
  <p>📍 Bangalore, Karnataka</p>
```

```
  <p>🛏️ 2 Bedrooms | 🚿 2 Bathrooms</p>
```

```
  <p>🏠 1,200 Sq. Ft.</p>
```

```
  <div class="price">
```

```
    ₹45,00,000
```

```
  </div>
```

```
  <div class="card-buttons">
```

```
    <button onclick="viewProperty('Luxury Apartment')">
```

```
      View Details
```

```
    </button>
```

```
    <button
```

```
      class="favorite"
```

```
      onclick="addFavorite('Luxury Apartment')">
```



```
    </button>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
<!-- PROPERTY 3 -->
```

```
<div class="property-card"
  data-location="Vijayawada"
  data-price="2500000"
  data-type="Land">
```

```

```

```
<div class="property-info">
```

```
<h3>Residential Land</h3>
```

```
<p> 📍 Vijayawada, Andhra Pradesh</p>
```

```
<p> 🏠 2,400 Sq. Ft.</p>
```

```
<div class="price">
  ₹25,00,000
</div>
```

```
<div class="card-buttons">
```

```
<button onclick="viewProperty('Residential Land')">
  View Details
</button>
```

```
    <button
      class="favorite"
      onclick="addFavorite('Residential Land')">
      ❤️
    </button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- MAP -->
```

```
<section class="map-section">
```

```
<div class="section-title">
```

```
<h2>Find Properties on Map</h2>
```

```
<p>
```

```
  Explore property locations and nearby areas.
```

```
</p>
```

```
</div>
```

```
<iframe
```

```
        class="map"
        src="https://www.google.com/maps?q=Hyderabad,India&output=embed">
    </iframe>

</section>
```

```
<!-- AGENTS -->
<section id="agents">
```

```
    <div class="section-title">
```

```
        <h2>Real Estate Agents</h2>
```

```
        <p>
```

```
            Contact trusted agents and property companies.
```

```
        </p>
```

```
    </div>
```

```
    <div class="agent-grid">
```

```
        <div class="agent-card">
```

```
            
```

```
            <h3>Rahul Kumar</h3>
```

<p>Hyderabad Properties</p>

<p>📞 +91 98765 43210</p>

<button onclick="contactAgent('Rahul Kumar')">

Contact Agent

</button>

</div>

<div class="agent-card">

<h3>Priya Sharma</h3>

<p>South India Realty</p>

<p>📞 +91 98765 12345</p>

<button onclick="contactAgent('Priya Sharma')">

Contact Agent

</button>

```
</div>
```

```
<div class="agent-card">
```

```

```

```
<h3>Arjun Reddy</h3>
```

```
<p>Premium Land Developers</p>
```

```
<p>📞 +91 99887 66554</p>
```

```
<br>
```

```
<button onclick="contactAgent('Arjun Reddy')">
```

```
  Contact Agent
```

```
</button>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- ADVERTISEMENT -->
```

```
<section>
```

```
<div class="advertisement">
```

```
<h2> 🏠 Advertise Your Property With Us</h2>
```

```
<p>
```

```
    Reach thousands of buyers and renters looking for their dream property.
```

```
</p>
```

```
<br>
```

```
<button onclick="advertise()">
```

```
    Add Your Advertisement
```

```
</button>
```

```
</div>
```

```
</section>
```

```
<!-- LOGIN -->
```

```
<section class="login-section" id="login">
```

```
<div class="login-box">
```

```
<h2>Buyer Login</h2>
```

```
<form onsubmit="login(event)">
```

```
<input
```

```
    type="text"
```

```
    id="username"
```

```
    placeholder="Username"
```

```

        required
    >

    <input
        type="password"
        id="password"
        placeholder="Password"
        required
    >

    <button type="submit">
        Login
    </button>

</form>

<p id="loginMessage"
    style="text-align:center;margin-top:15px;">
</p>

</div>

</section>

<!-- CUSTOMER RECORDS -->
<section class="records">

    <div class="section-title">

        <h2>Customer Visit Records</h2>

```

<p>

Maintain records of customers visiting the website.

</p>

</div>

<table>

<thead>

<tr>

<th>Customer</th>

<th>Property</th>

<th>Date</th>

<th>Status</th>

</tr>

</thead>

<tbody id="customerTable">

<tr>

<td>Demo Customer</td>

<td>Modern Family House</td>

<td>31 July 2026</td>

<td>Viewed</td>

</tr>

</tbody>

</table>

</section>

<!-- FOOTER -->

<footer id="contact">

<h2>Home Finder</h2>

<p>

Your trusted platform for finding homes, lands and commercial properties.

</p>

<p>

Email: support@homefinder.com

</p>

<p>

Phone: +91 98765 43210

</p>

<p>

© 2026 Home Finder. All Rights Reserved.

</p>

</footer>

<!-- JAVASCRIPT -->

<script>

// Search Properties

function searchProperties() {

let location =

document.getElementById("location").value.toLowerCase();

let maxPrice =

document.getElementById("maxPrice").value;

let type =

document.getElementById("propertyType").value;

let cards =

document.querySelectorAll(".property-card");

let found = false;

cards.forEach(function(card) {

let cardLocation =

card.dataset.location.toLowerCase();

let cardPrice =

```

        Number(card.dataset.price);

let cardType =
    card.dataset.type;

let locationMatch =
    location === "" ||
    cardLocation.includes(location);

let priceMatch =
    maxPrice === "" ||
    cardPrice <= Number(maxPrice);

let typeMatch =
    type === "" ||
    cardType === type;

if (locationMatch && priceMatch && typeMatch) {

    card.style.display = "block";

    found = true;

} else {

    card.style.display = "none";

}

});

if (!found) {

```

```
        alert(
            "No properties found matching your search criteria."
        );
    }
}
```

```
// Save Search Criteria
```

```
function saveSearch() {

    let searchData = {

        location:
            document.getElementById("location").value,

        maxPrice:
            document.getElementById("maxPrice").value,

        propertyType:
            document.getElementById("propertyType").value,

        amenity:
            document.getElementById("amenity").value

    };

    localStorage.setItem(
        "savedSearch",
        JSON.stringify(searchData)
    );
}
```

```
);

alert(
    "Your search criteria have been saved successfully!"
);

}
```

```
// Login
function login(event) {

    event.preventDefault();

    let username =
        document.getElementById("username").value;

    let password =
        document.getElementById("password").value;

    localStorage.setItem(
        "username",
        username
    );

    localStorage.setItem(
        "password",
        password
    );

    document.getElementById(
        "loginMessage"
```

```

).innerHTML =
    "Login successful! Welcome, " +
    username + ".";

}

// Add Favorite
function addFavorite(property) {

    let favorites =
        JSON.parse(
            localStorage.getItem("favorites")
        ) || [];

    if (!favorites.includes(property)) {

        favorites.push(property);

        localStorage.setItem(
            "favorites",
            JSON.stringify(favorites)
        );

        alert(
            property +
            " added to your favorites!"
        );

    } else {

        alert(

```

```

        property +
        " is already in your favorites."
    );

}

}

// View Property
function viewProperty(property) {

    alert(
        "You selected: " +
        property +
        "\n\nProperty details will be displayed here."
    );

}

// Contact Agent
function contactAgent(agent) {

    alert(
        "You are contacting " +
        agent +
        ".\n\nThe agent will contact you shortly."
    );

}

```

```
// Advertisement
function advertise() {

    alert(
        "Advertisement request submitted successfully!"
    );

}
```

```
// Record customer visit
window.onload = function() {

    let username =
        localStorage.getItem("username");

    if (username) {

        let table =
            document.getElementById(
                "customerTable"
            );

        let row =
            table.insertRow();

        row.insertCell(0).innerHTML =
            username;

        row.insertCell(1).innerHTML =
            "Home Finder Website";
```

```

        row.insertCell(2).innerHTML =

            new Date().toLocaleDateString();

        row.insertCell(3).innerHTML =

            "Visited";

    }

};


```

```
</script>
```

```
</body>
```

```
</html>
```

OUTPUT:



12th PROGRAM:

12. InsureEasy, a cutting-edge online insurance management platform, is designed to streamline the insurance process for users. The website allows customers to easily compare and purchase various insurance policies, including health, auto, and home insurance. Key functionalities include user registration and login, a policy comparison tool, detailed policy descriptions, and secure online applications. Users can view and manage their existing policies, make premium payments, and file claims through an intuitive dashboard. The platform also provides personalized recommendations based

on user profiles and needs, and sends automated reminders for policy renewals and upcoming payments. InsureEasy aims to enhance user convenience and provide comprehensive support for all insurance-related needs. This system maintains information of managers who can deal with agents and customers. In existing system, the manual procedure is followed where records are used to maintain data which is a time taking process and requires manpower and calculating commissions dues. Etc are done manually. This system is where agents send SMS alerts to the policyholder to remind them before and exceed the data of due.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>InsureEasy</title>
```

```
  <style>
```

```
    body {
```

```
      font-family: Arial;
```

```
      margin: 0;
```

```
      background: #f2f6f8;
```

```
    }
```

```
    header {
```

```
      background: #073b4c;
```

```
      color: white;
```

```
      padding: 20px;
```

```
      text-align: center;
```

```
    }
```

```
    nav {
```

```
      background: #06a77d;
```

```
      padding: 12px;
```

```
      text-align: center;
```

```
    }
```

```
    nav a {
```

```
    color: white;
    margin: 15px;
    text-decoration: none;
}
```

```
section {
    padding: 30px;
    text-align: center;
}
```

```
.box {
    background: white;
    padding: 20px;
    margin: 15px auto;
    max-width: 500px;
    border-radius: 10px;
}
```

```
input, select, button {
    padding: 10px;
    margin: 7px;
}
```

```
button {
    background: #06a77d;
    color: white;
    border: none;
    cursor: pointer;
}
```

```
footer {
    background: #073b4c;
```

```

        color: white;
        padding: 20px;
        text-align: center;
    }
</style>
</head>

<body>

<header>
    <h1>InsureEasy</h1>
    <p>Online Insurance Management System</p>
</header>

<nav>
    <a href="#home">Home</a>
    <a href="#policies">Policies</a>
    <a href="#login">Login</a>
    <a href="#admin">Admin</a>
    <a href="#agent">Agent</a>
    <a href="#user">User</a>
</nav>

<section id="home">
    <h2>Welcome to InsureEasy</h2>
    <p>Compare, purchase and manage your insurance policies easily.</p>

    <button onclick="alert('Welcome to InsureEasy!')">
        Get Started
    </button>
</section>

```

```
<section id="policies">
  <h2>Insurance Policies</h2>

  <div class="box">
    <h3>Health Insurance</h3>
    <p>Premium: ₹12,000 / Year</p>
    <button>Apply Now</button>
  </div>

  <div class="box">
    <h3>Auto Insurance</h3>
    <p>Premium: ₹8,000 / Year</p>
    <button>Apply Now</button>
  </div>

  <div class="box">
    <h3>Home Insurance</h3>
    <p>Premium: ₹15,000 / Year</p>
    <button>Apply Now</button>
  </div>
</section>

<section id="login">
  <h2>User Login</h2>

  <div class="box">
    <input type="text" placeholder="Username">
    <input type="password" placeholder="Password">
    <button onclick="login()">Login</button>
  </div>
</section>
```

```
<section id="admin">
```

```
  <h2>Admin</h2>
```

```
  <div class="box">
```

```
    <p>✓ Approve Agent Login</p>
```

```
    <p>✓ View Agent Details</p>
```

```
    <button onclick="alert('Agent Approved')">
```

```
      Approve Agent
```

```
    </button>
```

```
  </div>
```

```
</section>
```

```
<section id="agent">
```

```
  <h2>Agent</h2>
```

```
  <div class="box">
```

```
    <p>✓ Register</p>
```

```
    <p>✓ Create Customer</p>
```

```
    <p>✓ Manage Customer Details</p>
```

```
    <p>✓ Manage Policy Details</p>
```

```
    <button onclick="alert('Customer Created')">
```

```
      Create Customer
```

```
    </button>
```

```
  </div>
```

```
</section>
```

```
<section id="user">
```

```
  <h2>User Dashboard</h2>
```

```
  <div class="box">
```

<p>✓ Manage Policy Details</p>

✓ View Premium

✓ Receive SMS Alerts

```
<button onclick="alert('SMS Alert Sent')">
```

Send SMS Alert

</button>

<footer>

© 2026 InsureEasy | Online Insurance Management System

</footer>

<script>

```
function login() {  
    alert("Login Successful!");  
}
```


</body>

OUTPUT:

```

1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>InsureEasy</title>
5
6   <style>
7     body {
8       font-family: Arial;
9       margin: 0;
10      background: #f2f6f8;
11    }
12
13    header {
14      background: #073b4c;
15      color: white;
16      padding: 20px;
17      text-align: center;
18    }
19
20    nav {
21      background: #06a77d;
22      padding: 12px;
23      text-align: center;
24    }
25
26    nav a {
27      color: white;
28      margin: 15px;
29      text-decoration: none;
30    }
31  }
32 </style>
33 </head>
34 </html>

```



13th PROGRAM:

13. BlossomGifts, a user-friendly online platform, offers a seamless experience for ordering flowers and gifts for any occasion. The website features a diverse selection of floral arrangements, gift baskets, and personalized gifts, all organized by occasion, recipient, and price range. Key functionalities include user registration and login, a customizable order system with options for delivery dates and times, and detailed product descriptions with high-quality images. Customers can track their orders in real-time, schedule future deliveries, and receive order confirmations via email or SMS. The platform also supports secure payment methods and provides special promotions and discounts for loyal customers. BlossomGifts aims to make sending thoughtful gifts and flowers easy and convenient, ensuring timely delivery and customer satisfaction.

```
<!DOCTYPE html>

<html>

<head>

    <title>BlossomGifts</title>


<style>

    body {

        font-family: Arial;

        margin: 0;

        background: #fff5f7;

    }


    header {

        background: #d6336c;

        color: white;

        text-align: center;

        padding: 20px;

    }


    nav {

        background: #ff8fab;

        padding: 12px;

        text-align: center;
```

```
}
```

```
nav a {  
    color: white;  
    margin: 15px;  
    text-decoration: none;  
}
```

```
section {  
    padding: 25px;  
    text-align: center;  
}
```

```
.box {  
    background: white;  
    display: inline-block;  
    width: 220px;  
    padding: 20px;  
    margin: 10px;  
    border-radius: 10px;  
    box-shadow: 0 2px 8px #ccc;  
}
```

```
button {  
    background: #d6336c;  
    color: white;  
    border: none;  
    padding: 10px 20px;  
    cursor: pointer;  
}
```

```
footer {
```

```

        background: #d6336c;
        color: white;
        text-align: center;
        padding: 20px;
    }
</style>
</head>

<body>

<header>

    <h1>🌸 BlossomGifts</h1>

    <p>Flowers and Gifts for Every Occasion</p>
</header>

<nav>

    <a href="#home">Home</a>

    <a href="#categories">Categories</a>

    <a href="#products">Products</a>

    <a href="#cart">Cart</a>

    <a href="#login">Login</a>
</nav>

<section id="home">

    <h2>Welcome to BlossomGifts</h2>

    <p>Send beautiful flowers and thoughtful gifts to your loved ones.</p>

    <button onclick="alert('Welcome to BlossomGifts!')">

        Shop Now

    </button>
</section>

<section id="categories">

```

```
<h2>Categories</h2>
```

```
<div class="box">
```

```
<h3> 🌹 Flowers</h3>
```

```
<p>Roses, Lilies, Bouquets</p>
```

```
</div>
```

```
<div class="box">
```

```
<h3> 🎁 Gifts</h3>
```

```
<p>Gift Baskets and Personalized Gifts</p>
```

```
</div>
```

```
<div class="box">
```

```
<h3> 🍰 Occasions</h3>
```

```
<p>Birthday, Anniversary, Wedding</p>
```

```
</div>
```

```
</section>
```

```
<section id="products">
```

```
<h2>Popular Products</h2>
```

```
<div class="box">
```

```
<h3>Rose Bouquet</h3>
```

```
<p>Price: ₹999</p>
```

```
<button onclick="addCart('Rose Bouquet')">
```

```
  Add to Cart
```

```
</button>
```

```
</div>
```

```
<div class="box">
```

```
<h3>Gift Basket</h3>
```

```
<p>Price: ₹1499</p>
```

```
<button onclick="addCart('Gift Basket')">
```

```
    Add to Cart
```

```
</button>
```

```
</div>
```

```
<div class="box">
```

```
    <h3>Birthday Gift</h3>
```

```
    <p>Price: ₹799</p>
```

```
    <button onclick="addCart('Birthday Gift')">
```

```
        Add to Cart
```

```
    </button>
```

```
</div>
```

```
</section>
```

```
<section id="cart">
```

```
    <h2>Shopping Cart</h2>
```

```
    <p id="cartItems">Your cart is empty.</p>
```

```
    <button onclick="checkout()">
```

```
        Checkout
```

```
    </button>
```

```
</section>
```

```
<section id="login">
```

```
    <h2>Customer Login</h2>
```

```
    <input type="text" placeholder="Username">
```

```
    <input type="password" placeholder="Password">
```

```
    <button onclick="login()">
```

```
        Login
```

```
    </button>
```

```
</section>
```

```
<section>
```

```
<h2>Admin Panel</h2>
```

```
<p>✓ Add Items</p>
```

```
<p>✓ Remove Items</p>
```

```
<p>✓ Modify Item Prices</p>
```

```
<p>✓ Manage Inventory</p>
```

```
<p>✓ View Customer Information</p>
```

```
<p>✓ View Order Summary</p>
```

```
<button onclick="alert('Admin Panel Opened')">
```

```
  Manage Website
```

```
</button>
```

```
</section>
```

```
<footer>
```

```
<p>© 2026 BlossomGifts</p>
```

```
<p>Flowers and Gifts Delivered With Love 🌸🌿</p>
```

```
</footer>
```

```
<script>
```

```
let cart = [];
```

```
function addCart(item) {
```

```
  cart.push(item);
```

```
  document.getElementById("cartItems").innerHTML =
```

```
    cart.join("<br>");
```

```

        alert(item + " added to cart!");
    }

    function checkout() {
        alert("Order placed successfully!");
    }

    function login() {
        alert("Login Successful!");
    }

</script>

</body>

</html>


```

OUTPUT:

```

1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>BlossomGifts</title>
5
6 <style>
7     body {
8         font-family: Arial;
9         margin: 0;
10        background: #fff5f7;
11    }
12
13    header {
14        background: #d6336c;
15        color: white;
16        text-align: center;
17        padding: 20px;
18    }
19
20    nav {
21        background: #ff8fab;
22        padding: 12px;
23        text-align: center;
24    }
25
26    nav a {
27        color: white;
28        margin: 15px;
29        text-decoration: none;
30    }
31

```



14th PROGRAM:

14. ReNewMarket, a dynamic online marketplace, connects buyers and sellers of second- hand goods with ease. The website features a broad range of categories, including electronics, furniture, clothing, and collectibles. Key functionalities include user registration and login, a user-friendly listing creation tool for sellers, and advanced search and filtering options for buyers. Listings include detailed descriptions, photos, and pricing information, with the option to negotiate prices directly with sellers. Users

can track their transactions, leave feedback, and manage their favorite items and notifications. The platform also provides secure payment options and a simple process for arranging item pick-ups or deliveries. ReNewMarket aims to provide a reliable and convenient space for exchanging pre-loved items while promoting sustainability.

```
<!DOCTYPE html>

<html>

<head>

  <title>ReNewMarket</title>
```

```

<style>

  body {

    font-family: Arial;

    margin: 0;

    background: #f2f7f2;

  }
```

```

  header {

    background: #2e7d32;

    color: white;

    text-align: center;

    padding: 20px;

  }
```

```

  nav {

    background: #66bb6a;

    padding: 12px;

    text-align: center;

  }
```

```

  nav a {

    color: white;

    margin: 15px;

    text-decoration: none;
```

```
}
```

```
section {  
    padding: 25px;  
    text-align: center;  
}
```

```
.box {  
    background: white;  
    display: inline-block;  
    width: 220px;  
    padding: 20px;  
    margin: 10px;  
    border-radius: 10px;  
    box-shadow: 0 2px 8px #ccc;  
}
```

```
button {  
    background: #2e7d32;  
    color: white;  
    border: none;  
    padding: 10px 20px;  
    margin: 5px;  
    cursor: pointer;  
}
```

```
footer {  
    background: #2e7d32;  
    color: white;  
    text-align: center;  
    padding: 20px;  
}
```

```

    </style>
</head>

<body>

<header>

    <h1>🌱 ReNewMarket</h1>

    <p>Buy and Sell Pre-Owned Products</p>
</header>

<nav>

    <a href="#home">Home</a>

    <a href="#categories">Categories</a>

    <a href="#products">Products</a>

    <a href="#login">Login</a>

    <a href="#admin">Admin</a>
</nav>

<section id="home">

    <h2>Welcome to ReNewMarket</h2>

    <p>Buy and sell quality second-hand goods easily.</p>

    <input type="text" placeholder="Search products">

    <button onclick="search()">Search</button>
</section>

<section id="categories">

    <h2>Categories</h2>

    <div class="box">

        <h3>📺 Electronics</h3>

        <p>Mobiles, Laptops and TVs</p>

```

```
</div>
```

```
<div class="box">
```

```
  <h3> 🪑 Furniture</h3>
```

```
  <p>Tables, Chairs and Sofas</p>
```

```
</div>
```

```
<div class="box">
```

```
  <h3> 👕 Clothing</h3>
```

```
  <p>New and Used Clothes</p>
```

```
</div>
```

```
</section>
```

```
<section id="products">
```

```
  <h2>Available Products</h2>
```

```
  <div class="box">
```

```
    <h3>Used Laptop</h3>
```

```
    <p>Price: ₹25,000</p>
```

```
    <button onclick="buy('Used Laptop')">
```

```
      Buy Now
```

```
    </button>
```

```
  </div>
```

```
  <div class="box">
```

```
    <h3>Second-Hand Sofa</h3>
```

```
    <p>Price: ₹8,000</p>
```

```
    <button onclick="buy('Second-Hand Sofa')">
```

```
      Buy Now
```

```
    </button>
```

```
  </div>
```

```

<div class="box">
  <h3>Used Mobile</h3>
  <p>Price: ₹12,000</p>
  <button onclick="buy('Used Mobile')">
    Buy Now
  </button>
</div>
</section>

<section id="login">
  <h2>User Login</h2>

  <input type="text" placeholder="Username">
  <input type="password" placeholder="Password">

  <button onclick="login()">Login</button>
</section>

<section id="admin">
  <h2>Admin Management</h2>

  <div class="box">
    <h3>User Management</h3>
    <p>✓ Add User</p>
    <p>✓ Edit User</p>
    <p>✓ Delete User</p>
  </div>

  <div class="box">
    <h3>Category Management</h3>
    <p>✓ Add Category</p>
    <p>✓ Delete Category</p>
  </div>

```

```
</div>
```

```
<div class="box">
```

```
  <h3>Commodity Management</h3>
```

```
  <p>✓ Edit Commodity</p>
```

```
  <p>✓ Delete Commodity</p>
```

```
</div>
```

```
<div class="box">
```

```
  <h3>Order Management</h3>
```

```
  <p>✓ Shipped / Received</p>
```

```
  <p>✓ Delete Order</p>
```

```
</div>
```

```
</section>
```

```
<footer>
```

```
  <p>© 2026 ReNewMarket</p>
```

```
  <p>♻️ Buy Used. Sell Smart. Save the Planet.</p>
```

```
</footer>
```

```
<script>
```

```
function login() {
```

```
  alert("Login Successful!");
```

```
}
```

```
function search() {
```

```
  alert("Searching for products...");
```

```
}
```

```
function buy(item) {
```

```
  alert(item + " order placed successfully!");
```


```
}
```

```
</script>
```

```
</body>
```

```
</html>
```

OUTPUT:



15th PROGRAM:

15. EasyToll, an advanced online toll payment system, simplifies the process of managing toll fees for drivers. The website allows users to register and log in to access their toll account, where they can view and pay outstanding toll charges from various toll gates. Key functionalities include real-time toll balance updates, automatic payment options, and the ability to add or update vehicle details. Users can view detailed transaction history, set up recurring payments for frequent routes, and receive notifications for upcoming toll charges. The platform also supports secure payment methods and provides a user-friendly interface for managing toll accounts and reviewing payment summaries. EasyToll aims to enhance the convenience of toll payments and reduce wait times at toll booths, This website should help the user to pay toll in advance therefore not to wait in queue while travelling.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>EasyToll</title>
```

```
<style>
```

```
body {  
    font-family: Arial;  
    margin: 0;  
    background: #f2f5f7;  
}
```

```
header {  
    background: #1565c0;  
    color: white;  
    text-align: center;  
    padding: 20px;  
}
```

```
nav {  
    background: #42a5f5;  
    padding: 12px;  
    text-align: center;  
}
```

```
nav a {  
    color: white;  
    margin: 15px;  
    text-decoration: none;  
}
```

```
section {  
    padding: 25px;  
    text-align: center;  
}
```

```
.box {  
    background: white;
```

```
display: inline-block;
width: 220px;
padding: 20px;
margin: 10px;
border-radius: 10px;
box-shadow: 0 2px 8px #ccc;
}
```

```
input, button {
padding: 10px;
margin: 5px;
}
```

```
button {
background: #1565c0;
color: white;
border: none;
cursor: pointer;
}
```

```
footer {
background: #1565c0;
color: white;
text-align: center;
padding: 20px;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1> 🚗 EasyToll</h1>
<p>Easy Online Toll Payment System</p>
</header>

<nav>
  <a href="#home">Home</a>
  <a href="#user">User</a>
  <a href="#admin">Admin</a>
  <a href="#toll">Toll Gate</a>
  <a href="#login">Login</a>
</nav>

<section id="home">
  <h2>Welcome to EasyToll</h2>
  <p>Pay your toll in advance and travel without waiting.</p>

  <button onclick="alert('Welcome to EasyToll!')">
    Get Started
  </button>
</section>

<section id="login">
  <h2>User Login</h2>

  <div class="box">
    <input type="text" placeholder="Username">
    <input type="password" placeholder="Password">

    <button onclick="login()">
      Login
    </button>
```

```

        <button onclick="register()">
            Register
        </button>
    </div>
</section>

<section id="user">
    <h2>User Services</h2>

    <div class="box">
        <h3>💰 e-Wallet</h3>
        <button onclick="addMoney()">
            Add Money
        </button>
    </div>

    <div class="box">
        <h3>🎫 Toll Ticket</h3>
        <button onclick="buyTicket()">
            Buy Toll Ticket
        </button>
    </div>

    <div class="box">
        <h3>📄 Toll Pass</h3>
        <button onclick="applyPass()">
            Apply Toll Pass
        </button>
    </div>

    <div class="box">
        <h3>🔄 Renewal</h3>

```

```

        <button onclick="renewPass()">
            Renew Toll Pass
        </button>
    </div>

    <div class="box">
        <h3>  QR Code</h3>
        <button onclick="getQR()">
            Get QR Code
        </button>
    </div>
</section>

<section id="admin">
    <h2>Admin Panel</h2>

    <div class="box">
        <h3>Admin Management</h3>

        <p>✓ Manage User & Toll Pass</p>
        <p>✓ Manage Toll Login</p>
        <p>✓ Approve Toll Pass</p>
        <p>✓ Generate QR Code</p>
        <p>✓ Create Toll Details</p>

        <button onclick="alert('Admin Panel Opened')">
            Manage
        </button>
    </div>
</section>

<section id="toll">

```

```
<h2>Toll Gate User</h2>
```

```
<div class="box">
```

```
  <h3>Scan QR</h3>
```

```
  <input type="text"
    placeholder="Enter Toll Pass ID">
```

```
  <button onclick="verifyPass()">
    Verify Toll Pass
  </button>
```

```
  <p>✓ Verify Toll Pass ID</p>
```

```
  <p>✓ Verify Toll Ticket</p>
```

```
  <p>✓ Update Toll Location</p>
```

```
</div>
```

```
</section>
```

```
<footer>
```

```
  <p>© 2026 EasyToll</p>
```

```
  <p>🚗 Fast, Secure and Easy Toll Payments</p>
```

```
</footer>
```

```
<script>
```

```
function login() {
  alert("Login Successful!");
}
```

```
function register() {
  alert("Registration Successful!");
}
```

```
function addMoney() {  
    alert("Money added to e-Wallet!");  
}  
  
function buyTicket() {  
    alert("Toll Ticket Purchased!");  
}  
  
function applyPass() {  
    alert("Toll Pass Application Submitted!");  
}  
  
function renewPass() {  
    alert("Toll Pass Renewed!");  
}  
  
function getQR() {  
    alert("QR Code Generated!");  
}  
  
function verifyPass() {  
    alert("Toll Pass Verified Successfully!");  
}  
  
</script>  
  
</body>  
</html>  
OUTPUT:
```

```

5 function register() {
6   | alert("Registration Successful!");
7 }
8
9 function addMoney() {
10  | alert("Money added to e-Wallet!");
11 }
12
13 function buyTicket() {
14  | alert("Toll Ticket Purchased!");
15 }
16
17 function applyPass() {
18  | alert("Toll Pass Application Submitted!");
19 }
20
21 function renewPass() {
22  | alert("Toll Pass Renewed!");
23 }
24
25 function getQR() {
26  | alert("QR Code Generated!");
27 }
28
29 function verifyPass() {
30  | alert("Toll Pass Verified Successfully!");
31 }
32
33 </script>
34
35 </body>

```


EasyToll
 Easy Online Toll Payment System

[Home](#)
[User](#)
[Admin](#)
[Toll Gate](#)
[Login](#)

Welcome to EasyToll

Pay your toll in advance and travel without waiting.

[Get Started](#)

User Login