Name: Adhiraj Narang
Roll Number: 2610997002

Experiment Number 1:

Write the basic HTML5 document structure and implement all six heading tags (<h1> to <h6>) with sample text.


HTML Code-

```
<html>
<head>
    <title>HTML5 Heading Tags</title>
</head>
<body>

    <h1>This is Heading 1</h1>
    <h2>This is Heading 2</h2>
    <h3>This is Heading 3</h3>
    <h4>This is Heading 4</h4>
    <h5>This is Heading 5</h5>
    <h6>This is Heading 6</h6>

</body>
</html>
```

Output:



Name: Adhiraj Narang
Roll Number: 2610997002

Experiment Number 2:


Create a paragraph and apply text formatting (<b>, <i>, <u>, ,) to given content.

HTML Code-

```
<html>
<head>
    <title>Text Formatting</title>
</head>
<body>

    <p>
        This is a <b>bold</b> word.
        This is an <i>italic</i> word.
        This is an <u>underline</u> word.
        This is <strong>strongly  important</strong> ,
        And this is <em>emphasized</em> text.
    </p>
</body>
</html>
```

Output:



Name: Adhiraj Narang
Roll Number: 2610997002

Experiment Number 3:

Create an ordered list (<ol>) for a recipe's steps and an unordered list (<ul>) for its ingredients on the same page.

HTML Code-

```
<html>
<head>
        <title>Tea Recipe</title>
</head>
<body>


<h1>Tea Recipe</h1>

<h2>Ingredients</h2>
<ul>
    <li>Water</li>
    <li>Tea</li>
    <li>Milk</li>
    <li>Sugar</li>
</ul>
<h2>Steps</h2>
<ol>
    <li>Boil water.</li>
    <li>Add tea and sugar.</li>
    <li>Add milk and boil.</li>
    <li>Serve.</li>
</ol>
</body>
</html>
```

Name: Adhiraj Narang

Roll Number: 2610997002

Output:



Name: Adhiraj Narang

Roll Number: 2610997002

Experiment Number 4:

Build a nested list showing a book hierarchy: Category · Books · Chapters using <ul> and <ol> together.


HTML Code-

```
<html>
<head>
<title>Book Hierarchy</title>
</head>
<body>
<h2>Book Hierarchy</h2>
<ul>
    <li>Programming
        <ol>
            <li>HTML
                <ul>
                    <li>Introduction</li>
                    <li>Basic Tags</li>
                </ul>
            </li>
            <li>CSS
                <ul>
                    <li>Selectors</li>
                    <li>Properties</li>
                </ul>
            </li>
        </ol>
    </li>
</ul>
</body>
</html>
```

Name: Adhiraj Narang

Roll Number: 2610997002

Output:



Name: Adhiraj Narang
Roll Number: 2610997002

Experiment Number 5:

Insert an image using <img> and set src , alt, width, height, and title attributes with valid path.

HTML Code-


```
<html>
<head>
<title>My Image</title>
</head>
<body>

<h2>My Image</h2>

<img src="image.jpg"
     alt="My Image"
     width="400"
     height="300">

</body>
</html>
```

Output:



Name: Adhiraj Narang

Roll Number: 2610997002


Experiment Number 6:

Set a background image for the entire webpage within the <body> tag.

HTML Code-

```
<html>
<head>
<title>My Website</title>
</head>
<body background="background.jpg">
    <h1>Welcome to My Website</h1>
    <p>This is my webpage.</p>
</body>
</html>
```

Output:



Name: Adhiraj Narang
Roll Number: 2610997002

Experiment Number 7:

Create internal anchor links that jump to sections on the same page and one external link to a university website.


HTML Code-

```
<html>
<head>
<title>Anchor Links</title>
</head>
<body>

<h2>My Website</h2>
<a href="#about">Go to About Section</a><br>
<a href="https://www.chitkara.edu.in">Visit Chitkara University</a>
<br><br>

<h2 id="about">About</h2>
<p>This is the about section of my webpage.</p>
</body>
</html>
```

Output:



Name: Adhiraj Narang
Roll Number: 2610997002

Experiment Number 8:

Design an image map with clickable regions.

HTML Code-

```
<html>
<head>
  <title>Campus Image Map</title>
</head>
<body>
  <h2>Campus Image Map</h2>
  <p>Click on a region of the campus map.</p>

  <img src="campus-map.png"
    alt="Campus Map"
    width="600" height="300"
    usemap="#campusmap">

  <map name="campusmap">
    <area shape="rect" coords="0,0,200,150"
      href="#library" alt="Library">
    <area shape="rect" coords="200,0,400,150"
      href="#lab" alt="Computer Lab">
    <area shape="rect" coords="400,0,600,150"
      href="#canteen" alt="Canteen">
    <area shape="rect" coords="0,150,300,300"
      href="#admin" alt="Admin Block">
    <area shape="rect" coords="300,150,600,300"
      href="#ground" alt="Sports Ground">
  </map>

  <h3 id="library">Library</h3>
  <p>Books and study resources.</p>


  <h3 id="lab">Computer Lab</h3>
  <p>Practical work and coding.</p>
```



```
  <h3 id="canteen">Canteen</h3>
```

Name: Adhiraj Narang
Roll Number: 2610997002

Output:



Name: Adhiraj Narang
Roll Number: 2610997002

Experiment Number 9:


Build a student mark sheet table.

HTML Code-

```
<html>
<head>
   <title>Student Mark Sheet</title>
</head>
<body>
   <h2>Student Mark Sheet</h2>
   <h3>Adhiraj Narang - BCA 1st Semester</h3>
   <table border="0" cellpadding="8">
      <tr>
         <th>Subject</th>
         <th>Max Marks</th>
         <th>Marks Obtained</th>
         <th>Grade</th>
         <th>Result</th>
      </tr>
      <tr><td>Programming in C</td><td>100</td><td>86</td><td>A</td><td>Pass</td></tr>
      <tr><td>Web Technologies</td><td>100</td><td>91</td><td>A+</td><td>Pass</td></tr>
      <tr><td>Mathematics</td><td>100</td><td>78</td><td>B+</td><td>Pass</td></tr>
      <tr><td>Computer Fundamentals</td><td>100</td><td>88</td><td>A</td><td>Pass</td></tr>
      <tr><td>Communication Skills</td><td>100</td><td>84</td><td>A</td><td>Pass</td></tr>
      <tr><th>Total</th><th>500</th><th>427</th><th>A</th><th>Pass</th></tr>
   </table>
</body>
</html>
```

Name: Adhiraj Narang
Roll Number: 2610997002

Output:



Student Mark Sheet

Adhiraj Narang - BCA 1st Semester

Subject	Max Marks	Marks Obtained	Grade	Result
Programming in C	100	86	A	Pass
Web Technologies	100	91	A+	Pass
Mathematics	100	78	B+	Pass
Computer Fundamentals	100	88	A	Pass
Communication Skills	100	84	A	Pass
Total	**500**	**427**	**A**	**Pass**

Name: Adhiraj Narang
Roll Number: 2610997002


Experiment Number 10:

Create a nested timetable table.

HTML Code-

```
<html>
<head>
  <title>Nested Timetable</title>
</head>
<body>
  <h2>Nested Timetable</h2>
  <table border="1" cellpadding="8">
    <tr>
      <th>Day</th>
      <th>Morning</th>
      <th>Afternoon</th>
    </tr>
    <tr>
      <td>Monday</td>
      <td>
        <table border="1" cellpadding="5">
          <tr>
            <th>Time</th>
            <th>Subject</th>
          </tr>
          <tr><td>9-10</td><td>C Programming</td></tr>
          <tr><td>10-11</td><td>Mathematics</td></tr>
        </table>
      </td>
      <td>
        <table border="1" cellpadding="5">
          <tr>
            <th>Time</th>
            <th>Subject</th>
          </tr>
          <tr><td>2-3</td><td>Web Technology</td></tr>
          <tr><td>3-4</td><td>English</td></tr>
        </table>
```

Output:



Nested Timetable

Day	Morning		Afternoon	
	Time	Subject	Time	Subject
Monday	9-10	C Programming	2-3	Web Technology
	10-11	Mathematics	3-4	English
	Time	Subject	Time	Subject
Tuesday	9-10	Computer Fundamentals	2-3	Web Lab
	10-11	C Programming Lab	3-4	Sports


Experiment Number 11:

Design a table using rowspan and colspan.

HTML Code-

```
<html>
<head>
  <title>Rowspan and Colspan</title>
</head>
<body>
  <h2>Table Using Rowspan and Colspan</h2>
  <table border="1" cellpadding="8">
    <tr>
      <th colspan="3">Student Details</th>
    </tr>
    <tr>
      <th>Name</th>
      <th>Subject</th>
      <th>Marks</th>
    </tr>
    <tr>
      <td rowspan="2">Chirag</td>
      <td>HTML</td>
      <td>90</td>
    </tr>
    <tr>
      <td>CSS</td>
      <td>85</td>
    </tr>
    <tr>
      <td rowspan="2">Rahul</td>
      <td>HTML</td>
      <td>88</td>
    </tr>
    <tr>
      <td>CSS</td>
      <td>82</td>
    </tr>
```

Output:


Adhiraj Narang | Roll No: 2610997002
file:///C:/2610997002/index.html
Table using Rowspan and Colspan
Day
Morning
Afternoon
9-10
10-11
2-3
3-4
Monday
C
Maths
HTML
English
Tuesday
Computer Lab
Maths
Web Lab
Wednesday
English
Sports
Library

Experiment Number 12:

Build a registration form using GET method.

HTML Code-

```
<html>
<head>
  <title>Student Registration</title>
</head>
<body>
  <h2>Student Registration Form using GET Method</h2>

  <form action="" method="get">
    <label>Name:</label><br>
    <input type="text" name="name"><br><br>

    <label>Email:</label><br>
    <input type="email" name="email"><br><br>


    <label>Course:</label><br>
    <select name="course">
      <option>BCA</option>
      <option>BBA</option>
      <option>B.Tech</option>
    </select><br><br>

    <label>Phone:</label><br>
    <input type="text" name="phone"><br><br>

    <input type="submit" value="Register">
  </form>
</body>
</html>
```

Name: Adhiraj Narang
Roll Number: 2610997002

Output:



Experiment Number 13:

Build a feedback form using POST method.

HTML Code-

```
<html>
<head>
  <title>Student Feedback</title>
</head>
<body>
  <h2>Student Feedback Form using POST Method</h2>

  <form action="" method="post">
    <label>Name:</label><br>
    <input type="text" name="name"><br><br>

    <label>Email:</label><br>
    <input type="email" name="email"><br><br>


    <label>Rating:</label><br>
    <input type="radio" name="rating" value="5"> Excellent
    <input type="radio" name="rating" value="4"> Good
    <input type="radio" name="rating" value="3"> Average<br><br>

    <label>Feedback:</label><br>
    <textarea name="feedback" rows="5" cols="45"></textarea><br><br>

    <input type="submit" value="Submit Feedback">
  </form>
</body>
</html>
```

Name: Adhiraj Narang
Roll Number: 2610997002

Output:



Experiment Number 14:

Compare GET and POST forms.


HTML Code-

```
<html>
<head>
  <title>GET and POST Forms</title>
</head>
<body>
  <h2>GET Form</h2>
  <form method="get" action="/search">
    Name: <input type="text" name="name">
    <input type="submit" value="Submit">
  </form>

  <h2>POST Form</h2>
  <form method="post" action="/feedback">
    Feedback: <input type="text" name="feedback">
    <input type="submit" value="Submit">
  </form>

  <h2>Comparison</h2>
  <table border="1" cellpadding="8">
    <tr>
      <th>GET</th>
      <th>POST</th>
    </tr>
    <tr>
      <td>Data appears in URL</td>
      <td>Data is sent in request body</td>
    </tr>
    <tr>
      <td>Suitable for search forms</td>
      <td>Suitable for sensitive or large data</td>
    </tr>
  </table>
</body>
```

Output:


Adhiraj Narang | Roll No: 2610997002
file:///C:/2610997002/index.html
Comparison of GET and POST Forms
Feature GET POST
Data location URL query string HTTP request body
Visibility Visible in URL Not shown in URL
Use Search and retrieval Submitting data
Bookmark Can be bookmarked Not normally bookmarked
Data size Limited by URL length Suitable for larger data

Experiment Number 15:

Create a frameset with navigation and content frames.

HTML Code-

```
<html>
<head>
  <title>Frameset with Navigation and Content</title>
</head>
<frameset cols="25%,75%">
  <frame src="nav.html" name="navigation">
  <frame src="home.html" name="content">
</frameset>
</html>
```

Name: Adhiraj Narang
Roll Number: 2610997002

Output:

