

# SHREE GOPALA ENTERISES

AN ISO 9001-2015 & CE & WHP-GMP CERTIFIED COMPANY

## RED EAGLE INDUSTRIAL BRUSHES



**OPTIMAL QUALITY OF GOLD WIRE, SS WIRE, MS WIRE, BRASS WIRE  
BRUSHES, CIRCULAR WIRE BRUSHES, WIRE CRIMPED CUP BRUSHES,  
ABRASIVE NYLON MINIATURE END BRUSH AND MOUNTED POINTS, MOPS  
VETRIFIED GRINDING WHEELS.**





# OUR PRODUCTS

- [Industrial Brush](#)
- [Wire Brush](#)
- [Cup Brush](#)
- [Nylon End Brush](#)
- [Abrasive Nylon Cup Brush](#)
- [Wire End Brush](#)
- [Wheel Brush](#)
- [Twisted Wire Brush](#)
- [Circular Wire Brush](#)
- [Road Cleaning Brush](#)
- [Welding Cleaning Brush](#)
- [Twisted Nylon Brush](#)
- [Abrasive End Brush](#)
- [Steel Wire Brush](#)
- [Brass Wire Brush](#)
- [Wide Face Brush](#)
- [Cylindrical Nylon Brush](#)





# INDUSTRIAL BRUSHES

**Types of industrial brushes :**

- 1. Brass brush**
- 2. Heavy wire brush**
- 3. Industrial wire brush**
- 4. Electrode brush**
- 5. SS 304 wire brush**

# BRASS BRUSH



We are one of the leading organizations engaged in providing a huge quality range of **Brass Brush** to our prominent clients. This product range is made by quality raw material as per industry standards with help of skilled workers. It is ideally suited for buffing, cleaning, flash removal, surface finishing polishing, paint and varnish removal rust & oxide removal weld preparation weld cleaning and much more. It is manufactured using premium quality brass using latest techniques and tools under the direction of experts. Over and above that, **Brass Brush** is available in various diameters and specifications as per the needs of clients'.

Brush type	Mini Wire Brush, Strip Brush, Handle Brush, Wheel Brush, Tube Brush, Cup Brush, Block Brush
Brush size (in inch)	26 - 30, 31 - 35, 16 - 20, <10 inch, 11 - 15, >40 inch, 36 - 40, 21 - 25
Bristle length (in inch)	<1 inch, >3 inch, 1 - 2 inch, 2- 3 inch
Bristle stiffness	Hard , soft, medium

## Specifications :

- Diameters: 2' to 24'
- Face lengths 5 mm to 150 mm
- Hole 5/8' to 200 mm
- Fill materials: High carbon wire, steel wire, brass coated, brass nylon, stainless steel wire, abrasive nylon

# CIRCULAR WIRE BRUSH



## Specifications :

Diameters: 20 mm to 75 mm

Face lengths: 5 mm to 50 mm

Shaft: 2 mm to 12 mm

## Applications:

Id Cleaning

De-burring Rust Scale Carbon  
Corrosion Removal

## Product Description

**Industrial Wire Brush** is precisely manufactured using supreme grade metal sourced from most authentic vendors in the market and ultra-modern tools in compliance with set industry norms. It finds its application in Id Cleaning, de-burring rust scale carbon and corrosion removal. This brush is highly appreciated in the market for its various attributes such as long lasting finish standard, durability and accurately engineered. Provided brush crimped of wire with suitable keyways in stainless steel wire , carbon steel wire, nylon wire in various sizes. **Industrial Wire Brush** is available in number of sizes and designs in order to meet vast necessities of our valuable clients.

Brush type

Block Brush, Tube Brush, Mini Wire Brush, Handle Brush, Wheel Brush

Bristle material

Nylon, Stainless Steel,  
Polypropylene, Carbon Steel, Brass

Bristle size (in inch)

16 - 20, 11 - 15, 21 - 25, 26 - 30, <10  
inch

Bristle length (in inch)

<1 inch, 1 - 2 inch, 2- 3 inch, >3 inch

Bristle stiffness

Soft, Hard, Medium

Packaging size (numbers)

11-20, <10,31-50,21-30

# HEAVY WIRE BRUSH



## Specifications :

Fill materials: High carbon wire, steel wire, brass coated, brass nylon, stainless steel wire, abrasive nylon

Diameters: 4' to 16'

Face lengths 6' to 24'

Hole 1' to 10'

- Product Description
- We are engaged in providing superior quality range of **Heavy Wire Brush** to our clients as per the industry norms and standards. This wire brush is highly productive and durable. It is well suited for buffing, cleaning, flash removal, surface finishing polishing, paint and varnish removal, rust & oxide removal weld preparation, weld cleaning and much more. It fills material like high carbon wire, steel wire, brass coated, brass nylon, stainless steel wire and abrasive nylon. Furthermore, **Heavy Wire Brush** is available in secure packaging options to ensure its quality.

Bristle Material	Brass, Polypropylene, Stainless Steel, Nylon, Carbon Steel
Brush Size (in inch)	21 - 25, 26 - 30, <10 inch, 11 - 15, 31 - 35, 16 - 20, >40 inch, 36 - 40
Bristle Length (in inch)	<1 inch, 2- 3 inch, 1 - 2 inch, >3 inch
Bristle Stiffness	Soft, Hard, Medium
Brush Type	Wheel Brush
Packaging Size (Numbers)	<10, 10 - 20, 20 - 30, 30 - 50, 50 - 100, > 100

# ELECTRODE BRUSH



## Specifications :

Fill materials: High carbon wire, steel wire, brass coated, brass nylon, stainless steel wire, abrasive nylon  
Diameters: 4' to 16'  
Face lengths 6' to 24'  
Hole 1' to 10'

We are engaged in presenting vast quality range of Electrode Brush. This brush is highly demanded in market by our valuable clients for its high performance and high quality. It is processed by using stainless steel , polypropylene and nylon with advanced machinery and tools. This brush is highly appreciated in the market for its perfect cleaning nature, evenly distributed bristles and excellent durability. It fills material like high carbon wire, steel wire, brass coated, brass nylon, stainless steel wire and abrasive nylon. Moreover, Electrode Brush can be available in various colors with customized length and inner diameter.

Bristle Material	Stainless Steel, Brass, Carbon Steel, Polypropylene, Nylon
Brush Size (in inch)	<10 inch, 31 - 35, 26 - 30, 21 - 25, 16 - 20, 11 - 15, >40 inch, 36 - 40
Bristle Length (in inch)	1 - 2 inch, 2- 3 inch, >3 inch, <1 inch
Bristle Stiffness	Soft, Medium, Hard
Brush Type	Wheel Brush, Cylindrical Brush
Packaging Size (Numbers)	<10, 10 - 20, 20 - 30, 30 - 50, 50 - 100, > 100

# WIRE BRUSH



We have a huge compilation of superior quality stainless steel roller **Wire Brushes** that are usually made from carbon steel, brass, nylon and stainless steel. These are extensively used for different applications such as grinding, finishing and polishing. In addition to this, the said products are applicable for providing an accurate surface to the products after metal procedures like galvanizing, pickling coil, casting, annealing, scrubbing and more. **Wire Brushes** are easy to use, reliable, sturdy in construction and corrosion resistant. These are acknowledged in the market for their higher operation speed, lower vibration, uniform finishing and high efficiency.

# Roller Wire Brush



## Specifications :

Fill Materials: High Carbon Wire, Steel Wire, Brass Coated, Brass Nylon, Stainless Steel Wire,

Abrasives Nylon

Diameters: 4' To 16'

Face Lengths: 6' To 24'

Hole: 1' To 10'

Our Wide face **Roller Wire Brush** provides consistent accurate surface finish control for metal processing tasks like annealing, galvanizing, scrubbing, pickling coil ,casting and many other applications. The dense fill and excellent balance of this brush provides a uniform finish, lower vibration , higher operation speed, closer control of the brushing process and higher brushing efficiency to keep the finishing costs down. Moreover, **Roller Wire Brush** finds its effective usage in Silicon Steel Scrubbers, strip washers, coil coating, strip processing, bright annealing lines, electrolytic tin, etc.

Bristle Material	Nylon, Carbon Steel, Brass
Brush Size (in inch)	26 - 30, 21 - 25, 11 - 15, 16 - 20
Bristle Length (in inch)	1 - 2 inch, 2- 3 inch, >3 inch
Bristle Stiffness	Soft, Medium, Hard
Brush Type	Wheel Brush, Cylindrical Brush
Packaging Size (Numbers)	<10, 10 - 20, 20 - 30

# Cup Brush



You will get a vast range of high grade industrial wire crimped **Cup Brushes** here at **Laxmi Brush Industries**. As the name suggests, these are designed in cup shape and widely used for heavy duty cleaning. In addition to this, these are eminent in cleaning large surfaces as well as removing weld scale rust burrs. Our offered **Cup Brushes** provide corrosion resistance, high performance efficiency, compact size and easy handling. These are manufactured by using stainless steel and brass coated which keep them rust free. Customers can avail these in different sizes, shapes and finishings. Besides this, these are found in heavy duty industries.

# Cup Wire Brush with rod



## Specifications :

Diameters: 35 mm to 75 mm  
shaft 6 mm to 12 mm

Fill materials : Steel wire, High carbon wire, Brass nylon, Brass Coated, Stainless steel wire, Abrasive nylon

We hold specialization in providing a notable array of SS Cup Wire Brush to the esteemed patrons. This brush is fabricated using standard quality raw materials and innovative tools using modern working methods. It finds its applications in Castings blur removal ,rubber flash removal, carbon removal, Rubber and plastic mould cleaning, Spot facing cleaning, etc. It is admired among the clients due to its various features like compact structure, durability, easy operation, less maintenance and longer functional life. Moreover, SS Cup Wire Brush can be customized as per clients' demands.

Bristle Material

Brass, Stainless Steel, Bronze, Nylon, Carbon Steel

Mounting Type

Threaded Arbor, Arbor Hole ,Shaft

# Wire Cup Brush



## Specifications :

Diameters: 20 mm to 75 mm

Face lengths: 5 mm to 50 mm

Shaft: 2 mm to 12 mm

We have acquired considerable experience in the market as the manufacturers, suppliers and exporters of **Industrial Cup Brush**. It is made up of premier quality raw materials that are obtained from the noted sellers of the market. Owing to its high strength, accurate dimensions and excellent

durability this product can be fitted in different cleaning machines. This offered brush is used for removal of scale, rust, and paint, as well as for deburring and polishing. Also, **Industrial Cup Brush** can be availed in number of sizes and designs in order to meet the vast needs of our valuable clients.

Minimum Order Quantity	500 No
Brush Type	Crimped Wire Cup Brush, Knot Wire Cu Brush, Mini Cup Brush
Mounting Type	Threaded Arbor
Brush Diameter	80 mm
Maximum RPM	4500
Bristle Material	Nylon,Stainless Steel,Carbon Steel,Bronze,Brass
Diameter	4
Packaging Size	60pc
Packaging Size (Numbers)	&lt ; 10, 11 - 60

# Wire Crimped Cup Brush



**Wire Crimped Cup Brush** is designed for use in high speed air and electric tool both portable and stationary machines. It is ideal for fast heavy duty cleaning of large surfaces removing weld scale rust burrs etc. Apart from this, this offered brush is manufactured by using premium quality brass coated stainless steel with the help of skilled workers. To be more specific, it has diameter of 50 mm to 150 mm. **Wire Crimped Cup Brush** is well known in the market because of its less maintenance, longer shelf life, resistance to corrosion, etc.

Mounting Type	Shaft, Threaded Arbor, Arbor Hole
Brush Diameter (in mm)	60, < 50, 80, 100
Maximum RPM	4500, 5500, 7000, 6500, 6000, 5000
Bristle Material	Brass, Carbon Steel, Stainless Steel, Nylon, Bronze
Brush Type	Crimped Wire Cup Brush, Knot Wire Cu Brush, Drill Cup Brush, Mini Cup Brush
Packaging Size (Numbers)	<10, 11 - 20, 21 - 30, 31 - 50, 51 - 100

## Specifications :

Material: Steel, stainless steel brass coated G.i  
abrasive, nylon

Thread: 3/8, M 10 x 1.25, 14 mm, 5/8

Diameters: 50 mm to 150 mm

# Stainless Steel Wire Brush ( wooden handle)

Fine Scratch Brushes



With in depth experience and knowledge in this domain, we are able to supply an exclusive range of **Stainless Steel Wire Brush**.

This provided brush comes with most effective brushing action and makes quick work of large jobs. It can be utilized for portable power tools and effectively supports large surface areas. It is precisely designed for smooth and effective operations with the use of high grade quality raw materials sourced from trusted vendors. Furthermore, **Stainless Steel Wire Brush** is available in cup color options of red, blue and others.

Brush Type

Block Brush, Handle Brush

Brush Size (in inch)

<10 inch, 11 - 15, 16 - 20

Bristle Length (in inch)

<1 inch, 1 - 2 inch, 2- 3 inch, >3 inch

Bristle Stiffness

Hard

Packaging Size (Numbers)


11 - 20, <10, 21 - 30

# Crimped Wire Wheels

Narrow Face Wheel 4 Rows - Face Width of 13 mm (1/2")



Bristle material	Stainless Steel,, Carbon Steel, Brass
O.D	175mm-300mm
I.D	25mm-75mm
Key-way	7*14
Bristle thickness	1/2inch
Packaging size (numbers)	11-20, <10,31-50,21-30



## Applications

- Removal of rust, paint and scale.
- Edge cleaning of tubes and sections,  
manually or automatically (R.S.A,  
ADIGE

# Jewelry Wheel with Wooden & Nylon Center



Brush material	Brass
O.D	50mm-150mm
I.D	6mm-20mm
Center material	Nylon and wood
Bristle thickness	1,2,3 ,4 row
Packaging size (numbers)	10-50

## Applications

- Jewelry, silver plating, etc.
- Dental fitting.
- Galvanizing processes. Polishing of oxidized surfaces


# Crimped wire brush

## Industrial Wheel Brush (small diameter)



### Applications

- The CDO brush range are mainly used for wire stripping, key duplicating, continuous saws, etc.
- CDOs are made depending on the specifications of each.
- It is necessary to define:
  - Outside Diameter.
  - Width.
  - Bore.
  - Wire diameter.
  - Grit size of the abrasive nylon



O.D

35mm-75mm

I.D

6mm-20mm

Wire thickness

0.12mm-0.35mm

Brush thickness

6mm-75mm

Wire

G.I , stainless steel, brass

# Industrial Wheel Brush for Band Saws



Brush material	stainless steel, M.S, nylon
O.D	60mm-100mm
I.D	6mm-25mm
Brush thickness	10mm-35mm
Wire thickness	0.12mm-35mm
Packaging numbers	12-50

# **Brushes for Deburring Machines**

## **High density brush**



O.D	100mm-4000mm
I.D	25mm-200mm
Wire material	High carbon steel , stainless steel ,brass coated ,nylon ,abrasive
Bristle thickness	50mm-100mm
Packaging size (numbers)	10-50

# Brush for deburring machine

## Roller brush



O.D

150mm-400mm

I.D

40mm-200mm

Wire material


High carbon steel , stainless steel  
,brass coated ,nylon ,abrasive

Bristle thickness

150mm-600mm

Packaging size (numbers)

1



### Applications

- Deburring of tube and profiles cut ends.
- Mainly for automatic deburring machines ADIGE type-RSAPedrazzoli etc. Burmaster

# End brush with Shank



O.D

6mm-50mm

Shank

3mm-12mm

Wire material

High carbon steel , stainless steel ,brass coated ,nylon ,abrasive

Bristle thickness

10mm-50mm

Packaging size (numbers)

10-50



# **End brushes and wheel brushes with shank**



O.D	14mm-50mm
Shank	6mm-12mm
Wire material	High carbon steel , stainless steel ,brass coated ,nylon ,abrasive
Bristle thickness	5mm-20mm
Packaging size (numbers)	10-50

**Applications** • Removal of edges, scale, paint, rust, rubber-metal pieces etc.  
• Dies, tubes, engines, pistons, etc

# Wheel brush with shank



O.D

40mm-75mm

Shank

6mm-12mm

Wire material

High carbon steel , stainless steel ,brass coated ,nylon ,abrasive

Bristle thickness

10mm-25mm

Packaging size (numbers)

10-50

Applications • Removal of rust, paint, scale, edges or any kind of adherence.

- CDE: inside cleaning of tubes, dies, holes, etc.
- CAE: rust, paint, scale or any kind of adherence.

# Tube cleaning brush



O.D

8mm-75mm

Thread

6mm-22m

Wire material

High carbon steel , stainless  
steel ,brass coated ,nylon  
,abrasive

Packaging size (numbers)

10-12



## Applications

- Removal of rust, residues and adherences inside tubes and holes (ships, sugar factories, refineries, heaters, shock absorber factories, etc.).
- Cleaning of threaded holes.

# Handle brush



Size	10mm-75mm
Handle material	Wooden , plastic
Wire material	High carbon steel , stainless steel ,brass coated ,nylon ,abrasive
Packaging size (numbers)	10-50

## Applications

**CLEANING OF:** • Files & Tools (MC).

- Jewelry, electronics, craftsmanship, leather (clothes & shoes) (MJ).
  - Spark-plug (MLB).

**Sectors** • Ship Maintenance, Electronics, Jewelry, Industrial Maintenance, Car (Battery), Household.

- Battery terminals (MPB).

- Machines, work stations, furniture, home, car (MP). • Scrubbing of ship floors, terraces, pools, bathrooms (MX, MBX).

# Abrasive disc brush



## Applications

For rounding and roughing edges.

Recommended for flat surfaces, where all burrs are on a flat surface

Size	75mm-300mm
I.D	25mm-150mm
Material	Abrasive
Packaging size (numbers)	1-10

## Abrasive nylon

Circular nylon brush



# Abrasives Cup Brush



## Specifications :

Diameters: 20 mm to 75 mm

Face lengths: 5 mm to 50 mm

Shaft: 2 mm to 12 mm

We are one of the renowned organizations involved in delivering a premium quality range of **Wire Cup Brush With Shaft**. The offered range of product is manufactured using world class raw material and advance technology under the guidance of our skilled professionals.

It is highly appreciated for its features like durability, fine finish and easy to use. It is widely utilized in various sectors for cleaning purposes. Its robust structure provides longer service life. Besides, **Wire Cup Brush** can be customized as per the requirements of clients'.

Mounting Type

Threaded Arbor, Shaft, Arbor Hole

Brush Diameter (in mm)

115, 180, < 50, 125, 100, 80, 60, 150

Maximum RPM

5000, 4500

Bristle Material

Stainless Steel, Nylon, Brass, Carbon Steel, Bronze

# Abrasive end brush



O.D

6mm-50mm

Shank

3mm-12mm

Wire material

High carbon steel , stainless  
steel ,brass coated ,nylon  
,abrasive

Bristle thickness

10mm-50mm

Packaging size (numbers)

10-50

# Woodworking brush



O.D

150mm-400mm

I.D

40mm-200mm

Wire material

High carbon steel , stainless steel  
,brass coated ,nylon ,abrasive

Bristle thickness

150mm-600mm

Packaging size (numbers)

1



# Nylon brush



## Applications

- Machine Tool
- Foundry
- Conveyors
- Automotive
- Construction
- Food industry
- Steel industry
- Cleaning Tasks
- Soundproofing
- Derivation of voltages

O.D	50mm-500mm
I.D	10mm-200mm
Brush length	50mm-2000mm
Wire material	High carbon steel , stainless steel ,brass coated ,nylon, abrasive
Bristle thickness	0.08mm-6mm
Packaging size (numbers)	1





## SHREE GOPALA ENTERISES

G, 32 New Dev SHREE Plaza T.P.Nagar,  
MEERUT City 250002 (U.P.) India.

Tel: +91-121-43278707

Mobile: +91-9897671442

Mobile: +91-7017854020

Email: [info@shreegopala.com](mailto:info@shreegopala.com)

Email: [shreegopala@rediffmail.com](mailto:shreegopala@rediffmail.com)

Website: [www.shreegopala.com](http://www.shreegopala.com)