Status	Finished
Started	Sunday, 25 October 2026, 12:27 PM
Completed	Sunday, 25 October 2026, 12:32 PM
Duration	5 mins 12 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. Program

b. Python ✓

c. Python Programming

d. An error is raised

The correct answer is: Python

Question **2**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

a. finish()

b. close() ✓

c. terminate()

d. end()

The correct answer is: close()

Question **3**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Deletes the file content

b. Flushes the internal buffer to the file ✓

c. Moves the file cursor to the beginning

d. Closes the file

The correct answer is: Flushes the internal buffer to the file

Question **4**
Correct
Mark 1.00 out of 1.00

How do you check if a file is closed in Python?

a. file.isclosed()
b. file.is_closed()
c. file.closed ✓
d. file.closed()

The correct answer is: file.closed

Question **5**
Correct
Mark 1.00 out of 1.00

Which function is used to open a file in Python?

a. openfile()
b. open_file()
c. open() ✓
d. file()

The correct answer is: open()

Question **6**
Correct
Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

a. None
b. An empty string ✓
c. EOFError
d. 0

The correct answer is: An empty string

Question **7**
Correct
Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open(file = “c:\\scores.txt”, “w”)
b. outfile = open(“c:\\scores.txt”, “a”) ✓
c. outfile = open(file = “c:\scores.txt”, “w”)
d. outfile = open(“c:\\scores.txt”, “rw”)

The correct answer is:
outfile = open(“c:\\scores.txt”, “a”)

Question **8**
Incorrect
Mark 0.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Appends "Adding new data" to the end of the file
b. Raises an error because the file is opened in append mode ✗
c. Overwrites the file with "Adding new data"
d. Opens the file in read mode

The correct answer is: Appends "Adding new data" to the end of the file

Question **9**
Correct
Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

a. It reads the file and returns it as a dictionary
b. It reads the entire file and returns it as a list of lines ✓
c. It reads the entire file and returns it as a string
d. It reads a single line from the file

The correct answer is: It reads the entire file and returns it as a list of lines

Question **10**
Correct
Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The file's read/write position
b. The access mode of the file
c. The buffer size for the file operations ✓
d. The encoding of the file

The correct answer is: The buffer size for the file operations

Question **11**
Correct
Mark 1.00 out of 1.00

What is the use of tell() method in python?

a. tells you the file is opened or not
b. tells you the current position within the file ✓
c. none of the mentioned
d. tells you the end position within the file

The correct answer is:
tells you the current position within the file

Question **12**
Correct
Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

- a. The operation is ignored
- b. An error is raised ✓
- c. A new file is created
- d. An empty file object is returned

The correct answer is: An error is raised

Question **13**
Incorrect
Mark 0.00 out of 1.00

f.seek(5,1) means

- a. move the file pointer to beginning of the file
- b. moves the file pointer to the end of a file ✗
- c. move the file pointer five characters behind from the current position
- d. move the file pointer five characters ahead from the current position

The correct answer is:
move the file pointer five characters ahead from the current position

Question **14**
Correct
Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

- a. write()
- b. write_all()
- c. write_list()
- d. writelines() ✓

The correct answer is: writelines()

Question **15**
Correct
Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

- True ✓
- False

The correct answer is 'True'.