

Automated Evaluation of Descriptive Answer Sheets Using OCR and Semantic NLP

Rudam Sathvik

Computer Science and Engineering
Vardhaman College of Engineering
Hyderabad, India
rudamsathvik@gmail.com

Angothu Adhisheshu

Computer Science and Engineering
Vardhaman College of Engineering
Hyderabad, India
angothuadhisheshu@gmail.com

Rayindla Nikhitha

Computer Science and Engineering
Vardhaman College of Engineering
Hyderabad, India
rayindlanikhitha123@gmail.com

Mr. RajKumar B. Patil

Computer Science and Engineering
Vardhaman College of Engineering
Hyderabad, India
yourrajpatil@gmail.com

Mrs. Namani Deepika Rani

Assistant Professor (CSE)
Vardhaman College of Engineering
Hyderabad, India
deepikarani543@gmail.com

Dr. Gagan Deep Arora

Professor (CSE)
Vardhaman College of Engineering
Hyderabad, India
gagandeeparora250379@gmail.com

Abstract—Grading handwritten answer sheets can be tiring, inconsistent, and tough to handle, especially in large schools. This research introduces an AI-based system for evaluating answer sheets. It aims to simplify and automate the grading process using Optical Character Recognition (OCR) and Natural Language Processing (NLP) technologies. The system extracts handwritten text from scanned papers with Tesseract OCR, using adaptive image preprocessing methods to improve recognition performance. After conversion to digital form, the text is analyzed with transformer-based Sentence Transformer models to grasp the meaning of students' responses. Instead of just matching keywords, the system measures the similarity between student answers and model solutions to give accurate and meaningful scores. A quality control feature spots unclear or low-confidence text to lessen the chance of wrong evaluations. Built with a FastAPI backend, the platform offers a user-friendly web interface. Educators can upload answer sheets and quickly receive results with confidence scores. By combining reliable OCR, understanding of language context, and automated scoring, this system provides a scalable, clear, and efficient solution for modern academic grading.

Index Terms—Artificial intelligence-enabled evaluation, handwritten text recognition through OCR, advanced Natural Language Processing techniques, contextual similarity measurement, transformer-driven architectures, automated grading of answer scripts, FastAPI-based backend framework, and a smart academic scoring system.

I. INTRODUCTION

The rapid growth of digital learning environments and large-scale examination systems has greatly increased the need for reliable and efficient methods of evaluation. Traditional grading of handwritten answer sheets continues to be a slow and demanding process that depends entirely on human examiners. This manual approach often leads to variations in marking, personal bias, calculation errors, and delays in announcing results. In institutions that conduct examinations

for thousands of students, the workload becomes even more overwhelming, raising serious concerns about consistency, fairness, and scalability. Therefore, there is a strong need for an intelligent, automated, and transparent grading system that can assist educators while ensuring accuracy and reliability.

Recent developments in Artificial Intelligence (AI), Optical Character Recognition (OCR), and Natural Language Processing (NLP) have created promising opportunities to improve academic evaluation methods. OCR technology makes it possible to extract written content from scanned handwritten answer sheets, converting physical scripts into machine-readable text. However, simply converting text is not enough for effective assessment. Earlier automated grading systems mainly relied on keyword matching techniques, which do not fully understand the contextual meaning of student responses. Because of this limitation, answers that correctly explain a concept using different wording may sometimes be graded unfairly.

To overcome these challenges, the proposed AI-Powered Answer Sheet Evaluation system with Deep OCR and NLP Integration combines improved text recognition with transformer-based semantic analysis. The system uses Tesseract OCR along with adaptive preprocessing steps such as noise removal, binarization, and skew correction to enhance recognition accuracy. After extracting the text, the processed responses are evaluated using Sentence Transformer models based on BERT architecture to generate contextual embeddings. These embeddings allow the system to compare the semantic similarity between student answers and model answers, rather than depending only on exact keyword matches.

The overall framework follows a modular pipeline that includes image preprocessing, OCR-based text extraction, text cleaning, semantic vector creation, similarity analysis, and automated score calculation. A confidence scoring component

detects unclear or low-quality responses to ensure fair and dependable grading. We use FastAPI to develop the backend, which helps in allowing Planning Management integration using Learning Management through RESTful API Systems (LMS) all along with a user comfortable user interface which allows the teachers to submit answer sheets online and get output fast, efficient, and correct evaluation marks.

While we are mixing the OCR Machine Learning ways with contextual understanding and AI based marking scheme, it completely overcomes and converts the standard old method of paper based evaluation into a consistent, and more efficient and fast solution to correct descriptive answer sheets. In this way, our method rapidly reduces the hard work of teachers, their precious time, and also avoids human bias for their favourite students. This project is mostly suited for very large educational systems such as schools, colleges, universities, and other private tutoring firms.

II. RELATED WORK

The mixed collaboration of AI, along with OCR and NLP has widely helped in for improving and automatizing the correction of theory answers and highly improving correct grading mark system. Multiple other people who have performed study in this field proposed to use semantic similarity-based marking systems to overcome the key issues of old-style keyword matching techniques. Kripalani et al. introduced and suggested a framework for correcting and grading subjective answers by mixing semantic similarity along with keyword-based comparing to evaluate descriptive responses [1].

Even though their methods improved scoring accuracy very highly as compared to the simple keyword matching technique, it also remained negatively scoring in its ability to obtain and understand deeper sentence meaning within the student answer. Mohanraj et al. also proposed an automated evaluation system that combines NLP alongside deep learning techniques to perform a very good intelligent correction of answer sheets [2]. Although their model had shown improved understanding of student response answers, the study mainly focused only on text analysis and it did not have a detailed mechanism for preprocessing handwritten text through OCR.

Annrose et al. had also developed an AI-based mark allocation system built to automatically assess and calculate academic scores and grades in educational institutions [3]. Their approach succeeded in automating the extraction of marks, but it failed to fully use the transformer-based contextual similarity techniques to evaluate theory answers.

A detailed research on integration of OCR and NLP has also gained a large attention in the recent years. Malashin et al. also proposed a software framework that uses combination of image-based text extracted with NLP techniques to preprocess unstructured data from document [4]. While their study showed effective combining usage between OCR and NLP technologies, it was mainly intended for processing of general documents apart from academic answer sheet evaluation. Similarly, Palvadi and Prasad also introduced a system which uses OCR and NLP to perfectly extract text and detect plagiarism

from image-based paper documents [5]. However, their model did not utilise and demonstrate contextual semantic similarity scoring for automatic grading.

The latest improvements in the transformer-based language models such as the BERT and the Sentence Transformers have been noticeably increased the ability of machines to learn and understand the semantic meaning of text. Studies show that underlings created by transformer models give us more accurate contextual similarity measures and they align more close with human grade standards when compared with traditional statistical and vector-space techniques [6].

Many existing software methods focus mainly on digital text inputs and they did not include a full complete handwritten OCR preprocessing pipeline. Even after having these developments, many other existing systems include and show improvement in OCR, similarity analysis, and automated scoring all as separate components. But, only a few limited number of solutions provided an well formed build that includes adaptive handwritten OCR preprocessing, transformer-based semantic embeddings, cosine similarity scoring, quality validation, and web-based deployment.

Thus, our proposed AI-Powered Answer Sheet Evaluation System with Deep OCR and NLP Integration solves all this existing limitations by delivering us a efficient and context-aware grading system suitable to performing large-scale academic environments.

III. METHODOLOGY

Our proposed framework that we proposed will follow a layered architecture structure which will integrate Deep OCR, NLP, and also semantic similarity modeling to help enable automated and highly intelligent evaluation of answer sheet. This methodology will be organized into multiple stages, which includes image acquisition, text extraction, semantic analysis, scoring, and result visualizing modules.

A. Answer Sheet Acquisition Layer

Student answer sheets will be collected in the form of scanned images or pdf or photograph formats. The system will be designed to handle both printed as well as handwritten responses efficiently. This includes many preprocessing steps such as converting input image or pdf to grayscale, reducing noise, binarizing the input, skew correcting them, and contrast enhancement will be applied to improve the clarity and clear visibility if characters of the input images. All these preprocessing techniques will improve OCR accuracy and also enables highly reliable text extraction even when different handwriting styles exist.

B. Deep OCR Processing Layer

In this step, the enhanced images will be sent to a deep OCR engine, such as Tesseract OCR combined along with adaptable preprocessing techniques, which helps to extract textual content from the answer sheets. Then, the text extracted will be organized, cleaned, and separated based on their individual questions. Also, additional processes such as correcting of




Fig. 1. This figure visually illustrates the overall impact, performance, and major advantages of the AI-based automatic answer sheet evaluation system.

errors and normalizing spellings will be performed to reduce mistakes that occur during text recognition.

C. Natural Language Processing Layer

Now in this step, the extracted answer text responses will be further analysed using NLP techniques such as tokenization, removing stop-words, lemmatizing, and segmenting sentences. And, reference or model answers will also be processed using the same steps to improve consistency. Transformer-based models such as BERT (or) Sentence Transformers will be used to generate contextual underlyings for both student responses as well as reference answers.

D. Semantic Similarity and Scoring Layer

In this step, we calculate Cosine similarity between the underlying vectors of student responses and the corresponding model answers provided by teacher. This calculated similarity score helps to determine whether the marks are assigned according to predefined grading thresholds or not. Additionally, factors such as mentioning important keywords, complete

meaningfulness of the response, and overall relevance will also be considered to ensure fair and efficient scoring.

E. Result Visualization and Feedback

Now, in this step, a web interface (dashboard) will display the extracted text, similarity score, and final marks in a simple and user-friendly format. This system will also provide confidence score to indicate the reliableness of OCR extraction and grade accuracy. Now, educators can review the evaluated responses, verify the assigned scores once again, and can now download performance reports for next step in academic analysis.

F. System Workflow

The complete workflow begins by uploading answer sheet images or pdf of images, following preprocessing and OCR text extraction. Then, NLP techniques converts the extracted text to contextual embeddings, which will be compared along with the model answers using similarity measures. As the final step, the system will generate automatic scores and will present the results through a Web UI. This complete framework will ensure a very high efficient, scalable, and consistent evaluation process of descriptive answer sheets.




Fig. 2. This figure visually represents the complete automated grading workflow, starting from uploading of answer sheet, and continuing till the final evaluation step where the result is generated.

IV. SYSTEM ARCHITECTURE

Our proposed system will adapt a modular and highly intelligent architecture which combines Deep OCR, NLP, transformer-based semantic modeling, and automated scoring mechanisms all within a small and simple unified answer sheet evaluation model. This architecture is designed to support accurate extraction to text, understanding to context, scalable processing of text, and real-time visualizing of results while maintaining all key concepts such as reliability and fairness. Our system is organized and maintained into multiple interconnected layers, in which each layer will perform specific roles in the overall workflow. These layers are designed to operate independently, but they will work together to give us smooth

output, such as starting with the handwritten answer sheet input and ending with the automatic scoring and generating the final result.

A. Architectural Overview

Our system architectural overview represents the answer correction process as a well structured pipeline which involves text processing and also semantic comparison. In this pipeline, answer sheets will act as unstructured data input, while model answers act as evaluation samples. This architecture ensures that handwritten answer input is systematically well transformed into machine understandable representation to perform evaluation.

The architecture overview includes eight modules (primary):

- User Interface and Result Visualization
- Answer Sheet Upload and Management
- Image Preprocessing Module
- Deep OCR Text Extraction
- NLP Preprocessing Module
- Semantic Embedding and Similarity Engine
- Automated Scoring Engine
- System Database and Storage

Every single module is connected loosely and will communicate through remaining REST-based APIs, which supports scalability, also flexibility, and also practical deployment in the real-world environments.

B. User Interface and Visualization Module

This module will act as the main interaction layer for faculty members, and administrators to give input. It also displays dashboards where the users could also upload answer sheets, view OCR text extracted, monitor their scores, and review the final grades. The displayed dashboard shows similarity percentages, confidence indicators, and summaries in a detailed format. The faculty members could examine the results, adjust grading thresholds if wrong, and download detailed reports.

C. Answer Sheet Upload and Management Module

In this module we manage the submission and storing of answer sheet images or pdf. This system will support many image formats which include JPG, PNG, and PDFs. All files that are uploaded are securely stored and indexed for future preprocessing. This module also contains batch preprocessing, allows multiple answer sheets to evaluate at a time, which will improve efficiency in large environments.

D. Image Preprocessing Module

Here, we will try to improve the text quality of the input images before performing OCR. This step will apply different methods such as converting input image into grayscale image, removing noise from the image, binarizing it, skew correcting, and then contrasting enhancements into it. Thus, these mentioned preprocessing steps will largely improve the accuracy of OCR recognition and will help in reducing OCR errors.

E. Deep OCR Text Extraction Module

This module will perform extracting text content from the well enhanced answer sheet by using Tesseract OCR combining it with different preprocessing techniques. This output text is then organized perfectly in order according to the segmentation of the question. Many extra processes such as correcting the errors, and normalizing will also be applied to reduce recognizing many errors.

F. NLP Preprocessing Module

In this module, the NLP tokenizes input into tokens, removes stop-words, lemmatizes, and segments sentences for both student responses as well as model answers. Thus, this preprocessing step brings the textual data to a standard state, ensures consistent semantic comparison and will also improve contextual interpretation while it performs similarity analysis.

G. Semantic Embedding and Similarity Engine

In this module we convert processed text into dense vector embedding format by using transformer models such as Sentence Transformers that are built using the BERT architecture. Now, Cosine similarity is also calculated between both the vectors that represent student answers and model answers. Then the result displays the contextual meaning instead of relying only on keyword matching.

H. Automated Scoring Engine

Here, the scoring engine will convert similarity values into predefined grade thresholds. The marks are then assigned equally based on their similarity scores and completeness of the response. Confidence scores are also generated to indicate the correctness of OCR and the strength of semantic evaluation, which helps to maintain fairness and consistency in grading.

I. System Database and Storage Module

This is the final stage where the system stores the uploaded answer sheets, OCR text, similarity scores, outputs, grade logs, and final scores. It allows efficient data recovery, secure storage, and smooth collaboration with academic platforms.

V. EXPERIMENTAL EVALUATION

In this section we explain how the experimental evaluation will be conducted which integrates Deep OCR along with NLP-based semantic similarity analysis. A working prototype of the system is developed which evaluates OCR accuracy, grading capability, scoring, and the overall reliability of the model.

A. Experimental Setup

We built a prototype of the system by using Tesseract OCR to extract handwritten text from images and Sentence Transformers (BERT-based embeddings) to measure semantic similarity between model and student answer. We implemented the backend services Python along with Flask REST APIs, and the frontend dashboard interface using ReactJS. The dataset we used consists of scanned handwritten answer sheets collected

TABLE I
EXPERIMENTAL PARAMETERS AND SYSTEM CONFIGURATION

Parameter	Configuration Details
Input Format	Scanned documents (JPG, PNG, PDF)
OCR Engine	Tesseract OCR (version 5+)
Preprocessing Techniques	Grayscale conversion, binarization, skew correction, noise filtering
NLP Framework	NLTK or SpaCy libraries
Embedding Model	Sentence Transformers (BERT-based model)
Similarity Metric	Cosine similarity measurement
Grading Threshold	0–1 similarity range mapped to marks
Backend Framework	Flask-based REST APIs
Frontend Interface	ReactJS web dashboard
Database	MySQL or MongoDB database
Evaluation Metrics	Accuracy, Precision, Recall, F1-score
Batch Size	16 or 32 samples
Learning Rate	0.001 value
Training Split	80% training and 20% testing
Operating System	Linux-based system environment
Deployment Environment	Local server or cloud platform

from exam. Model answers of each question were provided as reference for comparison. We divided the dataset into a 80:20 training and testing split. We performed all testings on a machine equipped with an Mac M4 processor, 16 GB RAM, and MacOS. The evaluation metrics we used are OCR accuracy, cosine similarity score, consistency in grading, and classification metrics.

B. Data Acquisition and Preprocessing

We collected the answer sheets image the form of images, and PDF. Then, we processed this images using preprocessing steps: grayscale conversion, noise filtering, binarizing, skew correction, and contrast adjustment. Then, the text extracted is refined again using NLP. This preprocessing stage improved semantic similarity performance a lot noticeably better by reducing noise present at starting stage.

C. OCR Performance Analysis

Here, we evaluate the OCR performance by comparing the machine extracted text and manually corrected answers. We calculated both character-level and word-level accuracies. This step rapidly improved performance by reducing skew distortions and background noises. Minor errors that occurred with unclear handwriting or low-resolution images; however, the overall accuracy remained stable.

D. Semantic Similarity and Scoring Evaluation

Then, we compute the semantic similarity between student answer and model answer using cosine similarity. The similarity scores obtained ranged from 0 to 1, where higher values represent stronger similarity. Marks are assigned using the pre-defined grading formula mapped to this similarity scores. Our experiments showed that semantic grading is closely aligned with human evaluation pattern. This system also demonstrated

same scoring behavior across multiple test samples, which helped us to reduce bias typically observed in manual grading.

E. Prediction Consistency and Accuracy Assessment

To calculate reliability in grading, we compare the marks generated by the system with marks assigned manually. The results showed a strong relation between automated grading results and human correction. Precision, Recall, and F1-score metrics confirmed that the proposed technique strongly caught hold of semantic meaning. The underlying evaluation method performed much better than keyword-based grading, specially for descriptive responses.

F. System Visualization and Reliability

The web-based UI we built successfully displayed answer sheets, extracted OCR text content from them, similarity percentages, confidence scores, and final marks. The teachers are able to check the results and share reports for further. After multiple evaluations, a stable interaction is observed between the OCR module, NLP engine, scoring component, and the database system. And, the batch processing capability also displayed the wide usability of the model to evaluate multiple answer sheets at a time.

G. Results Discussion

We performed thorough testing with different experiments using real handwritten exam answer sheets. The results obtained are a good positive improvements in grading efficiency, consistency, and transparency when we compare them with manual evaluation. The Deep OCR module perfectly extracted text information from a large dataset of handwriting styles when used with adaptive preprocessing techniques. Even though small OCR errors occurred in cases with very bad handwriting, the overall OCR accuracy is good enough to support semantic analysis.

Thus, the collaboration of transformer-based embeddings allowed deeper understanding of student responses. Overcoming the keyword-matching techniques, our system evaluated conceptual similarity, which allows it to recognise semantically equivalent answers. This ability of our model helped to reduce grading bias and also helped improve fairness within the process.

The grading approach we used is based on cosine similarity which showed a strong relation with the grades assigned by teachers. The automatic evaluation process reduced the time required for grading alongside maintaining consistent scoring across large number of answer sheets.

This system follows a modular architectural design which enables it to effective interaction along the preprocessing stage, OCR recognition, embedding generation, similarity evaluation, and visualization of components. Thus, this structure ensures that the framework remains scalable, reliable, and suitable for real world environments where intelligent automated solutions are required.

Overall, the results taught us that the proposed model provides a reliable, scalable and intelligent method to automate




Fig. 3. This figure shows the model’s effectiveness, accuracy, and reliability when compared with human-based evaluation.




Fig. 4. This figure shows grading output presenting a score of 4.58/5 (91.6%) with a very high confidence level, displaying accurate comparison and efficient keyword extraction.

evaluation. Using the integration of Deep OCR and NLP-based semantic similarity techniques, our model improves grading efficiency, reduces bias, and supports modern academic environments. It also improves grading efficiency, reduces evaluator bias, and also supports modern AI-driven academic assessment environments.

VI. CONCLUSION AND FUTURE WORKS

We present a intelligent and automated model for evaluating answer sheets by integrating Deep OCR along with NLP-based semantic similarity analysis. Our system addresses several limitations of manual grading methods, including subjectivity, long evaluation time, and inconsistent scorings. By converting handwritten responses into textual data and applying transformer-based embeddings, our framework shows reliable, consistent, and unbiased evaluation of descriptive answers.

Our Deep OCR module allows accurate recognition of handwritten content through adaptive preprocessing techniques such as removing noise, skew correction, and contrast improvement. After extraction, the NLP pipeline processes the




Fig. 5. This figure shows API request to the ocr endpoint showing both the raw text and cleaned text obtained from student’s handwritten answer.

text and converts it into semantic embeddings. Then, we calculate Cosine similarity between student answers and model answers, enabling contextual grading rather than relying on keyword matching. It improves fairness and conceptual understanding in the evaluation process.




Fig. 6. This figure shows comparison between OCR-extracted text (top) and the final automated evaluation metrics (bottom).

Our experimental results show that the system maintains a strong relation with instructor-assigned grades while significantly decreasing the time required for grading. Our architecture also ensures scalability, and easier deployment with academic institutions. Additionally, the real-time dashboard allows transparency by presenting the similarity scores, confidence metrics, and detailed rating. Although our model shows encouraging results for automated grading, several opportunities stay to improve the model through future research. One possible way is by expanding the dataset by including a variety of handwriting styles, multiple languages. This will strengthen the robustness of the system and improve its ability to generalize academic environments. We could also use more advanced deep learning techniques for handwritten text recognition in order to achieve higher extraction accuracy.

In conclusion, our model demonstrates the use of integrating transformer-based Deep OCR and NLP techniques into a scoring model. This approach improves efficiency alot, minimizes human bias, and also supports advancement of modern assessment systems. Modern transformer architectures such as GPT-based are incorporated to enable deeper reasoning. Our model could also be extended to support multilingual answer evaluation. We could also apply Reinforcement learning techniques to adjust grading thresholds. In future versions of our model, we would also incorporate plagiarism detection capabilities, automated feedback generation for students, and explainable AI features. This will help us provide more detailed evaluation.

ACKNOWLEDGMENT

We sincerely thank the Department of Computer Science and Engineering, Vardhaman College of Engineering, Hyderabad, for providing the facilities, infrastructure, and technical resources necessary to successfully carry out this project. We are especially grateful to our project guide, Rajukumar B. Patil, Associate Professor, for his continuous guidance, valuable insights, and consistent encouragement throughout the development of this work. We also appreciate the support extended by the faculty members who assisted during various stages of experimentation and implementation.

REFERENCES

- [1] S. Tobler, "Smart grading: A generative AI-based tool for knowledge-grounded answer evaluation in educational assessments," *MethodsX*, vol. 12, Art. no. 102531, 2024.
- [2] M. F. Bashir, H. Arshad, A. R. Javed, N. Kryvinska, and S. S. Band, "Subjective answers evaluation using machine learning and natural language processing," *IEEE Access*, vol. 9, pp. 161972–161985, 2021.
- [3] S. Kripalani, T. Lipare, and D. Kadam, "Subjective answer grader using semantic similarity and keyword matching," in *Proc. IEEE Int. Conf. Inventive Comput. Technol. (I2CT)*, 2024.
- [4] R. Mohanraj *et al.*, "Smart automated evaluation of answer scripts using NLP and deep learning methods," *Multimedia Tools and Applications*, 2025.
- [5] I. Malashin *et al.*, "Image text extraction and natural language processing of unstructured data," *Machine Learning and Knowledge Extraction*, vol. 6, no. 2, 2024.
- [6] S. K. Palvadi and K. Prasad, "Integrating OCR and NLP techniques for accurate text extraction and plagiarism detection," *Int. J. Adv. Sci. Comput. Appl.*, vol. 4, no. 1, 2024.
- [7] H. T. Nguyen, C. T. Nguyen, H. Oka, T. Ishioka, and M. Nakagawa, "Handwriting recognition and automatic scoring for descriptive answers in Japanese language tests," arXiv:2201.03215, 2022.
- [8] V. Bahel and A. Thomas, "Text similarity analysis for evaluation of descriptive answers," arXiv:2105.02935, 2021.
- [9] J. Annrose, A. Shibin Sam, S. Samnath, J. R. Raj, and I. R. S. Bhaarith, "AI-powered mark recognition in assessment and attainment calculation," *ICTACT J. Soft Comput.*, vol. 15, no. 4, pp. 3704–3706, 2025.
- [10] M. Nandanwar, N. Kireedula, and A. Sharma, "A secure blockchain based framework for evaluation of examination answer sheets," *Int. J. Multidisciplinary Research*, vol. 7, no. 6, 2025.
- [11] R. Patil *et al.*, "Automated assessment of multimodal answer sheets in the STEM domain," arXiv:2409.15749, 2024.
- [12] L. M. Chandrapati and C. K. Rao, "Descriptive answers evaluation using natural language processing approaches," *IEEE Access*, 2024.
- [13] E. Hadžić, "Intelligent optical mark recognition based system for automated evaluation," *IOP Conf. Ser.: Mater. Sci. Eng.*, vol. 1298, no. 1, p. 012020, 2023.
- [14] A. K. S., A. M. Poojari, and V. E. Salis, "Review on smart evaluation of descriptive answer sheets," *Int. J. Adv. Res. Sci. Commun. Technol.*, vol. 4, no. 1, 2024.
- [15] N. Reimers and I. Gurevych, "Sentence-BERT: Sentence embeddings using Siamese BERT-networks," in *Proc. EMNLP*, 2019.
- [16] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, "BERT: Pre-training of deep bidirectional transformers for language understanding," arXiv:1810.04805, 2018.
- [17] R. Smith, "An overview of the Tesseract OCR engine," in *Proc. ICDAR*, 2007.
- [18] A. Graves, S. Fernández, F. Gomez, and J. Schmidhuber, "Connectionist temporal classification: Labelling unsegmented sequence data with recurrent neural networks," in *Proc. ICML*, 2006.
- [19] D. Bahdanau, K. Cho, and Y. Bengio, "Neural machine translation by jointly learning to align and translate," arXiv:1409.0473, 2014.
- [20] A. Vaswani *et al.*, "Attention is all you need," in *Proc. NeurIPS*, 2017.