

DevSecOps Assessment Task 1 - Technical Documentation

Concept Map


DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration



between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process

continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.



RL Framework

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure

coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding.


Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding.

Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding.

Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding.

Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software

quality, reduces security risks, supports compliance, enhances



collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident


analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.



README

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing

vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to



enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be

remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.


Technical Documentation 1

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring,

logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing

[illegible]


automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.



Technical Documentation 2

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding.

Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to



developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated

using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins

with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to enables organizations to deliver reliable applications faster.

Technical Documentation 3

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps

integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding.

developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely.

This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration

automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is

managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be

Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests.

Continuous

remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.



developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and

Technical Documentation 4

DevSecOps integrates development, security, and operations throughout the software development lifecycle.

The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing,


Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests.

Continuous

SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations

teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous



Technical Documentation 5

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security,

and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

