

GE23131-Programming Using C-2024

Quiz navigation



Show one page at a time

Finish review

Status	Finished
Started	Monday, 23 December 2024, 5:33 PM
Completed	Saturday, 23 November 2024, 12:44 PM
Duration	30 days 4 hours

Question **1**

Correct

Marked out of 3.00

 [Flag question](#)

Write a program that prints a simple chessboard.

Input format:

The first line contains the number of inputs T.
The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size * size. Print a Print W for white spaces and B for black spaces.

Input:

- 2
- 3

Output:

WBW

BWB

WBW

WBWBW

BWBWB

WBWBW

BWBWB

WBWBW

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int v;
5     scanf("%d",&v);
6     while(v>0){
7         int x;
8         scanf("%d",&x);
9         if(x<0){
10             x=-x;
11         }
12     }
13     char a='W';
14     for(int i=0;i<x;i++){
15         for(int j=0;j<x;j++){
16             printf("%c",a);
17             if(a=='W')
18                 a='B';
19             else
20                 a='W';
21         }
22     }
23 }
```

```
24         if(a=='W')
25             a='B';
26         else
27             a='W';
28     }
29 }
30 v--;
31 }
32 return 0;
33 }
34
35
36
```

	Input	Expected	Got	
✓	2	WBW	WBW	✓
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	

Passed all tests! ✓

Question **2**

Correct

Marked out of
5.00

Let’s print a chessboard!

Write a program that takes input:

Each test case contains an integer N and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

2

2 W

3 B

Output:

WB

BW

BWB

WBW

BWB

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
```

```
6 while(v!=0){
7     char a;
8     int x;
9     scanf("%d %c",&x,&a);
10    for(int i=0;i<x;i++){
11        for(int j=0;j<x;j++){
12            printf("%c",a);
13            if(a=='W'){
14                a='B';
15            }
16            else
17            {
18                a='W';
19            }
20        }
21        if((x%2)==0){
22            if(a=='W')
23                a='B';
24            else
25                a='W';
26        }
27        printf("\n");
28    }
29    v--;
30 }
31 return 0;
32 }
```

	Input	Expected	Got	
✓	2	WB	WB	✓
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Question **3**

Correct

Marked out of
7.00 [Flag question](#)

Decode the logic and print the Pattern that corresponds to given input.

If N= 3

then pattern will be :

10203010011012

**4050809

****607

If N= 4, then pattern will be:

1020304017018019020

**50607014015016

****809012013

*****10011

Constraints

$2 \leq N \leq 100$

Input Format

Output

First line print Case #i where i is the test case number
In the subsequent line, print the pattern

Test Case 1

3
3
4
5

Output

Case #1
10203010011012
**4050809
****607
Case #2
1020304017018019020
**50607014015016
****809012013
*****10011

**6070809022023024025

****10011012019020021

*****13014017018

*****15016

Answer: (penalty regime: 0 %)

```

1  #include<stdio.h>
2  int main()
3  {
4      int v,c=0;
5      scanf("%d",&v);
6      while(v!=0){
7          c++;
8          int a;
9          scanf("%d",&a);
10         int s1=10,s2=(a*a*10)+10;
11         printf("Case #%d\n",c);
12         for(int i=0;i<a;i++){
13             for(int j=0;j<i;j++){
14                 printf("**");
15             }
16             for(int j=0;j<a-i;j++){
17                 printf("%d",s1);
18                 s1+=10;
19             }
20             for(int j=0;j<a-i;j++){
21                 if((j+1)==(a-i)){
22                     printf("%d",((s2+(j*10))/10));
23                 }
24                 else{
25                     printf("%d",s2+(j*10));
26                 }
27             }
28             s2-=(a-i)*10;
29             s2+=10;
30             printf("\n");
31         }

```



```
34 |         return 0;
35 |     }
```

	Input	Expected	Got	
✓	3	Case #1	Case #1	✓
	3	10203010011012	10203010011012	
	4	**4050809	**4050809	
	5	****607	****607	
		Case #2	Case #2	
		1020304017018019020	1020304017018019020	
		**50607014015016	**50607014015016	
		****809012013	****809012013	
		*****10011	*****10011	
		Case #3	Case #3	
		102030405026027028029030	102030405026027028029030	
		**6070809022023024025	**6070809022023024025	
		****10011012019020021	****10011012019020021	
		*****13014017018	*****13014017018	
		*****15016	*****15016	

Passed all tests! ✓