

IOT TRAFFIC MANAGEMENT PROJECT

BY: ADHITHYAN.S

DEPT: ECE

CMS COLLEGE OF ENGINEERING AND TECHNOLOGY

Smart Traffic Management system using the Wokwi Simulator involves simulating sensors, traffic lights, and vehicles using the Arduino platform. In this example, we'll create a basic setup to get you started. Please note that this is a simplified simulation; real-world traffic management systems are much more complex.

****Step 1: Setting up the Wokwi Simulator****

1. Go to the Wokwi website: <https://wokwi.com/>.
2. Create an account if you don't have one.
3. Once you're logged in, click on "Create a New Project."

****Step 2: Create the Traffic Light System****

In this example, we'll simulate two traffic lights: one for the main road and one for the side road.

1. On the Wokwi platform, add an Arduino board to your project. You can search for "Arduino" in the components library and drag it to your project.
2. Add two LEDs (representing the red and green lights for each traffic light). Search for "LED" in the components library and add two LEDs to the project.
3. Connect one LED to digital pins 2 and 3, which will represent the traffic light for the main road.
4. Connect the other LED to digital pins 4 and 5, representing the traffic light for the side road.

****Step 3: Simulate the Sensors****

In a real smart traffic management system, sensors (e.g., motion sensors, cameras) detect the presence of vehicles and control the traffic lights. In the simulation, you can simulate vehicle presence with buttons.

1. Add two buttons from the components library to the project. These will act as vehicle

presence sensors for the main road and side road.

2. Connect one button to a digital pin (e.g., pin 6) to simulate the presence of vehicles on the main road.

3. Connect the other button to a different digital pin (e.g., pin 7) to simulate the presence of vehicles on the side road.

****Step 4: Arduino Code****

Now, you need to write the Arduino code that will control the traffic lights based on the sensor inputs. Here's a simple example sketch to get you started:

```
```cpp
const int mainRoadRedPin = 2;
const int mainRoadGreenPin = 3;
const int sideRoadRedPin = 4;
const int sideRoadGreenPin = 5;
const int mainRoadSensorPin = 6;
const int sideRoadSensorPin = 7;

void setup() {
 pinMode(mainRoadRedPin, OUTPUT);
 pinMode(mainRoadGreenPin, OUTPUT);
 pinMode(sideRoadRedPin, OUTPUT);
 pinMode(sideRoadGreenPin, OUTPUT);
 pinMode(mainRoadSensorPin, INPUT_PULLUP);
 pinMode(sideRoadSensorPin, INPUT_PULLUP);
}

void loop() {
 // Check if there are vehicles on the main road
 if (digitalRead(mainRoadSensorPin) == LOW) {
 // Main road has vehicles, so stop side road traffic
 digitalWrite(mainRoadRedPin, LOW);
 digitalWrite(mainRoadGreenPin, HIGH);
 }
}
```

```

digitalWrite(sideRoadRedPin, HIGH);
digitalWrite(sideRoadGreenPin, LOW);
} else if (digitalRead(sideRoadSensorPin) == LOW) {
// Side road has vehicles, so stop main road traffic
digitalWrite(mainRoadRedPin, HIGH);
digitalWrite(mainRoadGreenPin, LOW);
digitalWrite(sideRoadRedPin, LOW);
digitalWrite(sideRoadGreenPin, HIGH);
} else {
// No vehicles, all lights are red (4-way stop)
digitalWrite(mainRoadRedPin, LOW);
digitalWrite(mainRoadGreenPin, HIGH);
digitalWrite(sideRoadRedPin, LOW);
digitalWrite(sideRoadGreenPin, HIGH);
}
}
}
...

```

### **\*\*Step 5: Simulation and Testing\*\***

1. Save the code in your project and click the &quot;Start Simulation&quot; button in Wokwi.
2. You can now click the buttons representing vehicle presence to simulate traffic on the main and side roads.
3. Observe how the traffic lights change based on vehicle presence.

This is a basic example to get you started with simulating a Smart Traffic Management system using the Wokwi Simulator. In a real-world scenario, you would use more advanced sensors and control logic.