Node network error

```yaml
- name: node_network_error
  rules:
    - record: node_network_error_rule
      expr: rate(node_network_recieve_errs_total[1m]) + rate(node_network_transmit_errs_total[1m])
      labels:
        node1: node_network_error
```

```yaml
- name: node_network_error
  rules:
    - alert: node_network_error_alert
      expr: node_network_error_rule > 10
      for: 1m
      annotations:
        summary: "notwork error in {{ $labels.instance }}"
        description: "network error is {{ $value }}"
```

```yaml
global:
route:
  receiver: 'slack'
  group_by: ['alertname']
  group_wait: 10s
  group_interval: 15s

receivers:
  - name: 'slack'
    slack_configs:
      - channel: "#devops_team"
        send_resolved: true
        api_url: 'https://hooks.slack.com/services/T086Y43          THQF/P2ko8X4S46ZiUc8SyJghwrre'
        title: '{{ .CommonAnnotations.summary }}'
        text: '{{ .CommonAnnotations.description }}
```

Node exporter - node1				1 / 1 up
Endpoint	**Labels**		**Last scrape**	**State**
http://192. 4:9100/metrics	instance="192 :9100" job="Node exporter - node1"		3.636s ago 44ms	UP

node_network_error /etc/prometheus/rules.yml — last run 59.304s ago — took 0ms — every 15s

node_network_error_rule — 59.379s ago — 0ms — OK

```
rate(node_network_recieve_errs_total[1m]) + rate(node_network_transmit_errs_total[1m])
```

node1="node_network_error"

node_network_error /etc/prometheus/alert_rules.yml — last run 11.954s ago — took 0ms — every 15s

node_network_error_alert — 12.03s ago — 0ms — OK

```
node_network_error_rule > 10
```

for: 1m

description	network error is {{ $value }}
summary	notwork error in {{ $labels.instance }}

node_network_error /etc/prometheus/alert_rules.yml

INACTIVE (1)

node_network_error_alert

```
node_network_error_rule > 10
```

🕒 for: 1m

description	network error is {{ $value }}
summary	notwork error in {{ $labels.instance }}