```
C:\Users\SAIL>ping google.com

Pinging google.com [142.250.77.142] with 32 bytes of data:
Reply from 142.250.77.142: bytes=32 time=4ms TTL=117
Reply from 142.250.77.142: bytes=32 time=4ms TTL=117
Reply from 142.250.77.142: bytes=32 time=3ms TTL=117
Reply from 142.250.77.142: bytes=32 time=4ms TTL=117

Ping statistics for 142.250.77.142:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 3ms, Maximum = 4ms, Average = 3ms
```

```
C:\Users\SAIL>tracert google.com

Tracing route to google.com [142.250.77.142]
over a maximum of 30 hops:

  1    <1 ms    <1 ms    <1 ms  172.23.16.1
  2     2 ms     2 ms     2 ms  172.22.8.1
  3     2 ms     4 ms     2 ms  14.139.187.225
  4     *        *        *     Request timed out.
  5     *        *        *     Request timed out.
  6     *        *        *     Request timed out.
  7     *        *        *     Request timed out.
  8     6 ms     4 ms     4 ms  lcmaaa-au-in-f14.1e100.net [142.250.77.142]

Trace complete.
```

```
C:\Users\SAIL>ipconfig/all

Windows IP Configuration

   Host Name . . . . . . . . . . . . : SAIL603-PC25
   Primary Dns Suffix  . . . . . . . :
   Node Type . . . . . . . . . . . . : Hybrid
   IP Routing Enabled. . . . . . . . : No
   WINS Proxy Enabled. . . . . . . . : No

Ethernet adapter Ethernet:

   Connection-specific DNS Suffix  . :
   Description . . . . . . . . . . . : Realtek PCIe GbE Family Controller
   Physical Address. . . . . . . . . : 74-56-3C-A6-7B-C5
   DHCP Enabled. . . . . . . . . . . : No
   Autoconfiguration Enabled . . . . : Yes
   Link-local IPv6 Address . . . . . : fe80::637c:4a9d:8d46:d626%12(Preferred)
   IPv4 Address. . . . . . . . . . . : 172.23.161.125(Preferred)
   Subnet Mask . . . . . . . . . . . : 255.255.240.0
   Default Gateway . . . . . . . . . : 172.23.16.1
   DHCPv6 IAID . . . . . . . . . . . : 108287548
   DHCPv6 Client DUID. . . . . . . . : 00-01-00-01-2F-49-F6-3D-74-56-3C-A6-7B-C5
   DNS Servers . . . . . . . . . . . : 172.21.100.31
                                       8.8.8.8
   NetBIOS over Tcpip. . . . . . . . : Enabled

Ethernet adapter Ethernet 2:

   Connection-specific DNS Suffix  . :
   Description . . . . . . . . . . . : VirtualBox Host-Only Ethernet Adapter
   Physical Address. . . . . . . . . : 0A-00-27-00-00-10
   DHCP Enabled. . . . . . . . . . . : No
   Autoconfiguration Enabled . . . . : Yes
   Link-local IPv6 Address . . . . . : fe80::c87b:3e04:2935:3fe9%16(Preferred)
   IPv4 Address. . . . . . . . . . . : 192.168.56.1(Preferred)
   Subnet Mask . . . . . . . . . . . : 255.255.255.0
   Default Gateway . . . . . . . . . :
   DHCPv6 IAID . . . . . . . . . . . : 453640231
   DHCPv6 Client DUID. . . . . . . . : 00-01-00-01-2F-49-F6-3D-74-56-3C-A6-7B-C5
   DNS Servers . . . . . . . . . . . : fec0:0:0:ffff::1%1
                                       fec0:0:0:ffff::2%1
                                       fec0:0:0:ffff::3%1
```

```
C:\Users\SAIL>netstat -an

Active Connections

  Proto  Local Address          Foreign Address        State
  TCP    0.0.0.0:135            0.0.0.0:0              LISTENING
  TCP    0.0.0.0:445            0.0.0.0:0              LISTENING
  TCP    0.0.0.0:902            0.0.0.0:0              LISTENING
  TCP    0.0.0.0:912            0.0.0.0:0              LISTENING
  TCP    0.0.0.0:2343           0.0.0.0:0              LISTENING
  TCP    0.0.0.0:3389           0.0.0.0:0              LISTENING
  TCP    0.0.0.0:3580           0.0.0.0:0              LISTENING
  TCP    0.0.0.0:3582           0.0.0.0:0              LISTENING
  TCP    0.0.0.0:5040           0.0.0.0:0              LISTENING
  TCP    0.0.0.0:5357           0.0.0.0:0              LISTENING
  TCP    0.0.0.0:7680           0.0.0.0:0              LISTENING
  TCP    0.0.0.0:8080           0.0.0.0:0              LISTENING
  TCP    0.0.0.0:49664          0.0.0.0:0              LISTENING
  TCP    0.0.0.0:49665          0.0.0.0:0              LISTENING
  TCP    0.0.0.0:49666          0.0.0.0:0              LISTENING
  TCP    0.0.0.0:49667          0.0.0.0:0              LISTENING
  TCP    0.0.0.0:49668          0.0.0.0:0              LISTENING
  TCP    0.0.0.0:49669          0.0.0.0:0              LISTENING
  TCP    0.0.0.0:49695          0.0.0.0:0              LISTENING
  TCP    0.0.0.0:49791          0.0.0.0:0              LISTENING
  TCP    0.0.0.0:59110          0.0.0.0:0              LISTENING
  TCP    0.0.0.0:59111          0.0.0.0:0              LISTENING
  TCP    0.0.0.0:59112          0.0.0.0:0              LISTENING
  TCP    127.0.0.1:3580         127.0.0.1:50207        TIME_WAIT
  TCP    127.0.0.1:3580         127.0.0.1:50209        TIME_WAIT
  TCP    127.0.0.1:3580         127.0.0.1:50211        TIME_WAIT
  TCP    127.0.0.1:3580         127.0.0.1:50213        TIME_WAIT
  TCP    127.0.0.1:3580         127.0.0.1:50215        TIME_WAIT
  TCP    127.0.0.1:3580         127.0.0.1:50217        TIME_WAIT
  TCP    127.0.0.1:3580         127.0.0.1:50219        TIME_WAIT
  TCP    127.0.0.1:3580         127.0.0.1:50221        TIME_WAIT
  TCP    127.0.0.1:3580         127.0.0.1:50223        TIME_WAIT
  TCP    127.0.0.1:49672        0.0.0.0:0              LISTENING
  TCP    127.0.0.1:49678        0.0.0.0:0              LISTENING
  TCP    127.0.0.1:49678        127.0.0.1:49692        ESTABLISHED
  TCP    127.0.0.1:49678        127.0.0.1:49705        ESTABLISHED
  TCP    127.0.0.1:49678        127.0.0.1:49706        ESTABLISHED
```