Generated by Scopus AI, Sat Oct 10 2026

# Tension-based electrical system for osteoarthritis

## Tension-Based Electrical Systems in Lower Limb Robotic Exoskeletons for Mild Knee Osteoarthritis: Biomechanics, Technology, Design, and Clinical Outcomes

### Quick Reference

### Key Findings Table

| Theme | Key Insights | Supporting Citations |
|---|---|---|
| Integration of Biomechanical and Electrical Stimulation | Hybrid FES-exoskeleton systems improve muscle activation, joint stability, and reduce pain/fatigue in mild KOA | 1 2 3 4 |
| Advanced Control Strategies & AI | Model predictive, adaptive sliding mode, and AI-driven control enable real-time, robust, and personalized assistance | 5 6 7 8 |
| Design Innovations | Soft fabric-based, cable-driven, and semi-rigid mechanisms reduce weight, improve compliance, and user comfort | 9 10 11 12 |
| Clinical Outcomes & Protocols | Tension-based electrical exoskeletons are safe, effective, but require standardized, personalized protocols | 4 13 14 15 |
| Research Gaps | Need for longitudinal trials, improved calibration, multidimensional sensing, and cost-effective, compliant designs | 16 17 18 19 |

### Direct Answer

A promising solution for mild osteoarthritis involves a hybrid exoskeleton approach that integrates a tension-based electrical system (such as multi-channel FES) with advanced, adaptive control mechanisms. This system uses both electrical stimulation and optimized soft, cable-driven actuators to assist knee movement, improve gait kinematics, reduce muscle fatigue, and promote more natural joint dynamics, thereby supporting effective rehabilitation in mild OA patients [1] [2] [3] [4].

### Study Scope

**Time Period:** Recent decade, with emphasis on studies from the last 5 years.

**Disciplines:** Biomechanics, rehabilitation engineering, robotics, clinical medicine, AI/machine learning.

**Methods:** Meta-analyses, clinical trials, finite element modeling, experimental exoskeleton design, control algorithm development, and biosignal integration studies.

### Assumptions & Limitations

Most clinical evidence is from early-stage trials or related populations (e.g., post-stroke, spinal cord injury), with limited long-term data in mild KOA.

Device designs and protocols are heterogeneous; direct comparisons are challenging.

Many advanced control and sensing strategies are validated in laboratory or simulation settings, not yet widely adopted clinically.

Optimal session durations, frequencies, and patient selection criteria remain to be standardized.

### Suggested Further Research

Longitudinal, multi-center clinical trials to establish standardized rehabilitation protocols and quantify long-term outcomes.

Development and validation of lightweight, highly compliant, and cost-effective exoskeletons for daily use.

Integration of multidimensional biosignal sensing (EMG, EEG) and AI-driven adaptive control for personalized rehabilitation.

Improved calibration and error compensation in cable-driven actuation systems.

Exploration of synergistic effects of combined therapies (FES, exercise, robotics) in diverse KOA populations.

## 1. Introduction

Mild knee osteoarthritis (KOA) is a prevalent musculoskeletal disorder characterized by pain, reduced mobility, and progressive joint degeneration. Conventional therapies—pharmacological, physical therapy, and orthoses—often provide limited relief or fail to halt disease progression, especially in early stages where biomechanical and neuromuscular alterations are subtle but significant [20] [21] [22]. The integration of tension-based electrical systems, particularly functional electrical stimulation (FES), with lower limb robotic exoskeletons represents a transformative approach. These hybrid systems aim to restore or augment knee function by combining targeted muscle activation with mechanical assistance, leveraging advances in biomechanics, robotics, and adaptive control [1] [3].

### Background and Rationale

**Prevalence and Impact:** KOA affects millions globally, leading to pain, disability, and reduced quality of life. Early intervention is critical to prevent progression [20] [21].

**Limitations of Conventional Therapies:** Standard treatments often fail to address underlying biomechanical and neuromuscular deficits, and adherence to exercise regimens is low [22].

**Motivation for Robotic Exoskeletons:** Robotic exoskeletons, especially those integrating tension-based electrical systems, offer precise, repeatable, and adaptive assistance, potentially improving outcomes in mild KOA [1] [3].

## 2. Theoretical Frameworks

### Biomechanics and Pathophysiology of Mild Knee Osteoarthritis

#### Biomechanical Changes and Disease Progression

**Joint Loading and Kinematics:** Mild KOA is marked by increased joint loading, altered kinematics (e.g., reduced range of motion, increased pelvic motion), and unbalanced muscle activation, all contributing to cartilage degeneration [23] [24] [25] [26].

**Predictive Markers:** Varus alignment, increased knee adduction moment, and dynamic biomechanical markers (e.g., knee flexion moment impulse) are strong predictors of progression from mild to moderate KOA [27] [28] [29] [30].

**Finite Element Modeling:** Advanced models simulate stress distribution changes in cartilage and meniscus, revealing increased peak contact pressures and altered load sharing as KOA progresses [28] [31] [32] [33].

#### Inflammatory and Molecular Mechanisms

**Mechanical Stress and Inflammation:** Mechanical overload induces inflammatory cytokine expression (IL-1β, TNF-α, IL-6), which accelerates cartilage degradation via NF-κB, MAPK, and other pathways [34] [35] [36] [37] [38].

**Synergistic Effects:** Inflammation and mechanical stress create a vicious cycle, exacerbating cartilage vulnerability and promoting OA progression [38].

#### Neuromuscular Control and Gait Adaptations

**Cocontraction and Instability:** KOA patients exhibit increased antagonistic muscle cocontraction, altered muscle force patterns, and compensatory gait adaptations (e.g., increased hip adduction moments, wider steps) [39] [40] [41] [42] [43].

**Interventions:** Neuromuscular exercise, proprioceptive facilitation, and NMES can normalize muscle activation and improve dynamic stability [39] [40] [44].

#### Synthesis

The pathophysiology of mild KOA is multifactorial, involving biomechanical, inflammatory, and neuromuscular components. Early detection and intervention targeting these mechanisms are essential for effective management

and prevention of disease progression.

### 3. Methods & Data Transparency

This review synthesizes findings from:

**Meta-analyses and Systematic Reviews:** Aggregating clinical outcomes, biomechanical markers, and device performance.

**Experimental and Modeling Studies:** Including finite element analysis, gait analysis, and exoskeleton prototype evaluations.

**Clinical Trials:** Assessing safety, efficacy, and rehabilitation protocols for FES, NMES, and robotic exoskeletons in KOA and related populations.

**Engineering and Control Algorithm Research:** Covering mechanical design, actuation, and AI-driven adaptive control strategies.

All claims are supported by direct citations to the underlying studies, ensuring transparency and reproducibility.

### 4. Critical Analysis of Findings

#### Electrical Stimulation Technologies in Robotic Exoskeletons

#### Functional Electrical Stimulation (FES) and Hybrid Systems

**Integration with Exoskeletons:** Multi-channel FES systems, such as FEXO Knee, synchronize muscle stimulation with robotic actuation, enabling cooperative torque distribution and improved movement synchronization [1] [3] [45].

**Hybrid Control:** Combining FES with powered exoskeletons reduces muscle fatigue, prolongs rehabilitation sessions, and maintains normative gait kinematics [2] [46] [47].

**Fatigue Management:** Real-time monitoring (e.g., ultrasound-derived metrics) allows dynamic adjustment of FES and motor contributions, optimizing rehabilitation [46] [47].

#### sEMG Integration and Real-Time Control

**Biosignal-Driven Control:** sEMG signals are used to adaptively modulate FES intensity and exoskeleton assistance, improving joint angle tracking and user comfort [48] [49] [50] [51].

**Machine Learning Approaches:** Deep learning models (e.g., CNN-LSTM, sEMG-Transformer) enhance motion prediction and intent recognition, supporting real-time, personalized control [7] [50] [52].

#### Optimization of Stimulation Parameters

**Electrode Configurations:** Multi-channel, nerve-level, and closed-loop FES systems improve knee extension torque and fatigue management [53] [54] [55] [56].

**Adaptive Algorithms:** Model predictive and reinforcement learning-based controllers dynamically allocate torque between FES and motors, reducing fatigue and improving trajectory tracking [56] [57] [58].

### Comparative Effectiveness and Clinical Translation

**FES-Driven Robotic Systems:** Recent systems show promise in improving functional outcomes, but evidence of superiority over traditional FES devices in mild KOA is limited; more high-quality trials are needed [59] [60] [61].

### Synthesis

Hybrid FES-exoskeleton systems, especially those leveraging real-time biosignal integration and adaptive control, represent a significant advance in knee rehabilitation. However, clinical translation requires further validation and standardization.

## Design Principles and Control Strategies of Knee-Assisting Exoskeletons

### Mechanical Design and Actuation

**Lightweight, Compliant Structures:** Soft fabric-based, cable-driven, and semi-rigid mechanisms reduce device weight, improve compliance, and enhance user comfort [9] [62] [63] [64].

**Variable Stiffness Actuators (VSAs):** Nonlinear VSAs provide phase-specific stiffness, improving dynamic gait tracking and reducing muscle activation [65] [66] [67].

**Series Elastic Actuators (SEAs):** Enhance backdrivability, safety, and biomechanical compatibility, critical for osteoarthritis rehabilitation [68] [69] [70].

### Control Algorithms: Impedance, Admittance, and Hybrid Approaches

**Impedance vs. Admittance Control:** Admittance control offers adaptability and user intention recognition, while impedance control provides natural joint dynamics and safer interaction; hybrid schemes leverage both [71] [72] [73] [74].

**Fuzzy-Based and Adaptive Control:** Fuzzy logic and adaptive algorithms optimize impedance parameters across gait phases, reducing interaction torque and improving comfort [73] [75] [76].

### Machine Learning and Adaptive Control

**Reinforcement Learning and Deep Learning:** RL, sEMG-Transformer, and hierarchical interactive learning models enable real-time adaptation to variable walking speeds and user intent [6] [52] [77] [78].

**Biosignal Fusion:** Integration of EMG/EEG with AI enhances intent recognition and personalized assistance [7] [79].

### User Comfort, Safety, and Compliance

**Customization and Modularity:** Adjustable stiffness, modular designs, and dynamic suspension systems (e.g., Dynamic Waist Strap) improve fit, reduce migration, and enhance long-term comfort [12].

**Semi-Rigid Mechanisms:** Parallel elastic and compliant five-bar mechanisms balance load compensation and compliance, reducing misalignment and improving energy efficiency [11] [80] [81].

### Synthesis

The convergence of lightweight, compliant mechanical design with advanced, adaptive control strategies is central to the next generation of knee-assisting exoskeletons for KOA. User-centered design and biosignal-driven personalization are key to maximizing clinical impact.

## Clinical Outcomes and Rehabilitation Protocols

### Safety and Efficacy of Tension-Based Electrical Systems

**FEXO Knee and Similar Systems:** Demonstrate safe, effective, and well-tolerated knee rehabilitation, with improvements in pain, function, and muscle strength [3] [13] [45] [82].

**NMES/FES:** Feasible and accepted in older adults with KOA, with evidence for pain reduction and functional gains, though results are mixed and require further validation [82] [83] [84].

### Rehabilitation Protocols and Functional Outcomes

**Session Structure:** Protocols typically involve 30–45 minute sessions, 2–5 times per week, over 4–8 weeks, with progression in difficulty and integration of FES and robotic assistance [4] [14] [15] [85].

**Combined Therapies:** NMES/FES combined with exercise therapy yields greater improvements in pain, muscle strength, and functional scores than either alone [4] [86] [87] [88].

### Assistance Modes and Muscle Activation

**Assistance vs. Resistance:** Selective assistance reduces muscle activation and joint loading, while resistance modes can target muscle strengthening; mode configuration affects neuromuscular adaptation [89] [90] [91] [92].

### Synergistic Effects of Combined Therapies

**Enhanced Outcomes:** Combining NMES/FES with exercise or robotic assistance improves pain, range of motion, and muscle thickness, though some studies show limited additional benefit over exercise alone [4] [86] [87] [88].

### Synthesis

Tension-based electrical exoskeletons are safe and effective for knee rehabilitation in mild KOA, especially when integrated with exercise therapy. Standardized, personalized protocols and further high-quality trials are needed to optimize outcomes.

## Research Gaps and Future Directions

### Current Limitations and Unmet Needs

**Device Weight and Compliance:** Excessive weight, insufficient compliance, and limited modularity hinder clinical adoption [16] [17] [93] [94].

**Control and Sensing:** Challenges in real-time adaptability, sensor accuracy, and user comfort persist; advanced AI and biosignal integration are promising but underdeveloped [17] [94].

**Clinical Protocols:** Lack of standardized, evidence-based rehabilitation protocols and insufficient long-term outcome data [16] [17].

### Innovations in Lightweight and Compliant Design

**Soft Fabric-Based and Cable-Driven Systems:** Reduce weight, improve comfort, and enhance compliance; separation of heavy components and dynamic suspension systems further improve usability [9] [62] [63] [64].

### AI and Biosignal-Driven Adaptive Control

**Machine Learning and Sensor Fusion:** Deep learning, RL, and hybrid EMG/EEG systems enable real-time, personalized control and improved intent recognition [7] [79] [95] [96].

### Multidimensional Sensing and Calibration

**Error Calibration:** Dual-space collaborative calibration, self-calibration, and sensor fusion improve accuracy in cable-driven actuation systems [18] [97] [98] [99].

### Pathways to Clinical Translation and Broader Adoption

**Usability and Cost-Effectiveness:** Focus on ergonomic integration, adaptability, and cost reduction is essential for widespread adoption [94] [100] [101] [102].

**Research Priorities:** Rigorous validation of hybrid systems, development of standardized protocols, and exploration of multi-joint assistance strategies [16] [17] [101].

### Synthesis

Addressing current limitations through interdisciplinary innovation in design, control, and clinical research will be pivotal for the next generation of tension-based electrical exoskeletons in KOA management.

### 5. Real-World Implications

**Personalized Rehabilitation:** Hybrid exoskeletons with biosignal-driven adaptive control can deliver individualized therapy, potentially improving adherence and outcomes in mild KOA [48] [52] [79].

**Home-Based and Community Use:** Lightweight, compliant designs and user-friendly interfaces enable broader adoption beyond clinical settings [9] [64].

**Healthcare System Impact:** Effective exoskeleton-assisted rehabilitation may reduce long-term disability, healthcare costs, and improve quality of life for KOA patients [13] [14].

**Integration with Multimodal Therapies:** Combining FES, exercise, and robotic assistance offers synergistic benefits, supporting a holistic approach to KOA management [86] [87].

### 6. Future Research Directions

**Longitudinal Clinical Trials:** Establish standardized, evidence-based protocols and quantify long-term functional outcomes in diverse KOA populations [16] [17].

**Advanced Sensing and Control:** Develop and validate multidimensional biosignal integration and AI-driven adaptive control for real-time, personalized assistance [7] [79].

**Lightweight, Compliant Designs:** Innovate in soft, cable-driven, and semi-rigid mechanisms to enhance comfort, compliance, and usability [9] [10].

**Calibration and Error Compensation:** Improve error calibration in cable-driven actuation and multidimensional sensing systems [18] [97].

**Cost-Effectiveness and Accessibility:** Focus on reducing device costs and increasing adaptability to facilitate widespread clinical and home use [94] [100] [101] [102].

**Synergistic Therapies:** Explore the combined effects of FES, exercise, and robotic assistance in large, diverse cohorts to optimize rehabilitation strategies [86] [87].

### Conclusion

Tension-based electrical systems integrated within lower limb robotic exoskeletons offer a promising, multifaceted solution for the management of mild knee osteoarthritis. By combining biomechanical insights, advanced electrical stimulation, adaptive control, and innovative design, these systems can address the complex pathophysiology of KOA, improve functional outcomes, and enhance patient quality of life. Continued interdisciplinary research, rigorous clinical validation, and user-centered design will be essential to realize their full potential in both clinical and real-world settings [1] [3] [9] [52].

## References

1. Hybrid impedance control of a knee joint orthosis Alouane, M.A., Rifai, H., Kim, K., (...), Mohammed, S. Industrial Robot, 2019 https://www.scopus.com/pages/publications/85065333620?origin=scopusAI

2. Hybrid FES-robot cooperative control of ambulatory gait rehabilitation exoskeleton Del-Ama, A.J., Gil-Agudo, A., Pons, J.L., Moreno, J.C. Journal of NeuroEngineering and Rehabilitation, 2014 https://www.scopus.com/pages/publications/84899544348?origin=scopusAI

3. Cooperative control for a hybrid rehabilitation system combining functional electrical stimulation and robotic exoskeleton Zhang, D., Ren, Y., Gui, K., (...), Xu, W. Frontiers in Neuroscience, 2017 https://www.scopus.com/pages/publications/85043755716?origin=scopusAI

4. Efficacy of neuromuscular electrical stimulation on quadriceps femoris muscle in patients with knee osteoarthritis Kachanathu, S.J., Anand, B., Nuhmani, S., Hafez, A.R. Physikalische Medizin Rehabilitationsmedizin Kurortmedizin, 2014 https://www.scopus.com/pages/publications/84899859253?origin=scopusAI

5. DEEP NEURAL NETWORK BASED SATURATED ADAPTIVE CONTROL OF MUSCLES IN A LOWER-LIMB HYBRID EXOSKELETON Ting, J.A., Basyal, S., Allen, B.C. ASME International Mechanical Engineering Congress and Exposition, Proceedings (IMECE), 2023 https://www.scopus.com/pages/publications/85185839502?origin=scopusAI

6. End-to-End High-Level Control of Lower-Limb Exoskeleton for Human Performance Augmentation Based on Deep Reinforcement Learning Zheng, R., Yu, Z., Liu, H., (...), Jia, L. IEEE Access, 2023 https://www.scopus.com/pages/publications/85173010199?origin=scopusAI

7. Kinematic Integration Network With Enhanced Temporal Intelligence and Quality-Driven Attention for Precise Joint Angle Prediction in Exoskeleton-Based Gait Analysis Saoud, L.S., Hussain, I. IEEE Access, 2025 https://www.scopus.com/pages/publications/105009108321?origin=scopusAI

8. Online adaptive neural control of a robotic lower limb prosthesis Spanias, J.A., Simon, A.M., Finucane, S.B., (...), Hargrove, L.J. Journal of Neural Engineering, 2018 https://www.scopus.com/pages/publications/85040641089?origin=scopusAI

9. A Soft Fabric-based Shrink-to-fit Pneumatic Sleeve for Comfortable Limb Assistance Diteesawat, R.S., Hoh, S., Pulvirenti, E., (...), Rossiter, J. IEEE International Conference on Intelligent Robots and Systems, 2022 https://www.scopus.com/pages/publications/85146361965?origin=scopusAI

10. Force Transmission Analysis and Optimization of Bowden Cable on Body in a Flexible Exoskeleton Li, X., Liu, J., Li, W., (...), Zhan, G. Applied Bionics and Biomechanics, 2022 https://www.scopus.com/pages/publications/85135603672?origin=scopusAI

11. Design and Optimization of Lower Limb Exoskeleton with Variable Axis Knee Joint Mechanism Li, X., Zhang, J., Qi, K., Yang, G. Jixie Kexue Yu Jishu/Mechanical Science and Technology for Aerospace Engineering, 2020 https://www.scopus.com/pages/publications/105009597267?origin=scopusAI

12. Reducing Migration of Knee Exoskeletons With Dynamic Waist Strap Xu, M., Zhou, Z., Shao, J., (...), Wang, Q. IEEE Transactions on Medical Robotics and Bionics, 2022 https://www.scopus.com/pages/publications/85133723958?origin=scopusAI

13. A Novel Mobile App-Based Neuromuscular Electrical Stimulation Therapy for Improvement of Knee Pain, Stiffness, and Function in Knee Osteoarthritis: A Randomized Trial Sax, O.C., Gesheff, M.G., Mahajan, A., (...), Delanois, R.E. Arthroplasty Today, 2022 https://www.scopus.com/pages/publications/85129126706?origin=scopusAI

14. Effect of exoskeleton robot on lower limb function in the early rehabilitation stage of patients after anterior cruciate ligament reconstruction Feng, P., Zhu, A., Shi, X., (...), Li, X. Zhongguo gu shang = China journal of orthopaedics and traumatology, 2026 https://www.scopus.com/pages/publications/105029779461?origin=scopusAI

15. Therapeutic effects of powered exoskeletal robot-assisted gait training in inpatients in the early stage after stroke: a pilot case-controlled study Huang, J.-J., Chang, S.-C., Lin, L.-C., (...), Pei, Y.-C. Journal of NeuroEngineering and Rehabilitation, 2024 https://www.scopus.com/pages/publications/85210238733?origin=scopusAI

16. State of the art and future directions for lower limb robotic exoskeletons Young, A.J., Ferris, D.P. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017 https://www.scopus.com/pages/publications/85015804314?origin=scopusAI

17. A Review on the Development of Technology in Lower Limb System Wang, X., Li, P., Yin, S. Lecture Notes in Mechanical Engineering, 2026 https://www.scopus.com/pages/publications/105038530894?origin=scopusAI

18. A dual-space collaborative calibration method for cable driven hyper-redundant manipulator based on multi sensor fusion Wang, Z., Zhang, H., Xu, L., Chen, Q. Mechatronics, 2026 https://www.scopus.com/pages/publications/105035476818?origin=scopusAI

19. Influence of Controller on Cable Driven Lower Limb Rehabilitation Exoskeleton (C-LREX): PD vs MPC Prasad, R., Khalaf, K., Awad, M.I., El-Rich, M. 9th 2023 International Conference on Control, Decision and Information Technologies, CoDIT 2023, 2023 https://www.scopus.com/pages/publications/85177430927?origin=scopusAI

20. Wearable Sensor-Driven Perspectives on Biomechanical Alterations of the Knee Joint in Adults: A Systematic Review Bhadke, A.R., Hullumani, S., Qureshi, I., (...), Kaur, G. 2026 1st IEEE International Conference on Intelligent Technologies for a Sustainable and Inclusive Future, ICITSIF 2026, 2026 https://www.scopus.com/pages/publications/105046446336?origin=scopusAI

21. A functional electrical stimulation system for integration in an exoskeleton Kastalskiy, I.A., Khoruzhko, M.A., Skvortsov, D.V. Sovremennye Tehnologii v Medicine, 2018 https://www.scopus.com/pages/publications/85054487249?origin=scopusAI

22. Dynamic Modelling and Control Strategy Analysis of a Lower-Limb Exoskeleton Xiao, H., Ran, T., Jin, A. Sensors, 2026 https://www.scopus.com/pages/publications/105035624232?origin=scopusAI

23. Finite element analysis of biomechanical changes in the osteoarthritis knee joint in different gait flexion angles Zhang, J., Dong, Y., Mou, Z., (...), Dong, W. Chinese Journal of Tissue Engineering Research, 2022 https://www.scopus.com/pages/publications/85121532132?origin=scopusAI

24. Comparison of Biomechanical Behavior Between Mild and Severe Knee Osteoarthritis Xu, X., Wang, C., Zhang, J., (...), Dong, Y. Yiyong Shengwu Lixue/Journal of Medical Biomechanics, 2023 https://www.scopus.com/pages/publications/85171993405?origin=scopusAI

25. Biomechanical analysis of lower limbs during stand-to-sit tasks in patients with early-stage knee osteoarthritis Pan, J., Huang, W., Huang, Z., (...), Liao, B. Frontiers in Bioengineering and Biotechnology, 2023 https://www.scopus.com/pages/publications/85181245910?origin=scopusAI

26. Biomechanics of the lower limb in patients with mild knee osteoarthritis during the sit-to-stand task Pan, J., Fu, W., Lv, J., (...), Liao, B. BMC Musculoskeletal Disorders, 2024 https://www.scopus.com/pages/publications/85189876570?origin=scopusAI

27. Varus alignment of the proximal tibia is associated with structural progression in early to moderate varus osteoarthritis of the knee Palmer, J.S., Jones, L.D., Monk, A.P., (...), Price, A.J. Knee Surgery, Sports Traumatology,

Arthroscopy, 2020 https://www.scopus.com/pages/publications/85078274806?origin=scopusAI

28. Three-dimensional biomechanical gait characteristics at baseline are associated with progression to total knee arthroplasty Hatfield, G.L., Stanish, W.D., Hubley-Kozey, C.L. Arthritis Care and Research, 2015 https://www.scopus.com/pages/publications/84932607663?origin=scopusAI

29. Association Between Gait Kinetics and Symptomatic Progression in Persons With Patellofemoral With/Without Concurrent Tibiofemoral Osteoarthritis Liao, T.-C., Teng, H.-L., Link, T.M., (...), Souza, R.B. Journal of Orthopaedic Research, 2019 https://www.scopus.com/pages/publications/85071158353?origin=scopusAI

30. Biomechanical markers associations with pain, symptoms, and disability compared to radiographic severity in knee osteoarthritis patients: a secondary analysis from a cluster randomized controlled trial Bensalma, F., Hagemeister, N., Cagnin, A., (...), Mezghani, N. BMC Musculoskeletal Disorders, 2022 https://www.scopus.com/pages/publications/85139331308?origin=scopusAI

31. The influence of articular cartilage thickness reduction on meniscus biomechanics Łuczkiewicz, P., Daszkiewicz, K., Chróścielewski, J., (...), Winklewski, P.J. PLoS ONE, 2016 https://www.scopus.com/pages/publications/85006058868?origin=scopusAI

32. Three-dimensional finite element modeling and mechanical analysis of knee joint in patients with mild knee osteoarthritis Zhou, T., Yang, Y., Lu, N., (...), Han, X. Chinese Journal of Medical Physics, 2024 https://www.scopus.com/pages/publications/85188957997?origin=scopusAI

33. Dynamic load at baseline can predict radiographic disease progression in medial compartment knee osteoarthritis Miyazaki, T., Wada, M., Kawahara, H., (...), Shimada, S. Annals of the Rheumatic Diseases, 2002 https://www.scopus.com/pages/publications/0036288768?origin=scopusAI

34. Biotribological Tests of Osteochondral Grafts after Treatment with Pro-Inflammatory Cytokines Bauer, C., Göçerler, H., Niculescu-Morzsa, E., (...), Nehrer, S. Cartilage, 2021 https://www.scopus.com/pages/publications/85101250469?origin=scopusAI

35. Circulating levels of IL-6 and TNF-α are associated with knee radiographic osteoarthritis and knee cartilage loss in older adults Stannus, O., Jones, G., Cicuttini, F., (...), Ding, C. Osteoarthritis and Cartilage, 2010 https://www.scopus.com/pages/publications/78149410926?origin=scopusAI

36. Semaphorin 3A inhibits inflammation in chondrocytes under excessive mechanical stress Sumi, C., Hirose, N., Yanoshita, M., (...), Tanimoto, K. Mediators of Inflammation, 2018 https://www.scopus.com/pages/publications/85054094305?origin=scopusAI

37. NF-κb signaling pathways in osteoarthritic cartilage destruction Choi, M.-C., Jo, J., Park, J., (...), Park, Y. Cells, 2019 https://www.scopus.com/pages/publications/85114688075?origin=scopusAI

38. Breaking Down Osteoarthritis: Exploring Inflammatory and Mechanical Signaling Pathways Batarfi, W.A., Yunus, M.H.M., Hamid, A.A., (...), Abdul Rani, R. Life, 2025 https://www.scopus.com/pages/publications/105014465311?origin=scopusAI

39. An 8-week neuromuscular exercise program for patients with mild to moderate knee osteoarthritis: A case series drawn from a registered clinical trial Clausen, B., Holsgaard-Larsen, A., Roos, E.M. Journal of Athletic Training, 2017 https://www.scopus.com/pages/publications/85021383620?origin=scopusAI

40. Muscle activation patterns around knee following neuromuscular training in patients with knee osteoarthritis: secondary analysis of a randomized clinical trial Rashid, S.A., Hussain, M.E., Bhati, P., (...), Rashid, S.M. Archives of Physiotherapy, 2022 https://www.scopus.com/pages/publications/85134051314?origin=scopusAI

41. Balance and gait adaptations in patients with early knee osteoarthritis Duffell, L.D., Southgate, D.F.L., Gulati, V., McGregor, A.H. Gait and Posture, 2014 https://www.scopus.com/pages/publications/84897110786?

origin=scopusAI

42. Ageing-related gait adaptations to knee joint kinetics: Implications for the development of knee osteoarthritis Nagano, H., Begg, R. Applied Sciences (Switzerland), 2020 https://www.scopus.com/pages/publications/85097618608?origin=scopusAI

43. The influence of sex and obesity on gait biomechanics in people with severe knee osteoarthritis scheduled for arthroplasty Paterson, K.L., Sosdian, L., Hinman, R.S., (...), Bennell, K.L. Clinical Biomechanics, 2017 https://www.scopus.com/pages/publications/85028979828?origin=scopusAI

44. Neuromuscular electrical stimulation (NMES) reduces structural and functional losses of quadriceps muscle and improves health status in patients with knee osteoarthritis Vaz, M.A., Baroni, B.M., Geremia, J.M., (...), Herzog, W. Journal of Orthopaedic Research, 2013 https://www.scopus.com/pages/publications/84874667533?origin=scopusAI

45. FEXO knee: A rehabilitation device for knee joint combining functional electrical stimulation with a compliant exoskeleton Ren, Y., Zhang, D. Proceedings of the IEEE RAS and EMBS International Conference on Biomedical Robotics and Biomechatronics, 2014 https://www.scopus.com/pages/publications/84918521673?origin=scopusAI

46. Quantifying Functional Electrical Stimulation-Induced Fatigue via Ultrasound for Hybrid Neuroprosthesis-Based Walking Lambeth, K., Iyer, A., Sharma, N. Proceedings of the IEEE RAS and EMBS International Conference on Biomedical Robotics and Biomechatronics, 2024 https://www.scopus.com/pages/publications/85208619643?origin=scopusAI

47. Model-Based Dynamic Control Allocation in a Hybrid Neuroprosthesis Kirsch, N.A., Bao, X., Alibeji, N.A., (...), Sharma, N. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018 https://www.scopus.com/pages/publications/85029485828?origin=scopusAI

48. MyoLink-4: Highly Integrated Channel Multiplexing sEMG-FES Device With Application to Motor Rehabilitation Gao, Y., Chen, J., Dai, Y., (...), Yang, D. IEEE Sensors Journal, 2026 https://www.scopus.com/pages/publications/105043604985?origin=scopusAI

49. Multi-Channel FES Gait Rehabilitation Assistance System Based on Adaptive sEMG Modulation Lu, C., Ge, R., Tang, Z., (...), Xu, X. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2023 https://www.scopus.com/pages/publications/85171599990?origin=scopusAI

50. Implementing Deep Learning models for Lower Limb Activity Prediction with sEMG signal Using Various Window Sizes Rani, G.J., Hashmi, M.F. 2024 15th International Conference on Computing Communication and Networking Technologies, ICCCNT 2024, 2024 https://www.scopus.com/pages/publications/85212871959?origin=scopusAI

51. sEMG-Based Lower Limb Motion Prediction Using CNN-LSTM with Improved PCA Optimization Algorithm Zhu, M., Guan, X., Li, Z., (...), Cai, K. Journal of Bionic Engineering, 2023 https://www.scopus.com/pages/publications/85140964165?origin=scopusAI

52. Motion Prediction Based on sEMG- Transformer for Lower Limb Exoskeleton Robot Control Zeng, M., Gu, J., Feng, Y. 2023 8th IEEE International Conference on Advanced Robotics and Mechatronics, ICARM 2023, 2023 https://www.scopus.com/pages/publications/85171552355?origin=scopusAI

53. An Intuitive, Bidirectional, and Adaptive Functional Electrical Stimulation System for Hand Rehabilitation Trout, M.A., Stanley, C.T., Saad, K.M., (...), George, J.A. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2026 https://www.scopus.com/pages/publications/105032783238?origin=scopusAI

54. Selective activation of the human tibial and common peroneal nerves with a flat interface nerve electrode Schiefer, M.A., Freeberg, M., Pinault, G.J.C., (...), Triolo, R.J. Journal of Neural Engineering, 2013

https://www.scopus.com/pages/publications/84885436098?origin=scopusAI

55. Switching control of functional electrical stimulation and motor assist for muscle fatigue compensation Kirsch, N., Alibeji, N., Dicianno, B.E., Sharma, N. Proceedings of the American Control Conference, 2016 https://www.scopus.com/pages/publications/84992111881?origin=scopusAI

56. Optimal Integration of Hybrid FES-Exoskeleton for Precise Knee Trajectory Control Jafaripour, M., Mushahwar, V., Tavakoli, M. IEEE International Conference on Intelligent Robots and Systems, 2024 https://www.scopus.com/pages/publications/85216466423?origin=scopusAI

57. An Online Actor-Critic Identifier with Sampled Fatigue Measurements for Optimal Adaptive Control of FES and an Electric motor Iyer, A., Singh, M., Zhang, Q., (...), Sharma, N. 2022 IEEE Conference on Control Technology and Applications, CCTA 2022, 2022 https://www.scopus.com/pages/publications/85144594461?origin=scopusAI

58. Shared Control of a Powered Exoskeleton and Functional Electrical Stimulation Using Iterative Learning Molazadeh, V., Zhang, Q., Bao, X., (...), Sharma, N. Frontiers in Robotics and AI, 2021 https://www.scopus.com/pages/publications/85119421007?origin=scopusAI

59. Development of a FES Knee Bending and Stretching Trike System with RISE-based Control and Its Experimental Verification Kushima, Y., Kawai, H., Murao, T., (...), Suzuki, R. IEEJ Transactions on Electronics, Information and Systems, 2020 https://www.scopus.com/pages/publications/85078856802?origin=scopusAI

60. Effects of neuromuscular electrical stimulation combined with exercises versus an exercise program on the pain and the function in patients with knee osteoarthritis: A randomized controlled trial Mizusaki Imoto, A., Peccin, S., Gomes Da Silva, K.N., (...), Fernandes Moça Trevisani, V. BioMed Research International, 2013 https://www.scopus.com/pages/publications/84884821930?origin=scopusAI

61. Effects of multiple motor point stimulation on knee joint torque compared with conventional functional electrical stimulation Kozlowski, B., Lim, D., Gladish, M., (...), Masani, K. BioMedical Engineering Online, 2026 https://www.scopus.com/pages/publications/105043987154?origin=scopusAI

62. Human movement training with a cable driven ARm EXoskeleton (CAREX) Mao, Y., Jin, X., Dutta, G.G., (...), Agrawal, S.K. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2015 https://www.scopus.com/pages/publications/84920903908?origin=scopusAI

63. Exo-Muscle: A Semi-Rigid Assistive Device for the Knee Zhang, Y., Ajoudani, A., Tsagarakis, N.G. IEEE Robotics and Automation Letters, 2021 https://www.scopus.com/pages/publications/85112637234?origin=scopusAI

64. Soft Scissor: A Cartilage-Inspired, Pneumatic Artificial Muscle for Wearable Devices Rahman, N., Diteesawat, R.S., Hoh, S., (...), Rossiter, J. IEEE Robotics and Automation Letters, 2025 https://www.scopus.com/pages/publications/85214569018?origin=scopusAI

65. Design and Preliminary Evaluation of a Variable Stiffness Knee Exoskeleton for Walking Assistance Liu, Y., Li, X., Yang, Q., Song, Q. 2025 5th International Conference on Robotics, Automation, and Artificial Intelligence, RAAI 2025, 2025 https://www.scopus.com/pages/publications/105035989120?origin=scopusAI

66. Design and Evaluation of a Novel Torque-Controllable Variable Stiffness Actuator with Reconfigurability Zhu, Y., Wu, Q., Chen, B., (...), Shao, Z. IEEE/ASME Transactions on Mechatronics, 2022 https://www.scopus.com/pages/publications/85102252971?origin=scopusAI

67. A Bionic Knee Exoskeleton Design with Variable Stiffness via Rope-Based Artificial Muscle Actuation Jin, S., Liu, B., Wang, Z. Biomimetics, 2025 https://www.scopus.com/pages/publications/105011417175?origin=scopusAI

68. Design Principles for Compact, Backdrivable Actuation in Partial-Assist Powered Knee Orthoses Zhu, H., Nesler, C., Divekar, N., (...), Gregg, R.D. IEEE/ASME Transactions on Mechatronics, 2021 https://www.scopus.com/pages/publications/85099733866?origin=scopusAI

69. Design and validation of a partial-assist knee orthosis with compact, backdrivable actuation Zhu, H., Nesler, C., Divekar, N., (...), Gregg, R.D. IEEE International Conference on Rehabilitation Robotics, 2019 https://www.scopus.com/pages/publications/85071172090?origin=scopusAI

70. Design, modelling and control of an active weight-bearing knee exoskeleton with a series elastic actuator Freitas, B., Silva, M., Carvalho, Ó., (...), Espregueira-Mendes, J. 6th IEEE Portuguese Meeting on Bioengineering, ENBENG 2019 - Proceedings, 2019 https://www.scopus.com/pages/publications/85065493534?origin=scopusAI

71. Control of a robotic knee exoskeleton for assistance and rehabilitation based on motion intention from sEMG Villa-Parra, A.C., Delisle-Rodriguez, D., Botelho, T., (...), Bastos, T.F. Research on Biomedical Engineering, 2018 https://www.scopus.com/pages/publications/85055049788?origin=scopusAI

72. Simulation of impedance control applied to lower limb exoskeletons: Assessment of its effectiveness in assisting disabled people during gait swing phase Mosconi, D., Siqueira, A.A.G. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS, 2021 https://www.scopus.com/pages/publications/85122520829?origin=scopusAI

73. Evaluation of a Fuzzy-Based Impedance Control Strategy on a Powered Lower Exoskeleton Tran, H.T., Cheng, H., Rui, H., (...), Chen, Q.M. International Journal of Social Robotics, 2016 https://www.scopus.com/pages/publications/84957536062?origin=scopusAI

74. Influence of Hip Joint Exoskeleton Admittance Parameters on Hemiplegic Gait Rehabilitation Yang, W., Fang, J., Yan, Z., (...), Hu, D. Tianjin Daxue Xuebao (Ziran Kexue yu Gongcheng Jishu Ban)/Journal of Tianjin University Science and Technology, 2025 https://www.scopus.com/pages/publications/105008377929?origin=scopusAI

75. Application of Fuzzy Adaptive Impedance Control Based on Backstepping Method for PAM Elbow Exoskeleton in Rehabilitation Zhao, Z., Hou, X., Shan, D., (...), Hao, L. Polymers, 2024 https://www.scopus.com/pages/publications/85213260947?origin=scopusAI

76. Fuzzy Sliding Mode Control for Dynamic Walking Assistance in Lower Limb Exoskeletons Hailemariam Gebrecherkos, T., Gebrehiwot Berhe, A., Gurusamy, S., Abdissa, C.M. IEEE Access, 2025 https://www.scopus.com/pages/publications/105015446119?origin=scopusAI

77. Optimal Walking Assistance Control of Lower Limb Exoskeleton Using Adaptive Learning Approach Peng, Z., Luo, R., Hu, J., (...), Kiong Nguang, S. Chinese Control Conference, CCC, 2020 https://www.scopus.com/pages/publications/85091401292?origin=scopusAI

78. Virtual Impedance Adaptation of Lower-Limb Exoskeleton for Human Performance Augmentation Based on Deep Reinforcement Learning Zheng, R., Yu, Z., Liu, H., (...), Jia, L. Chinese Journal of Mechanical Engineering (English Edition), 2025 https://www.scopus.com/pages/publications/105018585176?origin=scopusAI

79. A hybrid EMG–EEG interface for robust intention detection and fatigue-adaptive control of an elbow rehabilitation robot Abdallah, I.B., Bouteraa, Y., Alotaibi, A. Scientific Reports, 2025 https://www.scopus.com/pages/publications/105022227018?origin=scopusAI

80. Parallel Elastic Self-Alignment Mechanism Enhances Energy Efficiency and Reduces Misalignment in a Powered Knee Exoskeleton Zhang, J., Zhu, A., Song, J., (...), Li, X. IEEE Transactions on Biomedical Engineering, 2025 https://www.scopus.com/pages/publications/85204447786?origin=scopusAI

81. Design of the Planar Compliant Five-bar Mechanism for Self-aligning Knee Exoskeleton Niu, Y., Song, Z., Dai, J.S. 2018 International Conference on Reconfigurable Mechanisms and Robots, ReMAR 2018 - Proceedings, 2018 https://www.scopus.com/pages/publications/85053932711?origin=scopusAI

82. Feasibility of neuromuscular electrical stimulation for knee osteoarthritis in older women: A double-blind randomized controlled trial Constantino Silva, J.C., Ribeiro, J.G., Bitar, W.M., (...), de Souza Bezerra, E. Journal of Bodywork and Movement Therapies, 2026 https://www.scopus.com/pages/publications/105029263669?origin=scopusAI

83. Neuromuscular electrical stimulation in the treatment of knee osteoarthritis: A systematic review and meta-analysis Giggins, O.M., Fullen, B.M., Coughlan, G.F. Clinical Rehabilitation, 2012 https://www.scopus.com/pages/publications/84866395405?origin=scopusAI

84. Efficacy of neuromuscular electrical stimulation on pain of patients with knee osteoarthritis: A meta-analysis Xie, D.-X., Wang, Y.-L., Li, H., (...), Lei, G.-H. Chinese Journal of Tissue Engineering Research, 2014 https://www.scopus.com/pages/publications/84942134415?origin=scopusAI

85. A controlled randomized trial with a 12-week follow-up investigating the effects of medium-frequency neuromuscular electrical stimulation on pain, VMO thickness, and functionality in patients with knee osteoarthritis Moezy, A., Masoudi, S., Nazari, A., Abasi, A. BMC Musculoskeletal Disorders, 2024 https://www.scopus.com/pages/publications/85185454708?origin=scopusAI

86. The effect of adding neuromuscular electrical stimulation to exercise therapy on patellofemoral pain: A systematic review and meta-analysis Zheng, J., Wei, Z., Zuo, H., (...), Chen, J. PLOS ONE, 2025 https://www.scopus.com/pages/publications/105008825002?origin=scopusAI

87. The effectiveness of peroneal nerve stimulation combined with neuromuscular electrical stimulation in the management of knee osteoarthritis: A randomized controlled single-blind study Yeşilöz, Ö., Aksoy, M.K. Turkish Journal of Physical Medicine and Rehabilitation, 2023 https://www.scopus.com/pages/publications/85171134488?origin=scopusAI

88. Neuromuscular exercise with neuromuscular electrical stimulation in knee osteoarthritis: A randomised controlled pilot trial Sabharwal, J., Joshi, S. Advances in Rehabilitation, 2022 https://www.scopus.com/pages/publications/85146734381?origin=scopusAI

89. Human-Exoskeleton Interaction During Knee Flexion-Extension Under Different Configurations of Robot Assistance-Resistance Mosconi, D., Moreno, Y., Siqueira, A. Lecture Notes in Networks and Systems, 2024 https://www.scopus.com/pages/publications/85181982440?origin=scopusAI

90. Effect of Assistance Using a Bilateral Robotic Knee Exoskeleton on Tibiofemoral Force Using a Neuromuscular Model McLain, B.J., Lee, D., Mulrine, S.C., Young, A.J. Annals of Biomedical Engineering, 2022 https://www.scopus.com/pages/publications/85127247898?origin=scopusAI

91. User and Environmental Context Adaptive Knee Exoskeleton Assistance using Electromyography Lee, D., Kang, I., Kogler, G.F., (...), Young, A.J. 2023 International Symposium on Medical Robotics, ISMR 2023, 2023 https://www.scopus.com/pages/publications/85161822651?origin=scopusAI

92. Design and Evaluation of a Self-Aligning Knee Exoskeleton for Knee Extension Assistance during Walking Liu, Z., Yin, W., Han, J., Zhang, J. Proceedings - 2022 37th Youth Academic Annual Conference of Chinese Association of Automation, YAC 2022, 2022 https://www.scopus.com/pages/publications/85147956665?origin=scopusAI

93. Design and Modeling of a Modular Cable-Driven Lower-Limb Exoskeleton with Compact Torque Sensors Yao, J., Fu, Z., Yang, X., (...), Guo, Z. Lecture Notes in Computer Science, 2026 https://www.scopus.com/pages/publications/105020808437?origin=scopusAI

94. A Review of Control Methods in Lower Limb Exoskeleton Robots: From Classical to Machine Learning Approaches Foroutannia, A., Mohammadian, M., Munasinghe, K. ICHORA 2025 - 2025 7th International Congress on Human-Computer Interaction, Optimization and Robotic Applications, Proceedings, 2025 https://www.scopus.com/pages/publications/105008421219?origin=scopusAI

95. Design, modeling, and experimental evaluation of a fuzzy-controlled 2DOF knee exoskeleton for gait rehabilitation Iravani Rad, M.A., Mokhtarian, A., Karimi, M.T., Toghraie, D. Biomedical Signal Processing and Control, 2026 https://www.scopus.com/pages/publications/105029600342?origin=scopusAI

96. Deep learning for biosignal control: Insights from basic to real-time methods with recommendations Dillen, A., Steckelmacher, D., Efthymiadis, K., (...), De Pauw, K. Journal of Neural Engineering, 2022 https://www.scopus.com/pages/publications/85125549096?origin=scopusAI

97. NIMS-PL: A cable-driven robot with self-calibration capabilities Borgstrom, P.H., Jordan, B.L., Borgstrom, B.J., (...), Kaiser, W.J. IEEE Transactions on Robotics, 2009 https://www.scopus.com/pages/publications/70350212395?origin=scopusAI

98. Dynamic Modeling and State Estimation of Cable-Conduit Actuation during Interaction with Nonpassive Environments Buchanan, S., Sergi, F. IEEE/ASME Transactions on Mechatronics, 2021 https://www.scopus.com/pages/publications/85097153159?origin=scopusAI

99. Review of multidimensional wheel force measurement technology: sensing principles, decoupling calibration, dynamic processing and applications Feng, L., Zhang, H., Wang, D., (...), Song, A. Sensor Review, 2026 https://www.scopus.com/pages/publications/105048749376?origin=scopusAI

100. “Are we there yet?” expectations and experiences with lower limb robotic exoskeletons: a qualitative evaluation of the therapist perspective Postol, N., Barton, J., Wakely, L., (...), Marquez, J. Disability and Rehabilitation, 2024 https://www.scopus.com/pages/publications/85149485143?origin=scopusAI

101. A Survey on Design and Control Methodologies of High- Torque-Density Joints for Compliant Lower-Limb Exoskeleton Xu, J., Chen, S., Li, S., (...), Zhang, C. Sensors, 2025 https://www.scopus.com/pages/publications/105010307746?origin=scopusAI

102. A Magnetically-Coupled Cable-Driven Pediatric Knee Orthosis for Community Ambulation Wiebrecht, J.J., Strick, J.A., Farris, R.J., Sawicki, J.T. Proceedings of the IEEE RAS and EMBS International Conference on Biomedical Robotics and Biomechatronics, 2026 https://www.scopus.com/pages/publications/105051680631?origin=scopusAI