Experiment No:7

## ex.html file

```html
<> ex7.html > html > table > tr > td
1   <!DOCTYPE html>
2   <html ng-app = "myapp">
3       <script src = "angular.min.js"></script>
4       <script src = "testmodule.js"></script>
5       <body ng-controller = "myFirst">
6       </body>
7       <table border="1" align="center">
8           <tr>
9               <th>Date</th>
10              <th>Description</th>
11          </tr>
12          <tr>
13              <td>First Name</td>
14              <td><input type="text" ng-model="fname"></td>
15          </tr>
16          <tr>
17              <td>Last Name</td>
18              <td><input type="text" ng-model="lname"></td>
19          </tr>
20          <tr>
21              <td>Full Name</td>
22              <td>{{FullName()}}</td>
23          </tr>
24          <tr>
25              <td>Marks</td>
26              <td>
27                  <table border="1">
28                      <tr>
29                          <th>subject</th>
30                          <th>marks</th>
31                      </tr>
```

```html
32                      <tr ng-repeat = "ss in subjects">
33                          <td>{{ss.subject}}</td>
34                          <td>{{ss.marks}}</td>
35                      </tr>
36                  </table>
37              </td>
38          </tr>
39          <td colspan="2" align="center"><input type='button' value='click' ng-click = 'next()'></td>
40      </table>
41  </html>
```

test.html

```html
<> test.html > html > body > h2
1   <html>
2       <body>
3           <h2 align="center">This is WEBX Experiment</h2>
4       </body>
5   </html>
```

testmodule.js

```js
JS testmodule.js > ...
 1    var test = angular.module("myapp",[]);
 2    test.controller("myFirst",function($scope,$window){
 3      $scope.fname = "Aditi";
 4      $scope.lname = "Amale";
 5      $scope.FullName = function(){
 6        return $scope.fname + " " + $scope.lname;
 7      }
 8      $scope.next = function(){
 9        $window.location.href = "test.html"
10      }
11      $scope.subjects = [
12        {
13          subject : "CNND",
14          marks : 60
15        },
16        {
17          subject : "IP",
18          marks : 61
19        }
20      ];
21    })
```

Output:

Date	Description
First Name	Aditi
Last Name	Amale
Full Name	Aditi Amale
Marks	<table><tr><td>subject</td><td>marks</td></tr><tr><td>CNND</td><td>60</td></tr><tr><td>IP</td><td>61</td></tr></table>

click

This is WEBX Experiment