```
<!DOCTYPE html>
<html>
<head>
<title>Tabbed Form</title>
 <style>
  .tab {
  display: none;
  }
</style>
</head>
<body>
 <div class="tab">
  <h2>Tab 1</h2>
  <form>
   <label for="name">Name:</label>
   <input type="text" id="name" name="name"><br><br>
   <label for="email">Email:</label>
   <input type="email" id="email" name="email"><br><br>
  </form>
 </div>
 <div class="tab">
  <h2>Tab 2</h2>
  <form>
   <label for="age">Age:</label>
   <input type="number" id="age" name="age"><br><br>
   <label for="phone">Phone:</label>
   <input type="tel" id="phone" name="phone"><br><br>
  </form>
 </div>
```

```
<div class="tab">
<h2>Tab 3</h2>
<form>
 <label for="address">Address:</label>
 <input type="text" id="address" name="address"><br><br>
 <label for="city">City:</label>
 <input type="text" id="city" name="city"><br><br>
</form>
</div>
<button onclick="nextTab()">Next</button>
<script>
var currentTab = 0;
showTab(currentTab);
function showTab(n) {
 var tabs = document.getElementsByClassName("tab");
 tabs[n].style.display = "block";
 if (n === 0) {
   document.getElementById("prevBtn").style.display = "none";
  } else {
   document.getElementById("prevBtn").style.display = "inline";
 }
  if (n === tabs.length - 1) {
   document.getElementById("nextBtn").innerHTML = "Submit";
  } else {
   document.getElementById("nextBtn").innerHTML = "Next";
```

```
}
  }
  function nextTab() {
   var tabs = document.getElementsByClassName("tab");
   if (currentTab === tabs.length - 1) {
    // Submit the form
    document.forms[0].submit();
    return false;
   }
   tabs[currentTab].style.display = "none";
   currentTab++;
   showTab(currentTab);
  }
  function prevTab() {
   var tabs = document.getElementsByClassName("tab");
   tabs[currentTab].style.display = "none";
   currentTab--;
   showTab(currentTab);
  }
</script>
</body>
</html>
```