

 Print / Save as PDF

Zoneomics Report: 1590 Madrono AV

Zone R-1 · Single Family Residential · Residential / Single Family

City: Palo Alto · City ID: 295 · Last Updated: 2026-03-16 · Lat: 37.4324303 · Lng: -122.1521906

ZONE DETAILS

Zone Code	R-1
Zone Name	Single Family Residential
Zone Type	Residential
Zone Sub-Type	Single Family
Ordinance Link	https://codelibrary.amlegal.com/codes/paloalto/latest/paloalto_ca/o-o-0-76269

The R-1 single family residential district is intended to create, preserve, and enhance areas suitable for detached dwellings with a strong presence of nature and with open area affording maximum privacy and opportunities for outdoor living and childrens play.

PERMITTED LAND USES

as_of_right

- Accessory dwelling units
- Accessory facilities and uses customarily incidental to permitted uses with no more than two plumbing fixtures and no kitchen facility or of a size less than or equal to 200 square feet
- Home occupations when accessory to permitted residential uses
- Horticulture gardening and growing of food products for consumption by occupants of the site
- Junior accessory dwelling unit
- Large family day care homes
- Mobile homes
- Multiple family
- Residential care homes
- Single family
- Small adult day care homes
- Small family day care homes
- Two family use under one ownership

conditional_uses

- Accessory facilities and uses customarily incidental to permitted uses with more than two plumbing fixtures (but with no kitchen) and in excess of 200 square feet in size but excluding second dwelling units
- Churches and religious institutions
- Community centers
- Day care centers
- Large adult day care homes
- Outdoor recreation services
- Private educational facilities
- Utility facilities essential to provision of utility services to the neighborhood but excluding business offices construction or storage yards maintenance facilities or corporation yards

prohibited

- Safe parking

Use Flags

FIELD	VALUE
single_family_permitted	true
two_family_permitted	true
multi_family_permitted	true
commercial_uses_permitted	false
industrial_uses_permitted	false
adu_local_permitted	true
adu_state_permitted	null
short_term_rentals_permitted	null

CONDITIONAL CONTROLS***max_far*** type: conditional

CONDITION	VALUE
First 5,000 sq ft of lot	0.45
Lot area in excess of 5,000 sq ft	0.3
best_case_value	0.45
worst_case_value	0.3

max_coverage type: conditional

CONDITION	VALUE
Single story development	Equivalent to maximum allowable floor area ratio
With (S) Combining	Equivalent to maximum allowable floor area ratio
The covering of a court is exempt from the calculation of site coverage provided that the court existed prior to July 20, 1978	null
Multiple story development	35
Additional area permitted to be covered by a patio or overhang	5
best_case_value	35
worst_case_value	5

min_side_yard_ft type: conditional

CONDITION	VALUE
Interior side	6
Street side	16
best_case_value	6
worst_case_value	16

max_building_height_ft type: conditional

CONDITION	VALUE
base height	30
Maximum Height for buildings with a roof pitch of 12:12 or greater	33
special flood hazard area - max (context 1)	33
(S) Combining	17
special flood hazard area - max (context 2)	20
best_case_value	33
worst_case_value	17

Fixed Controls

FIELD	TYPE	VALUE
min_lot_width_ft	fixed	60
min_rear_yard_ft	fixed	20
min_front_yard_ft	fixed	NA
min_lot_area_sq_ft	fixed	9999
min_side_yard_both_ft	fixed	NA
open_space_percentage	fixed	NA
max_density_du_per_acre	fixed	1
min_side_yard_at_least_one_ft	fixed	NA
private_open_space_percentage	fixed	NA
min_landscaped_space_percentage	fixed	NA
max_impervious_coverage_percentage	fixed	NA

ZONE DETAIL CONTROLS

far_standard

SUB-FIELD	FIELD	VALUE
standard	max_far	STF
non-standard	maximum_floor_area_ratio	First 5000 square feet of lot size: 0.45, Square footage of lot size in excess of 5000 square feet: 0.30

lot_standard

SUB-FIELD	FIELD	VALUE
standard	min_lot_area_sq_ft	9999
non-standard	minimum_site_depth_ft	100
non-standard	minimum_lot_area_sq_ft	Site Area: (All lots except flag lots: 6000), Lot area: 9999

density_standard

SUB-FIELD	FIELD	VALUE
standard	max_density_du_per_acre	1
non-standard	maximum_density_du_per_acre	1 du
non-standard	minimum_residential_density_sq_ft	NA

coverage_standard

SUB-FIELD	FIELD	VALUE
standard	max_coverage	STF
standard	max_impervious_coverage_percentage	NA
non-standard	maximum_coverage_percent	Single story development: Equivalent to maximum allowable floor area ratio, With (S) Combining: Equivalent to maximum allowable floor area ratio, The covering of a court is exempt from the calculation of site coverage provided that the court existed prior to July 20, 1978, Multiple story development: 35, Additional area permitted to be covered by a patio or overhang: 5
non-standard	maximum_impervious_coverage_percentage	NA

building_height_standard

SUB-FIELD	FIELD	VALUE
standard	max_building_height_ft	STF
non-standard	maximum_building_height_ft	30, Maximum Height for buildings with a roof pitch of 12:12 or greater: 33, In a special flood hazard area the maximum heights are increased by one-half of the increase in elevation required to reach base flood elevation, up to a maximum building height of 33, With (S) Combining: 17, limited to one habitable floor, Habitable floors include lofts, mezzanines, and similar areas with interior heights of 5 or more from the roof to the floor, but shall exclude finished basements and shall exclude attics that have no stairway or built-in access, special flood hazard area, the maximum height is increased by one-half of the increase in elevation required to reach base flood elevations, up to a maximum building height of 20 feet

front_setback_standard

SUB-FIELD	FIELD	VALUE
standard	min_front_yard_ft	STF
non-standard	minimum_front_yard_ft	Contextual

rear_setback_standard

SUB-FIELD	FIELD	VALUE
standard	min_rear_yard_ft	20
non-standard	minimum_rear_yard_ft	20

side_setback_standard

SUB-FIELD	FIELD	VALUE
standard	min_side_yard_ft	STF
standard	min_side_yard_both_ft	NA
standard	min_side_yard_at_least_one_ft	NA
non-standard	minimum_side_yard_ft	Interior side: 6, Street side: 16

lot_width_standard

SUB-FIELD	FIELD	VALUE
standard	min_lot_width_ft	60
non-standard	minimum_lot_width_ft	60

multi_standard

SUB-FIELD	FIELD	VALUE
non-standard	minimum_setback_ft	NA
non-standard	minimum_built_to_line	NA

pervious_standard

SUB-FIELD	FIELD	VALUE
standard	open_space_percentage	NA
standard	private_open_space_percentage	NA
standard	min_landscaped_space_percentage	NA
non-standard	minimum_usable_open_space_sq_ft	NA
non-standard	minimum_common_open_space_percent	NA
non-standard	minimum_private_open_space_percent	NA
non-standard	minimum_landscaped_space_percentage	NA

assorted – non-standard

FIELD	VALUE
daylight_plane_ft	Side Yard Daylight Plane excludes street side yards: (Initial height: 10 feet at interior side lot line, Angles: 45, If the site is in a special flood hazard area and is entitled to an increase in the maximum height, the heights for the daylight planes shall be adjusted by the same amount), Rear Yard Daylight Plane: (Initial height: 16 feet at rear setback line, Angle: 60, If the site is in a special flood hazard area and is entitled to an increase in the maximum height, the heights for the daylight planes shall be adjusted by the same amount)
maximum_floor_area_sq_ft	NA
maximum_house_size_sq_ft	6000, The gross floor area of attached garages are included in the calculation of maximum house size, If there is no garage attached to the house, then the square footage of one detached covered parking space shall be included in the calculation
additional_floor_area_sq_ft	NA
maximum_weighted_residential_unit_sq_ft	NA

PARCEL (ZONEDETAILPARCELS)

FIELD	VALUE
apn	12424051
address	1590 Madrono AV
lat	37.432407733295996
lng	-122.15218469089903
area	718.42
area_unit	sq.yds
land_use	null
owner_info.owner_name	NA
owner_info.owner_address	NA

Source: Zoneomics API · conditionalControls, zoneDetail, zoneDetailParcels · Last updated: 2026-03-16 · City ID: 295