

Experiment 5

EMPLOYEES (Employee_Id, First_Name, Last_Name, Email, Phone_Number, Hire_Date, Job_Id, Salary, Commission_Act, Manager_Id, Department_Id)

CREATE database emp;

use emp;

CREATE TABLE EMPLOYEES (

Employee_Id INT PRIMARY KEY,

First_Name VARCHAR(50),

Last_Name VARCHAR(50),

Email VARCHAR(100),

Phone_Number VARCHAR(20),

Hire_Date DATE,

Job_Id VARCHAR(20),

Salary INT,

Commission_Act DECIMAL(5,2),

Manager_Id INT,

Department_Id INT

);

INSERT INTO EMPLOYEES VALUES

(101, 'John', 'Smith', 'john.smith@email.com', '9876543210', '2020-01-15', 'IT_PROG', 6000, NULL, 100, 60),

(102, 'Sara', 'Connor', 'sara.connor@email.com', '9876543211', '2019-03-10', 'HR_REP', 4500, NULL, 101, 70),

(103, 'Mike', 'Austin', 'mike.austin@email.com', '9876543212', '2021-06-20', 'SA_REP', 5000, 0.10, 100, 80),

(104, 'Emma', 'Watson', 'emma.watson@email.com', '9876543213', '2018-11-05', 'IT_PROG', 7000, NULL, 101, 60),

(105, 'Liam', 'Brown', 'liam.brown@email.com', '9876543214', '2022-02-18', 'SA_REP', 4800, 0.15, 102, 80),

(106, 'Olivia', 'Davis', 'olivia.davis@email.com', '9876543215', '2020-07-25', 'HR_REP', 4200, NULL, 101, 70),

(107, 'Noah', 'Wilson', 'noah.wilson@email.com', '9876543216', '2017-09-30', 'TT_PROG', 8000, NULL, 100, 60),

(108, 'Ava', 'Taylor', 'ava.taylor@email.com', '9876543217', '2019-12-11', 'SA_REP', 4700, 0.12, 102, 80),

(109, 'Ethan', 'Anderson', 'ethan.anderson@email.com', '9876543218', '2021-04-14', 'TT_PROG', 5200, NULL, 101, 60),

(110, 'Sophia', 'Thomas', 'sophia.thomas@email.com', '9876543219', '2018-08-19', 'HR_REP', 4600, NULL, 100, 70),

(111, 'James', 'Jackson', 'james.jackson@email.com', '9876543220', '2020-05-23', 'SA_REP', 4900, 0.20, 102, 80),

(112, 'Isabella', 'White', 'isabella.white@email.com', '9876543221', '2019-01-30', 'TT_PROG', 6100, NULL, 101, 60),

(113, 'Lucas', 'Harris', 'lucas.harris@email.com', '9876543222', '2022-03-12', 'HR_REP', 4300, NULL, 100, 70),

(114, 'Mia', 'Martin', 'mia.martin@email.com', '9876543223', '2021-10-07', 'SA_REP', 5100, 0.18, 102, 80),

(115, 'William', 'Austin', 'william.austin@email.com', '9876543224', '2020-12-01', 'TT_PROG', 7500, NULL, 100, 60);

(a) Find out the employee id, names, salaries of all the employees

```
SELECT Employee_Id, First_Name, Last_Name, Salary
FROM EMPLOYEES;
```

Result Grid

Filter Rows:

Edit:

Export/Import:

	Employee_Id	First_Name	Last_Name	Salary
▶	101	John	Smith	6000
	102	Sara	Connor	4500
	103	Mike	Austin	5000
	104	Emma	Watson	7000
	105	Liam	Brown	4800
	106	Olivia	Davis	4200
	107	Noah	Wilson	8000
	108	Ava	Taylor	4700
	109	Ethan	Anderson	5200
	110	Sophia	Thomas	4600
	111	James	Jackson	4900
	112	Isabella	White	6100
	113	Lucas	Harris	4300
	114	Mia	Martin	5100
	115	William	Austin	7500
✱	NULL	NULL	NULL	NULL

EMPLOYEES 1

×

EMPLOYEES 2

EMPLOYEES 3


EMPLOYEES 4

EMPLOYEES 5

EMPL

(b) List out the employees who works under manager 100

```
SELECT *  
FROM EMPLOYEES  
WHERE Manager_Id = 100;
```




The screenshot shows a database query result grid with the following columns: Employee_Id, First_Name, Last_Name, Email, Phone_Number, Hire_Date, Job_Id, Salary, Commission_Act, Manager_Id, and Department_Id. The results are filtered to show only employees whose Manager_Id is 100. The data is as follows:

Employee_Id	First_Name	Last_Name	Email	Phone_Number	Hire_Date	Job_Id	Salary	Commission_Act	Manager_Id	Department_Id
101	John	Smith	john.smith@email.com	9876543210	2020-01-15	IT_PROG	6000	NULL	100	60
103	Mike	Austin	mike.austin@email.com	9876543212	2021-06-20	SA_REP	5000	0.10	100	80
107	Noah	Wilson	noah.wilson@email.com	9876543216	2017-09-30	IT_PROG	8000	NULL	100	60
110	Sophia	Thomas	sophia.thomas@email.com	9876543219	2018-08-19	HR_REP	4600	NULL	100	70
113	Lucas	Harris	lucas.harris@email.com	9876543222	2022-03-12	HR_REP	4300	NULL	100	70
115	William	Austin	william.austin@email.com	9876543224	2020-12-01	IT_PROG	7500	NULL	100	60
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

(c) Find the names of the employees who have a salary greater than or equal to 4800

```
SELECT First_Name, Last_Name  
FROM EMPLOYEES  
WHERE Salary >= 4800;
```



The screenshot shows a database query result grid with the following columns: First_Name and Last_Name. The results are filtered to show only employees whose Salary is greater than or equal to 4800. The data is as follows:

First_Name	Last_Name
John	Smith
Mike	Austin
Emma	Watson
Liam	Brown
Noah	Wilson
Ethan	Anderson
James	Jackson
Isabella	White
Mia	Martin
William	Austin

(d) List out the employees whose last name is 'AUSTIN'

SELECT *

FROM EMPLOYEES


WHERE Last_Name = 'AUSTIN';

Result Grid											
Filter Rows:											
Edit: Export/Import: Wrap Cell Content:											
	Employee_Id	First_Name	Last_Name	Email	Phone_Number	Hire_Date	Job_Id	Salary	Commission_Act	Manager_Id	Department_Id
▶	103	Mike	Austin	mike.austin@email.com	9876543212	2021-06-20	SA_REP	5000	0.10	100	80
	115	William	Austin	william.austin@email.com	9876543224	2020-12-01	IT_PROG	7500	NULL	100	60
•	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

EMPLOYEES 1	EMPLOYEES 2	EMPLOYEES 3	EMPLOYEES 4 x	EMPLOYEES 5	EMPLOYEES 6	Apply
-------------	-------------	-------------	---------------	-------------	-------------	-------

(e) Find the names of the employees who works in departments 60,70 and 80

```
SELECT First_Name, Last_Name  
FROM EMPLOYEES  
WHERE Department_Id IN (60, 70, 80);
```




The screenshot shows a database query result grid. The grid has two columns: 'First_Name' and 'Last_Name'. The data is as follows:

	First_Name	Last_Name
▶	John	Smith
	Sara	Connor
	Mike	Austin
	Emma	Watson
	Liam	Brown
	Olivia	Davis
	Noah	Wilson
	Ava	Taylor
	Ethan	Anderson
	Sophia	Thomas
	James	Jackson
	Isabella	White
	Lucas	Harris
	Mia	Martin
	William	Austin

At the bottom of the grid, there are tabs labeled 'EMPLOYEES 1', 'EMPLOYEES 2', 'EMPLOYEES 3', 'EMPLOYEES 4', and 'EMPLOYEES 5' with a close button 'x'.

(f) Display the unique Manager_Id

```
SELECT DISTINCT Manager_Id  
FROM EMPLOYEES;
```



The screenshot shows a database query result grid. The grid has one column: 'Manager_Id'. The data is as follows:

	Manager_Id
▶	100
	101
	102