



K.R. MANGALAM UNIVERSITY

**Database Management Lab File
(ENCS205)**

**Bachelor of Technology
in
Computer Science and Engineering**

**Submitted by
Aditya Bhatia (2401010030)**

B. Tech CSE (Core) – 4 Semester

**Submitted To:
MS. Mansi Kajal**

School of Engineering & Technology

**K. R. MANGALAM UNIVERSITY Sohna, Haryana 122103,
India Jan-2026**

QUESTION : Assignment 4

Consider the following table: Table: CLASS

ID	Name
1	Bravo
2	Alex
4	Cheng

Give the output of the following SQL script:

- **INSERT INTO class VALUES (5,'Rahul');**
- **COMMIT;**
- **UPDATE class SET name = 'Abhijeet' WHERE id= '5';**
- **SAVEPOINT A;**
- **INSERT INTO class VALUES (6, 'Chris');**
- **SAVEPOINT B;**
- **INSERT INTO class VALUES (7, 'Bravo');**
- **SAVEPOINT C**
- **SELECT * FROM class;**
- **ROLLBACK TO B;**
- **SELECT * FROM class;**
- **ROLLBACK TO A;**

CODE :

SET autocommit = 0;

```
CREATE TABLE class (
    id INT,
    name VARCHAR(50)
);
```

```
INSERT INTO class VALUES (1,'Bravo');
INSERT INTO class VALUES (2,'Alex');
INSERT INTO class VALUES (4,'Cheng');
```

```
INSERT INTO class VALUES (5,'Rahul');
COMMIT;
```

```
UPDATE class SET name='Abhijeet' WHERE id='5';
```

```
SAVEPOINT A;
```

```
INSERT INTO class VALUES (6,'Chris');
```

```
SAVEPOINT B;
```

```
INSERT INTO class VALUES (7,'Bravo');
```

```
SAVEPOINT C;
```

SELECT * FROM class;

ROLLBACK TO B;

SELECT * FROM class;

ROLLBACK TO A;

Table :

Result Grid		
	id	name
▶	1	Bravo
	2	Alex
	4	Cheng
	5	Abhijeet
	6	Chris
●	NULL	NULL

Assignment (4.2)

Consider the following table: Table: ACCOUNT_TXN

Acc_ID	Holder_Name	Balance
101	Aman	5000
102	Bhavna	7000
103	Chirag	6000

Perform the following TCL-based SQL script and write the output after each SELECT statement:

CODE :

SET autocommit = 0;

DROP TABLE IF EXISTS ACCOUNT_TXN;

```
CREATE TABLE ACCOUNT_TXN (  
    Acc_ID INT PRIMARY KEY,  
    Holder_Name VARCHAR(50),  
    Balance INT  
);
```

```
INSERT INTO ACCOUNT_TXN VALUES  
(101,'Aman',5000),  
(102,'Deepak',7000),  
(103,'Chirag',6000);
```

SELECT * FROM ACCOUNT_TXN;

START TRANSACTION;

INSERT INTO ACCOUNT_TXN VALUES (104,'Diya',4000);

SAVEPOINT S1;

UPDATE ACCOUNT_TXN SET Balance = Balance + 1500 WHERE Acc_ID = 101;

UPDATE ACCOUNT_TXN SET Balance = Balance - 1000 WHERE Acc_ID = 102;

SAVEPOINT S2;

DELETE FROM ACCOUNT_TXN WHERE Acc_ID = 103;

INSERT INTO ACCOUNT_TXN VALUES (105,'Eshan',3000);

SAVEPOINT S3;

UPDATE ACCOUNT_TXN SET Holder_Name = 'Bhavna Sharma' WHERE Acc_ID = 102;

SELECT * FROM ACCOUNT_TXN;

ROLLBACK TO S2;

SELECT * FROM ACCOUNT_TXN;

INSERT INTO ACCOUNT_TXN VALUES (106,'Farah',4500);

SAVEPOINT S4;

**UPDATE ACCOUNT_TXN SET Balance = Balance + 500
WHERE Acc_ID IN (101,104);**

SELECT * FROM ACCOUNT_TXN;

ROLLBACK TO S4;

SELECT * FROM ACCOUNT_TXN;

COMMIT;

OUTPUT :

Result Grid			
	Acc_ID	Holder_Name	Balance
▶	101	Aman	6500
	102	Deepak	6000
	103	Chirag	6000
	104	Diya	4000
	106	Farah	4500
•	NULL	NULL	NULL