#### **Files**

hangman	Language	files	blank	comment	code
<pre> hangman.db hangman.py static bootstrap.min.css bootstrap.min.js jquery.min.js main.css main.js templates game.html home.html index.html words.txt</pre>	HTML	3	12	3	115
	Python	1	28	6	68
	Javascript	3	8	13	30
	CSS	2	6	6	19

### hangman.py

```
1
   import random
 2
 3 import flask
 4 from flask sqlalchemy import SQLAlchemy
 6 app = flask.Flask( name )
 7
 8 # Database
 9
   app.config['SQLALCHEMY_DATABASE_URI'] = 'sqlite:///hangman.db'
10
11
   db = SQLAlchemy(app)
12
13 # Model
14
15
   def random id():
16
        return random.randint(1e9, 1e10)
17
18 def random_word():
       words = [line.strip() for line in open('words.txt') if len(line) > 10]
19
20
        return random.choice(words).upper()
21
22 class Game(db.Model):
23
        id = db.Column(db.Integer, primary_key=True, default=random_id)
24
       word = db.Column(db.String(50), default=random_word)
25
        tried = db.Column(db.String(50), default='')
26
        player = db.Column(db.String(50))
27
28
        def
             init (self, player):
29
          self.player = player
30
31
        @property
32
        def errors(self):
33
            return ''.join(set(self.tried) - set(self.word))
34
35
        @property
36
        def current(self):
            return ''.join([c if c in self.tried else ' ' for c in self.word])
37
38
39
        @property
40
        def points(self):
41
            return 100 + 2*len(set(self.word)) + len(self.word) - 10*len(self.errors)
```

```
42
 43
        # Play
 44
 45
        def try letter(self, letter):
             if not self.finished and letter not in self.tried:
 46
 47
                 self.tried += letter
 48
                 db.session.commit()
 49
 50
        # Game status
51
52
        @property
53
        def won(self):
 54
             return self.current == self.word
55
56
        @property
 57
        def lost(self):
 58
             return len(self.errors) == 6
59
60
        @property
        def finished(self):
61
62
             return self.won or self.lost
63
64
 65 # Controller
 66
 67
    @app.route('/')
68 def home():
 69
        games = sorted(
 70
             [game for game in Game.query.all() if game.won],
 71
             key=lambda game: -game.points)[:10]
72
         return flask.render template('home.html', games=games)
 73
 74 @app.route('/game/new')
 75
    def new game():
76
        player = flask.request.args.get('player')
77
        game = Game(player)
 78
        db.session.add(game)
 79
        db.session.commit()
80
         return flask.redirect(flask.url for('game', id=game.id))
81
 82 @app.route('/game/<id>', methods=['GET', 'POST'])
 83
    def game(id):
84
        game = Game.query.get or 404(id)
85
 86
        if flask.request.method == 'POST':
87
             letter = flask.request.form['letter'].upper()
 88
             if len(letter) == 1 and letter.isalpha():
89
                 game.try letter(letter)
 90
 91
        if flask.request.is xhr:
 92
             return flask.jsonify(current=game.current,
93
                                  errors=game.errors,
94
                                  finished=game.finished)
95
        else:
96
             return flask.render_template('game.html', game=game)
97
98 # Main
99
100 if __name__ == '__main__':
101
        app.run(host='0.0.0.0', debug=True)
```

#### static/main.css

```
th {
1
2
     text-align: center
3
 4
5
   .vspace {
6
     margin-top: 25px;
7
8
9
   .spaced {
     letter-spacing: 15px;
10
11 }
12
13 /* Drawing */
14
15 #drawing {
16
     fill: none;
17
     stroke: black;
18
     stroke-width: 3;
19
     stroke-linecap: round;
20 }
21
22 #hangman-drawing > * {
23
     display: none
24 }
```

# templates/index.html

```
1 <!DOCTYPE html>
  <html lang="en">
 3
     <head>
4
       <meta charset="utf-8">
5
       <meta http-equiv="X-UA-Compatible" content="IE=edge">
6
       <meta name="viewport" content="width=device-width, initial-scale=1">
7
8
       <title>Hangman game</title>
9
10
       <!-- Bootstrap -->
11
       <link rel="stylesheet"</pre>
              href="{{ url_for('static', filename='bootstrap.min.css') }}">
12
13
       <link rel="stylesheet"</pre>
14
              href="{{ url_for('static', filename='main.css') }}">
15
     </head>
     <body>
16
17
       <div class="container text-center">
18
         <h1>Hangman game</h1>
          <div class="row vspace">
19
            <div class="col-md-6 col-md-offset-3">
20
21
              {% block content %}{% endblock %}
22
            </div>
23
         </div>
24
       </div>
25
       <script src="{{ url for('static', filename='jquery.min.js') }}"></script>
26
27
       <script src="{{ url_for('static', filename='bootstrap.min.js') }}"></script>
28
29
        {% block bottom %}{% endblock %}
30
     </body>
```

## templates/home.html

```
{% extends 'index.html' %}
2
3
   {% block content %}
4
    <form action="{{ url_for('new_game') }}" class="form-inline">
5
      <div class="form-group vspace">
        <input name="player" class="input-lg" required="required"</pre>
6
7
             placeholder="Your name">
        <button class="btn btn-primary btn-lg" type="submit">Play!</button>
8
9
      </div>
10
    </form>
11
12
    <div class="panel panel-default vspace">
13
      <div class="panel-heading">Top 10</div>
14
      15
        <thead>
16
         17
           #
18
           Player
19
           Word
20
           Errors
21
           Points
22
       23
         {% for game in games %}
24
25
            {{ loop.index }}
26
            {{ game.player }}
27
            {{ game.current }}
28
            {{ game.errors }}
29
            {{ game.points }}
30
         {% endfor %}
31
      32
    </div>
33 {% endblock %}
```

### templates/game.html

```
{% extends 'index.html' %}
1
2
3
   {% block content %}
4
     <svg width="250" height="230" id="drawing">
5
       <!-- Structure -->
6
      <line y1="220" y2="220" x1="10" x2="120" />
7
       v1="10" y2="220" x1="65" x2="65" />
       v1="10" y2="10" x1="65" x2="175"
8
9
      <line y1="10" y2="40" x1="175" x2="175" />
10
11
      <!-- Hangman -->
12
      <q id="hangman-drawing">
        <circle cx="175" cy="55" r="15" />
13
        <ellipse cx="175" cy="115" rx="20" ry="45" />
14
        y1="150" y2="190" x1="162" x2="140" />
15
        v1="150" y2="190" x1="188" x2="210" />
16
17
        y1="80" y2="40" x1="162" x2="140" />
        18
```

```
19
       </g>
20
     </svg>
21
22
      {% if game.finished %}
23
        <h1>
24
          {% for letter in game.word %}
25
            <span class="</pre>
26
              text-{% if letter in game.tried %}success{% else %}danger{% endif %}">
27
              {{ letter }}
28
            </span>
29
          {% endfor %}
30
       </h1>
31
        <h3>
32
          {% if game.won %} You won! {% else %} You lost :-( {% endif %}
33
       </h3>
34
       >
35
          <a class="btn btn-default" href="{{ url_for('home') }}">Home</a>
36
          <a class="btn btn-primary"</pre>
37
             href="{{ url for('new game') }}?player={{ game.player }}">
38
            Play again
39
          </a>
40
       41
      {% else %}
42
        <h1 id="current" class="spaced">{{ game.current }}</h1>
43
      {% endif %}
44
45
     <h2 class="vspace" id="errors">
46
       Errors ({{ game.errors|length }}/6):
47
        <span class="text-danger spaced">{{ game.errors }}</span>
48
     </h2>
49
50
      {% if not game.finished %}
51
        <form method="post" id="letter-form" class="form-inline vspace">
52
          <div class="form-group">
            <input class="input-lg text-uppercase" maxlength="1" size="1"</pre>
53
54
                   name="letter" autocomplete="off" autofocus>
55
          </div>
56
          <button type="submit" class="btn btn-default btn-lg">Try letter</button>
57
        </form>
58
      {% endif %}
59 {% endblock %}
60
61
  {% block bottom %}
     <script src="{{ url for('static', filename='main.js') }}"></script>
62
63
     <script>
64
        updateDrawing('{{ game.errors }}');
65
      </script>
66 {% endblock %}
```

## static/main.js

```
1 /* Submit letter */
2
3 $('#letter-form').submit(function(e) {
4    var data = $("#letter-form").serialize();
5
6    /* Empty input */
7    $('#letter-form input').val('');
8
9    $.ajax({
```

```
10
        type: "POST",
        url: '',
11
12
        data: data,
13
        success: function(data) {
          /* Refresh if finished */
14
15
          if (data.finished) {
16
            location.reload();
17
18
          else {
            /* Update current */
19
            $('#current').text(data.current);
20
21
22
            /* Update errors */
23
            $('#errors').html(
24
              'Errors (' + data.errors.length + '/6): ' +
25
              '<span class="text-danger spaced">' + data.errors + '</span>');
26
27
            /* Update drawing */
28
            updateDrawing(data.errors);
29
          }
30
        }
31
      });
32
      e.preventDefault();
33 });
34
35
  function updateDrawing(errors) {
      $('#hangman-drawing').children().slice(0, errors.length).show();
36
37 }
```

#### **README.md**

```
# Hangman
Simple hangman game implemented with Flask
# Installation
## Option 1: Ubuntu packages
    sudo apt-get install python-flask python-flask-sqlalchemy
## Option 2: pip
[Install pip](https://pip.pypa.io/en/stable/installing/), then:
    pip install Flask Flask-SQLAlchemy
# Run
    python hangman.py
# Links
* Hangman github repository: https://github.com/vlopezferrando/hangman
* Slides: https://slides.com/victorlf/flask
* Flask: http://flask.pocoo.org
* Jinja2: http://jinja.pocoo.org/docs/dev/
* Bootstrap: http://getbootstrap.com
* JQuery: https://jquery.com
```