

CSE 311L(Database Management System)

LAB-Week 05 (Lecture 1)

Aggregating Data Using Group Functions

Topics:

- ► Types of Group Functions
- ▶ Using the AVG and SUM Functions
- ▶ Using the MIN and MAX Functions
- ▶ Using the COUNT Function
- ▶ Using the GROUP BY Clause

Using the AVG and SUM Functions

SELECT AVG(salary), MAX(salary), MIN(salary), SUM(salary) FROM employees
WHERE job id LIKE '%REP%';

AVG(SALARY)	MAX(SALARY)	MIN(SALARY)	SUM(SALARY)
8150	11000	6000	32600

Using the MIN and MAX Functions

SELECT MIN(hire_date), MAX(hire_date) FROM employees;

MIN(HIRE_	MAX(HIRE_
17-JUN-87	29-JAN-00

Using the COUNT Function

SELECT COUNT(DISTINCT department_id) FROM employees;

COUNT(DISTINCTDEPARTMENT_ID)	
	7

Using the GROUP BY Clause

SELECT department id, AVG(salary)

FROM employees GROUP BY department id;

DEPARTMENT_ID	AVG(SALARY)
10	4400
20	9500
50	3500
60	6400
80	10033.3333
90	19333.3333
110	10150
	7000

Activity 01:


Display the highest, lowest, sum, and average salary of all employees. Label the columns Maximum, Minimum, Sum, and Average, respectively. Round your results to the nearest whole number.

Maximum	Minimum	Sum	Average
24000	2500	175500	8775

Activity 02:

Display the minimum, maximum, sum, and average salary for each job type

JOB_ID	Maximum	Minimum	Sum	Average
AC_ACCOUNT	8300	8300	8300	8300
AC_MGR	12000	12000	12000	12000
AD_ASST	4400	4400	4400	4400
AD_PRES	24000	24000	24000	24000
AD_VP	17000	17000	34000	17000
IT_PROG	9000	4200	19200	6400
MK_MAN	13000	13000	13000	13000
MK_REP	6000	6000	6000	6000
SA_MAN	10500	10500	10500	10500
SA_REP	11000	7000	26600	8867
ST_CLERK	3500	2500	11700	2925
ST_MAN	5800	5800	5800	5800



Aggregating Data Using Group Functions

Topics:

- ▶ Using the GROUP BY Clause on Multiple Columns
- ▶ Illegal Queries Using Group Functions
- ► Excluding Group Results: The HAVING Clause
- ► Nesting Group Functions

Using the GROUP BY Clause on Multiple Columns

SELECT department_id dept_id, job_id, SUM(salary)
FROM employees
GROUP BY department id, job id;

DEPT_ID	JOB_ID	SUM(SALARY)
10	AD_ASST	4400
20	MK_MAN	13000
20	MK_REP	6000
50	ST_CLERK	11700
50	ST_MAN	5800
60	IT_PROG	19200
80	SA_MAN	10500
80	SA_REP	19600
90	AD_PRES	24000
90	AD_VP	34000
110	AC_ACCOUNT	8300
	AC_MGR	12000
	SA_REP	7000

What is wrong with them?!!

- ► SELECT department_id, COUNT(last_name) FROM employees;
- ► SELECT department_id, AVG(salary) FROM employees WHERE AVG(salary) > 8000 GROUP BY department id;

Excluding Group Results: The HAVING Clause

SELECT job_id, SUM(salary) PAYROLL FROM employees WHERE job_id NOT LIKE '%REP%' GROUP BY job_id HAVING SUM(salary) > 13000 ORDER BY SUM(salary);

Nesting Group Functions (Will it work?)

SELECT MAX(AVG(salary)) FROM employees GROUP BY department_id;

Activity 01:

Write a query to display the number of people with the same job.

JOB_ID	COUNT(*)
AC_ACCOUNT	1
AC_MGR	1
AD_ASST	1
AD_PRES	1
AD_VP	2
IT_PROG	3
MK_MAN	1

Activity 02:

Display the manager number and the salary of the lowest paid employee for that manager. Exclude anyone whose manager is not known. Exclude any groups where the minimum salary is \$6,000 or less. Sort the output in descending order of salary.

MANAGER_ID	MIN(SALARY)	
102	9000	
205	8300	
149	7000	

Home Work:

Write a query to display each department's name, location (Name of the City), number of employees, and the average salary for all employees in that department. Label the columns Name, Location, Number of People, and Salary, respectively. Round the average salary to two decimal places.

Name	Location	Number of People	Salary
Administration	Seattle	1	4400.00
Marketing	Toronto	2	9500.00
Shipping	South San Francisco	5	3500.00
IT	Southlake	3	6400.00
Sales	OXford	3	10033.33
Executive	Seattle	4	24875.00
Accounting	Seattle	2	10150.00
Contracting	Seattle	0	NULL