

ABSTRACT

Cloud servers are used to utilize the distributed transactional database systems, entities are collaborated to form testament of authorization as that are justified by collections of certified credentials. These proofs and credentials may be evaluated and collected over extended time under the risk of having the underlying authorization protocol or the user credentials being in inconsistent states. Therefore, it is possible for Policy-Based Authorization Systems which results in unsafe decisions, that might threaten sensitive resources. The criticality of the problem is highlighted, we define the trusted transactions while dealing with proofs of authorization. Accordingly, we propose several increasingly valid levels of policy consistency constraints, and present different enforcement approaches to guarantee the trust worthiness of transactions executing on cloud servers. Two-Phase Validation Commit protocol is proposed as a solution. We finally analyze the different approaches presented using both analytical (systematic) evaluation (estimation) of the overheads and match to guide the decision maker to which approach to use.

Keywords: Cloud Servers, Database systems, Authorization, Protocols, Inconsistent states, Accuracy.











LIST OF FIGURES











S.NO	FIGURE NO	NAME OF THE FIGURE	PAGE NO
1	3.1	System Architecture	15
2	3.2	User Interface Design	16
3	3.3	Quality of Service	17
4	3.4	Authorization Policies	17
5	3.5	Distributed Transactions	18
6	3.6	Certificate Authorities	18
7	4.1	Activity Diagram	22
8	4.2	Use Case Diagram	23
9	4.3(a)	Data Flow Diagrams(level-0)	24
10	4.3(b)	Data Flow Diagrams(level-1)	24
11	4.4	Sequence Diagram	25
12	4.5	Collaboration Diagram	26
13	4.6	Class Diagram	27
14	4.7	Entity-Relationship Diagram	28
15	4.8	Gantt chart	29
16	6.1	Login page-ScreenShot	49
17	6.2	Registration page-ScreenShot	49
18	6.3	Admin login page-Screenshot	50
19	6.4	User file search page-Screenshot	50
20	6.5	login database-Screenshot	50
21	6.6	Admin database-Screenshot	51
22	6.7	Life database-Screenshot	51
23	6.8	Home database-Screenshot	51
24	6.9	Medical database-Screenshot	52




LIST OF TABLES

S.NO	TABLE NO	NAME OF THE TABLE	PAGE NO
1	5.1	Test Case for Login	46
2	5.2	Test Case for Registration	47
3	5.3	Test Case for Admin	48

LIST OF SYMBOLS

S.NO	NOTATION NAME	NOTATION	DESCRIPTION
1	Class	 	Represents a collection of similar entities grouped together.
2	Association	 	Associations represents static relationships between classes. Roles represents the way the two classes see each other.
3	Actor		It aggregates several classes into a single classes.
4	Aggregation	 	Interaction between the system and external environment
5	Relation (uses)		Used for additional process communication.
6	Relation (extends)		Extends relationship is used when one use case is similar to another use case but does a bit more.
7	Communication		Communication between various use cases.

8	State		State of the process.
9	Initial State		Initial state of the object
10	Final state		Final state of the object
11	Control flow		Represents various control flow between the states.
12	Decision box		Represents decision making process from a constraint
13	Use case		Interact ion between the system and external environment.
14	Component		Represents physical modules which is a collection of components.
15	Node		Represents physical modules which are a collection of components.
16	Data Process/State		A circle in DFD represents a state or process which has been triggered due to some event or acion.
17	External entity		Represents external entities such as keyboard,sensors,etc.

18	Transition		Represents communication that occurs between processes.
19	Object Lifeline		Represents the vertical dimensions that the object communications
20	Message		Represents the message exchanged.

LIST OF ABBREVIATIONS

S.NO	ABBREVIATION	EXPANSION
1.	DB	Data Base
2.	JVM	Java Virtual Machine
3.	JSP	Java Server Page
4.	CB	Collective Behavior
5.	SD	Social Dimension
6.	JRE	Java Runtime Environment
7.	SSD	Sparse Social Dimension
8.	LGP	Line Graph Partition

TABLE OF CONTENTS

Contents	Page.no
TITLE	
COLLEGE CERTIFICATE	
ACKNOWLEDGEMENT	
DECLARATION	
ABSTRACT	v
LIST OF FIGURES	vi
LIST OF TABLES	vii
LIST OF SYMBOLS	viii
LIST OF ABBREVIATIONS.....	xi
1.INTRODUCTION.....	1
1.1 General	1
1.2 Objective.....	1
1.3 Existing System.....	1
1.4 Proposed System.....	2
2.LITERATURE REVIEW	3
3.DESIGN	7
3.1 System Requirements	7
3.2 Software Description	8
3.3 System Design	14
3.4 Modules.....	16
4. ANALYSIS	20
4.1 Introduction	20

4.2 UML Diagram	22
4.3 Conclusion	29
5.IMPLEMENTATION AND TESTING	30
5.1 General	31
5.2 Coding	31
5.3 Testing	44
6.RESULTS	49
6.1 General	49
6.2 Various snapshots.....	49
7. CONCLUSION	53
7.1 Conclusion	53
7.2 Application	53
7.3 Future Enhancements	53
8.REFERENCES	55