



# SMART CONTRACT AUDIT



interfinetwork



hello@interfi.network



<https://interfi.network>

PREPARED FOR

**YAOMING**



# INTRODUCTION

Auditing Firm	InterFi Network
Client Firm	YAOMING
Methodology	Automated Analysis, Manual Code Review
Language	Solidity
Contract	0xDa1B12B0690A20C7773a1d02D074d3aCd9f31B1F
Blockchain	Binance Smart Chain
Centralization	Active ownership
Commit	06825c257c4eb0ba1f460126eb96f607536d8736
Website	<a href="http://yaoming.pro/">http://yaoming.pro/</a>
Telegram	<a href="https://t.me/YaomingCoin/">https://t.me/YaomingCoin/</a>
Twitter	<a href="https://twitter.com/YaomingCoin/">https://twitter.com/YaomingCoin/</a>
Report Date	May 09, 2023

 Verify the authenticity of this report on our website: <https://www.github.com/interfinetwork>



## EXECUTIVE SUMMARY

InterFi has performed the automated and manual analysis of solidity codes. Solidity codes were reviewed for common contract vulnerabilities and centralized exploits. Here's a quick audit summary:

Status	Critical <span style="color: red;">●</span>	Major <span style="color: orange;">●</span>	Medium <span style="color: yellow;">●</span>	Minor <span style="color: green;">●</span>	Unknown <span style="color: brown;">●</span>
Open	0	0	0	0	0
Acknowledged	0	0	1	3	1
Resolved	0	0	0	1	0
Noteworthy Privileges	Set Protection, Set Taxes, Set Wallet Limit, Multi Send Tokens				

**i** Please note that smart contracts deployed on blockchains aren't resistant to exploits, vulnerabilities and/or hacks. Blockchain and cryptography assets utilize new and emerging technologies. These technologies present a high level of ongoing risks. For a detailed understanding of risk severity, source code vulnerability, and audit limitations, kindly review the audit report thoroughly.

**i** Please note that centralization privileges regardless of their inherited risk status – constitute an elevated impact on smart contract safety and security.



# TABLE OF CONTENTS

TABLE OF CONTENTS .....	4
SCOPE OF WORK .....	5
AUDIT METHODOLOGY .....	6
RISK CATEGORIES .....	8
CENTRALIZED PRIVILEGES.....	9
AUTOMATED ANALYSIS .....	10
INHERITANCE GRAPH.....	14
MANUAL REVIEW .....	15
DISCLAIMERS.....	25
ABOUT INTERFI NETWORK.....	28

INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI  
CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL




## SCOPE OF WORK

InterFi was consulted by YAOMING to conduct the smart contract audit of their solidity source codes.

The audit scope of work is strictly limited to mentioned solidity file(s) only:

- YAOMING.sol

 If source codes are not deployed on the main net, they can be modified or altered before main-net deployment. Verify the contract's deployment status below:

Public Contract Link	
<a href="https://bscscan.com/address/0xDa1B12B0690A20C7773a1d02D074d3aCd9f31B1F#code">https://bscscan.com/address/0xDa1B12B0690A20C7773a1d02D074d3aCd9f31B1F#code</a>	
Contract Name	YAOMING
Compiler Version	0.8.19
License	MIT



# AUDIT METHODOLOGY

Smart contract audits are conducted using a set of standards and procedures. Mutual collaboration is essential to performing an effective smart contract audit. Here's a brief overview of InterFi's auditing process and methodology:

## CONNECT

- The onboarding team gathers source codes, and specifications to make sure we understand the size, and scope of the smart contract audit.

## AUDIT

- Automated analysis is performed to identify common contract vulnerabilities. We may use the following third-party frameworks and dependencies to perform the automated analysis:
  - Remix IDE Developer Tool
  - Open Zeppelin Code Analyzer
  - SWC Vulnerabilities Registry
  - DEX Dependencies, e.g., Pancakeswap, Uniswap
- Simulations are performed to identify centralized exploits causing contract and/or trade locks.
- A manual line-by-line analysis is performed to identify contract issues and centralized privileges.

We may inspect below mentioned common contract vulnerabilities, and centralized exploits:

Centralized Exploits	<ul style="list-style-type: none"><li>○ Token Supply Manipulation</li><li>○ Access Control and Authorization</li><li>○ Assets Manipulation</li><li>○ Ownership Control</li><li>○ Liquidity Access</li><li>○ Stop and Pause Trading</li><li>○ Ownable Library Verification</li></ul>
----------------------	---



## Common Contract Vulnerabilities

- Integer Overflow
- Lack of Arbitrary limits
- Incorrect Inheritance Order
- Typographical Errors
- Requirement Violation
- Gas Optimization
- Coding Style Violations
- Re-entrancy
- Third-Party Dependencies
- Potential Sandwich Attacks
- Irrelevant Codes
- Divide before multiply
- Conformance to Solidity Naming Guides
- Compiler Specific Warnings
- Language Specific Warnings

**REPORT**

- The auditing team provides a preliminary report specifying all the checks which have been performed and the findings thereof.
- The client's development team reviews the report and makes amendments to solidity codes.
- The auditing team provides the final comprehensive report with open and unresolved issues.

**PUBLISH**

- The client may use the audit report internally or disclose it publicly.

 It is important to note that there is no pass or fail in the audit, it is recommended to view the audit as an unbiased assessment of the safety of solidity codes.



## RISK CATEGORIES

Smart contracts are generally designed to hold, approve, and transfer tokens. This makes them very tempting attack targets. A successful external attack may allow the external attacker to directly exploit. A successful centralization-related exploit may allow the privileged role to directly exploit. All risks which are identified in the audit report are categorized here for the reader to review:

Risk Type	Definition
Critical 	These risks could be exploited easily and can lead to asset loss, data loss, asset, or data manipulation. They should be fixed right away.
Major 	These risks are hard to exploit but very important to fix, they carry an elevated risk of smart contract manipulation, which can lead to high-risk severity.
Medium 	These risks should be fixed, as they carry an inherent risk of future exploits, and hacks which may or may not impact the smart contract execution. Low-risk re-entrancy-related vulnerabilities should be fixed to deter exploits.
Minor 	These risks do not pose a considerable risk to the contract or those who interact with it. They are code-style violations and deviations from standard practices. They should be highlighted and fixed nonetheless.
Unknown 	These risks pose uncertain severity to the contract or those who interact with it. They should be fixed immediately to mitigate the risk uncertainty.

All statuses which are identified in the audit report are categorized here for the reader to review:

Status Type	Definition
Open	Risks are open.
Acknowledged	Risks are acknowledged, but not fixed.
Resolved	Risks are acknowledged and fixed.





## CENTRALIZED PRIVILEGES

Centralization risk is the most common cause of cryptography asset loss. When a smart contract has a privileged role, the risk related to centralization is elevated.

There are some well-intended reasons have privileged roles, such as:

- Privileged roles can be granted the power to pause( ) the contract in case of an external attack.
- Privileged roles can use functions like, `include()`, and `exclude()` to add or remove wallets from fees, swap checks, and transaction limits. This is useful to run a presale and to list on an exchange.

Authorizing privileged roles to externally-owned-account (EOA) is dangerous. Lately, centralization-related losses are increasing in frequency and magnitude.

- The client can lower centralization-related risks by implementing below mentioned practices:
- Privileged role's private key must be carefully secured to avoid any potential hack.
- Privileged role should be shared by multi-signature (multi-sig) wallets.
- Authorized privilege can be locked in a contract, user voting, or community DAO can be introduced to unlock the privilege.
- Renouncing the contract ownership, and privileged roles.
- Remove functions with elevated centralization risk.






 Understand the project's initial asset distribution. Assets in the liquidity pair should be locked. Assets outside the liquidity pair should be locked with a release schedule.



# AUTOMATED ANALYSIS

Symbol	Definition
	Function modifies state
	Function is payable
	Function is internal
	Function is private
	Function is important

```

| **IERC20** | Interface | |||
| L | totalSupply | External ! | |NO ! |
| L | decimals | External ! | |NO ! |
| L | symbol | External ! | |NO ! |
| L | name | External ! | |NO ! |
| L | getOwner | External ! | |NO ! |
| L | balanceOf | External ! | |NO ! |
| L | transfer | External ! |  |NO ! |
| L | allowance | External ! | |NO ! |
| L | approve | External ! |  |NO ! |
| L | transferFrom | External ! |  |NO ! |
|||||
| **IFactoryV2** | Interface | |||
| L | getPair | External ! | |NO ! |
| L | createPair | External ! |  |NO ! |
|||||
| **IV2Pair** | Interface | |||
| L | factory | External ! | |NO ! |
| L | getReserves | External ! | |NO ! |
| L | sync | External ! |  |NO ! |
|||||
| **IRouter01** | Interface | |||
| L | factory | External ! | |NO ! |
| L | WETH | External ! | |NO ! |

```

INTERFI  
CONFIDENTIAL



```

| L | addLiquidityETH | External ! | 🟡 |NO ! |
| L | addLiquidity | External ! | 🔴 |NO ! |
| L | swapExactETHForTokens | External ! | 🟡 |NO ! |
| L | getAmountsOut | External ! | |NO ! |
| L | getAmountsIn | External ! | |NO ! |
|||||
| **IRouter02** | Interface | IRouter01 |||
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External ! | 🔴 |NO ! |
| L | swapExactETHForTokensSupportingFeeOnTransferTokens | External ! | 🟡 |NO ! |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External ! | 🔴 |NO ! |
| L | swapExactTokensForTokens | External ! | 🔴 |NO ! |
|||||
| **Protections** | Interface | |||
| L | checkUser | External ! | 🔴 |NO ! |
| L | setLaunch | External ! | 🔴 |NO ! |
| L | getInits | External ! | 🔴 |NO ! |
| L | setLpPair | External ! | 🔴 |NO ! |
| L | setProtections | External ! | 🔴 |NO ! |
| L | removeSniper | External ! | 🔴 |NO ! |
|||||
| **Cashier** | Interface | |||
| L | setRewardsProperties | External ! | 🔴 |NO ! |
| L | tally | External ! | 🔴 |NO ! |
| L | tallyZero | External ! | 🔴 |NO ! |
| L | load | External ! | 🟡 |NO ! |
| L | cashout | External ! | 🔴 |NO ! |
| L | giveMeWelfarePlease | External ! | 🔴 |NO ! |
| L | getTotalDistributed | External ! | |NO ! |
| L | getUserInfo | External ! | |NO ! |
| L | getUserRealizedRewards | External ! | |NO ! |
| L | getPendingRewards | External ! | |NO ! |
| L | initialize | External ! | 🔴 |NO ! |
| L | getCurrentReward | External ! | |NO ! |
|||||
| **YAOMING** | Implementation | IERC20 |||
| L | <Constructor> | Public ! | 🟡 |NO ! |
| L | transferOwner | External ! | 🔴 | onlyOwner |

```

TERFI  
CONFIDENTIAL

INTERFI  
CONFIDENTIAL



renounceOwnership	External	!	●	onlyOwner
setOperator	Public	!	●	NO!
renounceOriginalDeployer	External	!	●	NO!
<Receive Ether>	External	!	🔒	NO!
totalSupply	External	!		NO!
decimals	External	!		NO!
symbol	External	!		NO!
name	External	!		NO!
getOwner	External	!		NO!
balanceOf	Public	!		NO!
allowance	External	!		NO!
approve	External	!	●	NO!
_approve	Internal	🔒	●	
approveContractContingency	Public	!	●	onlyOwner
transfer	External	!	●	NO!
transferFrom	External	!	●	NO!
setNewRouter	External	!	●	onlyOwner
setLpPair	External	!	●	onlyOwner
setInitializers	External	!	●	onlyOwner
isExcludedFromFees	External	!		NO!
isExcludedFromDividends	External	!		NO!
isExcludedFromProtection	External	!		NO!
isExcludedFromLimits	External	!		NO!
setExcludedFromLimits	External	!	●	onlyOwner
setDividendExcluded	Public	!	●	onlyOwner
setExcludedFromFees	Public	!	●	onlyOwner
setExcludedFromProtection	External	!	●	onlyOwner
removeSniper	External	!	●	onlyOwner
setProtectionSettings	External	!	●	onlyOwner
setWallets	External	!	●	onlyOwner
lockTaxes	External	!	●	onlyOwner
setTaxes	External	!	●	onlyOwner
setRatios	External	!	●	onlyOwner
setMaxTxPercent	External	!	●	onlyOwner
setMaxWalletSize	External	!	●	onlyOwner
getMaxTX	Public	!		NO!

INTERFI  
CONFIDENTIALINTERFI  
CONFIDENTIAL

```

| L | getMaxWallet | Public ! | | NO ! |
| L | getTokenAmountAtPriceImpact | External ! | | NO ! |
| L | setSwapSettings | External ! | ● | onlyOwner |
| L | setPriceImpactSwapAmount | External ! | ● | onlyOwner |
| L | setContractSwapEnabled | External ! | ● | onlyOwner |
| L | setRewardsProperties | External ! | ● | onlyOwner |
| L | setReflectorSettings | External ! | ● | onlyOwner |
| L | excludePresaleAddresses | External ! | ● | onlyOwner |
| L | _hasLimits | Internal 🔒 | | |
| L | _basicTransfer | Internal 🔒 | ● | |
| L | _transfer | Internal 🔒 | ● | |
| L | contractSwap | Internal 🔒 | ● | inSwapFlag |
| L | _checkLiquidityAdd | Private 🔒 | ● | |
| L | enableTrading | Public ! | ● | onlyOwner |
| L | finalizeTransfer | Internal 🔒 | ● | |
| L | processRewards | Internal 🔒 | ● | |
| L | manualProcess | External ! | ● | NO ! |
| L | takeTaxes | Internal 🔒 | ● | |
| L | multiSendTokens | External ! | ● | onlyOwner |
| L | manualDeposit | External ! | ● | onlyOwner |
| L | sweepContingency | External ! | ● | onlyOwner |
| L | sweepExternalTokens | External ! | ● | onlyOwner |
| L | claimPendingRewards | External ! | ● | NO ! |
| L | getTotalReflected | External ! | | NO ! |
| L | getUserInfo | External ! | | NO ! |
| L | getUserRealizedGains | External ! | | NO ! |
| L | getUserUnpaidEarnings | External ! | | NO ! |
| L | getCurrentReward | External ! | | NO ! |


```

INTERFI  
CONFIDENTIAL

INTERFI  
CONFIDENTIAL



## INHERITANCE GRAPH



INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI  
CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT



## MANUAL REVIEW

Identifier	Definition	Severity
CEN-01	Centralized privileges of YAOMING	Medium 🟡

onlyOwner centralized privileges are listed below:

```

transferOwner()
approveContractContingency()
setNewRouter()
setLpPair()
setInitializers()
setExcludedFromLimits()
setDividendExcluded()
setExcludedFromFees()
setExcludedFromProtection()
removeSniper()
setProtectionSettings()
setWallets()
lockTaxes()
setTaxes()
setRatios()
setMaxTxPercent()
setMaxWalletSize()
setSwapSettings()
setPriceImpactSwapAmount()
setContractSwapEnabled()
setRewardsProperties()
setReflectorSettings()
excludePresaleAddresses()
enableTrading()
multiSendTokens()
manualDeposit()
sweepContingency ()
sweepExternalTokens()

```

INTERFI  
CONFIDENTIAL

INTERFI  
CONFIDENTIAL



## RECOMMENDATION

Deployer and/or contract owner private keys are secured carefully. Please refer to PAGE-09 CENTRALIZED PRIVILEGES for a detailed understanding.


## ALLEVIATION

For “SAFU” contracts, smart contract ownership is held by an external developer for at least 7 days from public launch. Centralization risk remains elevated after the ownership transfer to the project team.

INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI  
CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT





Identifier	Definition	Severity
CEN-02	Initial asset distribution	Minor 

All of the initially minted assets are sent to the project owner when deploying the contract. This can be an issue as the project owner can distribute tokens without consulting the community.

```
uint256 constant private startingSupply = 2_000_000_000;
uint256 constant private _tTotal = startingSupply * (10 ** _decimals);
_tOwned[_owner] = _tTotal;
emit Transfer(ZERO, _owner, _tTotal);
```

INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI  
CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL

## RECOMMENDATION

The community should be consulted during the initial asset distribution process.

## ACKNOWLEDGEMENT

Asset transfer is done by an external developer. All assets out of liquidity are locked for at least 30 days from public launch.



Identifier	Definition	Severity
LOG-01	Arbitrary limits are set	

Below mentioned functions are set with arbitrary limits.

```
function setTaxes(uint16 buyFee, uint16 sellFee, uint16 transferFee) external onlyOwner {
    require(!taxesAreLocked, "Taxes are locked.");
    require(buyFee <= maxBuyTaxes
        && sellFee <= maxSellTaxes
        && transferFee <= maxTransferTaxes,
        "Cannot exceed maximums.");
    _taxRates.buyFee = buyFee;
    _taxRates.sellFee = sellFee;
    _taxRates.transferFee = transferFee;
}
```

```
Fees public _taxRates = Fees({
    buyFee: 500,
    sellFee: 500,
    transferFee: 0
});
```

```
Ratios public _ratios = Ratios({
    rewards: 200,
    burn: 100,
    marketing: 200,
    total: 400
});
```

```
uint256 constant public maxBuyTaxes = 1000;
uint256 constant public maxSellTaxes = 1000;
uint256 constant public maxTransferTaxes = 1000;
uint256 constant masterTaxDivisor = 10000;
```

```
function setMaxTxPercent(uint256 percent, uint256 divisor) external onlyOwner {
    require((_tTotal * percent) / divisor >= (_tTotal * 5 / 1000), "Max Transaction amt
must be above 0.5% of total supply.");
    _maxTxAmount = (_tTotal * percent) / divisor;
}
```



```
function setMaxWalletSize(uint256 percent, uint256 divisor) external onlyOwner {  
    require((_tTotal * percent) / divisor >= (_tTotal / 100), "Max Wallet amt must be  
above 1% of total supply.");  
    _maxWalletSize = (_tTotal * percent) / divisor;  
}
```

INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI  
CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL



Identifier	Definition	Severity
COD-01	Authorization through tx.origin	Unknown 🟠

Using tx.origin for authorization could make the contract vulnerable as it refers to the original external account that started the transaction.

INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI  
CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL

## RECOMMENDATION

Avoid authorizations via global variables wherever necessary.



Identifier	Definition	Severity
COD-02	Timestamp manipulation via <code>block.timestamp</code> Avoid using <code>block.number</code> as timestamp	Minor ●

Be aware that the timestamp of the block can be manipulated by a miner. When the contract uses the timestamp to seed a random number, the miner can actually post a timestamp within 15 seconds of the block being validated, effectively allowing the miner to precompute an option more favorable to their chances.

## RECOMMENDATION

To maintain block integrity, follow 15 seconds rule, and scale time dependent events accordingly.

## RESOLUTION

`block.timestamp` and `block.number` are used to provide current timestamp and block numbers only. They aren't used to calculate chances such as lotteries and jackpots.



Identifier	Definition	Severity
COD-10	Third Party Dependencies	Minor 

Smart contract is interacting with third party protocols e.g., Market Makers, Open Zeppelin tools. The scope of the audit treats third party entities as black boxes and assumes their functional correctness. However, in the real world, third parties can be compromised, and exploited. Moreover, upgrades in third parties can create severe impacts, e.g., increased transactional fees, deprecation of previous routers, etc.

## RECOMMENDATION

Inspect third party dependencies regularly, and mitigate severe impacts whenever necessary.

## ACKNOWLEDGEMENT

YAOMING team will inspect third party dependencies periodically.



Identifier	Definition	Severity
COM-01	Floating compiler status	


Compiler is set to solidity `>=0.6.0 <0.9.0;`

INTERFI  
CONFIDENTIALINTERFI  
CONFIDENTIAL

## RECOMMENDATION

Pragma should be fixed to the version that you're indenting to deploy your contracts with.



Identifier	Definition	Severity
COM-04	Potential resource exhaustion errors	Minor 

```
function multiSendTokens(address[] memory accounts, uint256[] memory amounts) external  
onlyOwner {  
    require(accounts.length == amounts.length, "Lengths do not match.");  
    for (uint16 i = 0; i < accounts.length; i++) {  
        require(balanceOf(msg.sender) >= amounts[i]*10**_decimals, "Not enough tokens.");
```

## RECOMMENDATION

Set upper bounds for multi-address calls.

## ACKNOWLEDGEMENT

onlyOwner will use multiSendTokens() with a limited accounts to airdrop.





## DISCLAIMERS

InterFi Network provides the easy-to-understand audit of solidity source codes (commonly known as smart contracts).

The smart contract for this particular audit was analyzed for common contract vulnerabilities, and centralization exploits. This audit report makes no statements or warranties on the security of the code. This audit report does not provide any warranty or guarantee regarding the absolute bug-free nature of the smart contract analyzed, nor do they provide any indication of the client's business, business model or legal compliance. This audit report does not extend to the compiler layer, any other areas beyond the programming language, or other programming aspects that could present security risks. Cryptographic tokens are emergent technologies, they carry high levels of technical risks and uncertainty. You agree that your access and/or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. This audit report could include false positives, false negatives, and other unpredictable results.

## CONFIDENTIALITY

This report is subject to the terms and conditions (including without limitations, description of services, confidentiality, disclaimer and limitation of liability) outlined in the scope of the audit provided to the client. This report should not be transmitted, disclosed, referred to, or relied upon by any individual for any purpose without InterFi Network's prior written consent.

## NO FINANCIAL ADVICE

This audit report does not indicate the endorsement of any particular project or team, nor guarantees its security. No third party should rely on the reports in any way, including to make any decisions to buy or sell a product, service or any other asset. The information provided in this report does not constitute investment advice, financial advice, trading advice, or any other sort of advice and you should not treat any of the report's content as such. This audit report should not be used in any way



to make decisions around investment or involvement. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort.

FOR AVOIDANCE OF DOUBT, SERVICES, INCLUDING ANY ASSOCIATED AUDIT REPORTS OR MATERIALS, SHALL NOT BE CONSIDERED OR RELIED UPON AS ANY FORM OF FINANCIAL, TAX, LEGAL, REGULATORY, OR OTHER ADVICE.

## **TECHNICAL DISCLAIMER**

ALL SERVICES, AUDIT REPORTS, SMART CONTRACT AUDITS, OTHER MATERIALS, OR ANY PRODUCTS OR RESULTS OF THE USE THEREOF ARE PROVIDED "AS IS" AND "AS AVAILABLE" AND WITH ALL FAULTS AND DEFECTS WITHOUT WARRANTY OF ANY KIND. TO THE MAXIMUM EXTENT PERMITTED UNDER APPLICABLE LAW, INTERFI NETWORK HEREBY DISCLAIMS ALL WARRANTIES, WHETHER EXPRESSED, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT TO SERVICES, AUDIT REPORT, OR OTHER MATERIALS. WITHOUT LIMITING THE FOREGOING, INTERFI NETWORK SPECIFICALLY DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT, AND ALL WARRANTIES ARISING FROM THE COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

WITHOUT LIMITING THE FOREGOING, INTERFI NETWORK MAKES NO WARRANTY OF ANY KIND THAT ALL SERVICES, AUDIT REPORTS, SMART CONTRACT AUDITS, OR OTHER MATERIALS, OR ANY PRODUCTS OR RESULTS OF THE USE THEREOF, WILL MEET THE CLIENT'S OR ANY OTHER INDIVIDUAL'S REQUIREMENTS, ACHIEVE ANY INTENDED RESULT, BE COMPATIBLE OR WORK WITH ANY SOFTWARE, SYSTEM, OR OTHER SERVICES, OR BE SECURE, ACCURATE, COMPLETE, FREE OF HARMFUL CODE, OR ERROR-FREE.

## **TIMELINESS OF CONTENT**

The content contained in this audit report is subject to change without any prior notice. InterFi Network does not guarantee or warrant the accuracy, timeliness, or completeness of any report you access using the internet or other means, and assumes no obligation to update any information following the publication.



## LINKS TO OTHER WEBSITES

This audit report provides, through hypertext or other computer links, access to websites and social accounts operated by individuals other than InterFi Network. Such hyperlinks are provided for your reference and convenience only and are the exclusive responsibility of such websites' and social accounts' owners. You agree that InterFi Network is not responsible for the content or operation of such websites and social accounts and that InterFi Network shall have no liability to you or any other person or entity for the use of third-party websites and social accounts. You are solely responsible for determining the extent to which you may use any content at any other websites and social accounts to which you link from the report.

INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI INTERFI  
CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL AUDIT REPORT CONFIDENTIAL



## ABOUT INTERFI NETWORK

InterFi Network provides intelligent blockchain solutions. We provide solidity development, testing, and auditing services. We have developed 150+ solidity codes, audited 1000+ smart contracts, and analyzed 500,000+ code lines. We have worked on major public blockchains e.g., Ethereum, Binance, Cronos, Doge, Polygon, Avalanche, Metis, Fantom, Bitcoin Cash, Velas, Oasis, etc.

InterFi Network is built by engineers, developers, UI experts, and blockchain enthusiasts. Our team currently consists of 4 core members, and 6+ casual contributors.

Website: <https://interfi.network>

Email: [hello@interfi.network](mailto:hello@interfi.network)

GitHub: <https://github.com/interfinetwork>

Telegram (Engineering): <https://t.me/interfiaudits>

Telegram (Onboarding): <https://t.me/interfisupport>



 interfinetwork

 hello@interfi.network

 <https://interfi.network>

SMART CONTRACT AUDITS | SOLIDITY DEVELOPMENT AND TESTING  
RELENTLESSLY SECURING PUBLIC AND PRIVATE BLOCKCHAINS