

```
system@system:~/Desktop$ mkdir Lab10
system@system:~/Desktop$ cd Lab10
system@system:~/Desktop/Lab10$ gedit question1.c
system@system:~/Desktop/Lab10$ gcc question1.c -o question1
system@system:~/Desktop/Lab10$ ./question1
HELLO
hello
```

```
system@system:~/Desktop/Lab10$ gedit question2.c
system@system:~/Desktop/Lab10$ gcc question2.c -o question2
system@system:~/Desktop/Lab10$ ./question2
2600
system@system:~/Desktop/Lab10$ 2600
```

```
system@system:~/Desktop/Lab10$ gedit question3.c
system@system:~/Desktop/Lab10$ gcc question3.c -o question3 -pthread
system@system:~/Desktop/Lab10$ ./question3
Main: Creating threads...
Processing started...
Downloading started...
Downloading completed...
Processing completed...
Main: All tasks finished
```

```
system@system:~/Desktop/Lab10$ gedit question4.  
system@system:~/Desktop/Lab10$ gedit question4.c  
system@system:~/Desktop/Lab10$ gcc question4.c -o question4  
system@system:~/Desktop/Lab10$ ./question4
```

Parent running...

Child running...

Parent running...

Child exiting...

Child process terminated!

Parent running...

Parent running...

^C

Ctrl+C pressed! Not exiting...

Parent running...

Parent running...

^C

```
system@system:~/Desktop/Lab10$ gedit question5.c
system@system:~/Desktop/Lab10$ gcc question5.c -o question5 -pthread
system@system:~/Desktop/Lab10$ ./question5
```

```
User 1 is Printing...
User 1 Finished Printing.
User 2 is Printing...
User 2 Finished Printing.
User 5 is Printing...
User 5 Finished Printing.
User 3 is Printing...
User 3 Finished Printing.
User 4 is Printing...
User 4 Finished Printing.
User 7 is Printing...
User 7 Finished Printing.
User 6 is Printing...
User 6 Finished Printing.
```

```
system@system:~$ cd Desktop
system@system:~/Desktop$ cd Lab10
system@system:~/Desktop/Lab10$ echo "Muhammad Adil Saeed Lab 10 task | 24k-0705"
Muhammad Adil Saeed Lab 10 task | 24k-0705
```