

```
public class HelloWorld
{
    public static void main (String[] args)
    {
        String name = "John";
        String lname = "Brown";
        System.out.println("Hello " + name + " " + lname);
    }
}
```

```
import java.util.*;
```

```
public class MarkAverage
```

```
{
    public static void main (String[] args)
    {
        int total=0;
        int num1 = 5;
        int num2 = 10;
        int num3 = 15;

        total=(num1+num2+num3)/3;
        System.out.println(total);
    }
}
```

```
import java.util.*;

public class MENU
{
    public static void main (String[] args)
    {
        System.out.println("*****");
        System.out.println("* MENU *");
        System.out.println("*****");
    }
}
```

```
import java.util.*;

public class MyFirstJava
{
    public static void main (String[] args)
    {

        System.out.println("Adil Jayasinghe 18");

    }
}
```

```
import java.util.*;

public class MyFirstJava1
{
    public static void main (String[] args)
    {
```

```
        Scanner input = new Scanner(System.in);

        System.out.println("Please insert your name : ");

        String name = input.next();

        System.out.println("Hello " + name);

    }

}
```

```
public class TotalRun
{
    public static void main(String[] args)
    {
        int    runningTotal=0;

        System.out.println("Variable value is " + runningTotal);


        runningTotal += 5;

        System.out.println("Variable value is " + runningTotal);


        runningTotal += 8;

        System.out.println("Variable value is " + runningTotal);


        runningTotal += 2;

        System.out.println("Variable value is " + runningTotal);


        runningTotal += 3;

        System.out.println("Variable value is " + runningTotal);

    }
}
```

}