

MERN App Deloyment Using GKE

All latest code are available in this repo

<https://github.com/Adish786/SampleMERNwithMicroservices.git>

← adish-assign... Edit Reset Create machine image

Details Observability **OS Info** Screenshot

Basic info

OS	Ubuntu 25.10
OS version	25.10
OS Config agent version	20250701.00-0ubuntu1
Patch status	i Updates available

Install and update the apt package

```
sudo apt update
sudo apt upgrade -y
sudo apt install git -y
git clone https://github.com/Adish786/SampleMERNwithMicroservices.git
cd SampleMERNwithMicroservices
sudo mkdir k8s-manifests
```

Install Docker

In simple ways only run the single command

```
sudo apt install docker.io -y
```

Or If you want to install with certificate and add the repository then follow the next step

```
# Add Docker's official GPG key
curl -fsSL https://download.docker.com/linux/ubuntu/gpg | sudo gpg --dearmor
-o /usr/share/keyrings/docker-archive-keyring.gpg

# Add the Docker repository
echo "deb [arch=$(dpkg --print-architecture)
signed-by=/usr/share/keyrings/docker-archive-keyring.gpg]"
```

```
https://download.docker.com/linux/ubuntu $(lsb_release -cs) stable" | sudo tee
/etc/apt/sources.list.d/docker.list > /dev/null
```

Install Docker Engine

```
sudo apt update
```

```
sudo apt install -y docker-ce docker-ce-cli containerd.io
```

Add your user to the 'docker' group to run Docker commands without 'sudo'

```
sudo usermod -aG docker $USER
```

#Check the systemctl status

```
sudo systemctl status containerd
```

```
systemctl enable --now containerd
```

```
systemctl restart docker
```

```
Processing triggers for libc-bin (2.34-0ubuntu3.1) ...
root@adish-assignment: /home/adishansari786/SampleMERNwithMicroservices# sudo usermod -aG docker $USER
root@adish-assignment: /home/adishansari786/SampleMERNwithMicroservices# systemctl status docker
* docker.service - Docker Application Container Engine
   Loaded: loaded (/usr/lib/systemd/system/docker.service; enabled; preset: enabled)
   Active: failed (Result: exit-code) since Tue 2026-04-14 08:42:04 UTC; 17s ago
     Duration: 48min 54.782s
  Invocation: f64380eb7a9a4cc3901aa459acce07c0
    TriggeredBy: * docker.socket
       Docs: https://docs.docker.com
    Process: 10711 ExecStart=/usr/bin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock (code=exited, status=1/FAILURE)
    Main PID: 10711 (code=exited, status=1/FAILURE)

Apr 14 08:42:04 adish-assignment systemd[1]: docker.service: Scheduled restart job, restart counter is at 3.
Apr 14 08:42:04 adish-assignment systemd[1]: docker.service: Start request repeated too quickly.
Apr 14 08:42:04 adish-assignment systemd[1]: docker.service: Failed with result 'exit-code'.
Apr 14 08:42:04 adish-assignment systemd[1]: Failed to start docker.service - Docker Application Container Engine.
root@adish-assignment: /home/adishansari786/SampleMERNwithMicroservices# ^C
root@adish-assignment: /home/adishansari786/SampleMERNwithMicroservices# systemctl enable --now containerd
root@adish-assignment: /home/adishansari786/SampleMERNwithMicroservices# systemctl status containerd
* containerd.service - containerd container runtime
   Loaded: loaded (/usr/lib/systemd/system/containerd.service; enabled; preset: enabled)
   Active: active (running) since Tue 2026-04-14 08:41:56 UTC; 3min 22s ago
     Invocation: 4aef35a7204b4ec3bcfe643672f52dec
       Docs: https://containerd.io
    Main PID: 10535 (containerd)
      Tasks: 7
     Memory: 13.8M (peak: 13.8M)
        CPU: 392ms
    CGroup: /system.slice/containerd.service
            └─10535 /usr/bin/containerd

Apr 14 08:41:56 adish-assignment containerd[10535]: time="2026-04-14T08:41:56.501910373Z" level=info msg="loading plugin" id=io.containerd.monitor.container.v
```

Install kubectl

Download the latest release

```
curl -LO "https://dl.k8s.io/release/$(curl -L -s
https://dl.k8s.io/release/stable.txt)/bin/linux/amd64/kubectl"
```

Install the binary

```
sudo install -o root -g root -m 0755 kubectl /usr/local/bin/kubectl
```

Verify the installation
kubectl version --client

```
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# curl -LO "https://dl.k8s.io/release/${curl -L -s https://dl.k8s.io/release/stable.txt}/bin/linux/amd64/kubectl"
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total   Spent    Left    Speed
100 55.8M  100 55.8M    0     0  132M   0 --:--:-- --:--:-- --:--:--  132M
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# sudo install -o root -g root -m 0755 kubectl /usr/local/bin/kubectl
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# kubectl version --client
Client Version: v1.35.3
Kustomize Version: v5.7.1
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices#
```

Install Minikube

Download the latest Minikube binary
curl -LO https://storage.googleapis.com/minikube/releases/latest/minikube-linux-amd64

Install it
sudo install minikube-linux-amd64 /usr/local/bin/minikube

Verify the installation
minikube version

```
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# curl -LO "https://dl.k8s.io/release/${curl -L -s https://dl.k8s.io/release/stable.txt}/bin/linux/amd64/kubectl"
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total   Spent    Left    Speed
100 55.8M  100 55.8M    0     0  132M   0 --:--:-- --:--:-- --:--:--  132M
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# sudo install -o root -g root -m 0755 kubectl /usr/local/bin/kubectl
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# kubectl version --client
Client Version: v1.35.3
Kustomize Version: v5.7.1
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# curl -LO https://storage.googleapis.com/minikube/releases/latest/minikube-linux-amd64
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total   Spent    Left    Speed
100 128M  100 128M    0     0  154M   0 --:--:-- --:--:-- --:--:--  154M
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# sudo install minikube-linux-amd64 /usr/local/bin/minikube
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# minikube version
minikube version: v1.38.1
commit: c93a4cb9311efc66b90d33ea03f75f2c4120e9b0
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices#
```

minikube start --driver=docker

```
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# curl -LO https://storage.googleapis.com/minikube/releases/latest/minikube-linux-amd64
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total   Spent    Left    Speed
100 128M  100 128M    0     0  154M   0 --:--:-- --:--:-- --:--:--  154M
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# sudo install minikube-linux-amd64 /usr/local/bin/minikube
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# minikube version
minikube version: v1.38.1
commit: c93a4cb9311efc66b90d33ea03f75f2c4120e9b0
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# minikube start --driver=docker
🐳 minikube v1.38.1 on Ubuntu 25.10 (amd64)
🔗 Using the docker driver based on user configuration

❗ Exiting due to PROVIDER DOCKER NOT RUNNING: "docker version --format <no value><no value><no value>" exit status 1: Cannot connect to the Docker daemon at unix:///var/run/docker.sock. Is the docker daemon running?
💡 Suggestion: Start the Docker service
📖 Documentation: https://minikube.sigs.k8s.io/docs/drivers/docker/
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices#
```

Install Google Cloud SDK

```
# Download and install gcloud CLI
curl -O
https://dl.google.com/dl/cloudsdk/channels/rapid/downloads/google-cloud-cli-linux-x86_64.tar.gz
tar -xf google-cloud-cli-linux-x86_64.tar.gz
./google-cloud-sdk/install.sh
# Restart your shell or run:
source ~/.bashrc
```

Authenticate and Set Project

```
gcloud auth login
gcloud config set project YOUR_PROJECT_ID # replace with your GCP project ID
```

```
root@adish-assignment:/home/adishansari786/SampleMERNWithMicroservices# gcloud auth login

You are running on a Google Compute Engine virtual machine.
It is recommended that you use service accounts for authentication.

You can run:

    $ gcloud config set account 'ACCOUNT'

to switch accounts if necessary.

Your credentials may be visible to others with access to this
virtual machine. Are you sure you want to authenticate with
your personal account?

Do you want to continue (Y/n)? y

Go to the following link in your browser, and complete the sign-in prompts:

    https://accounts.google.com/o/oauth2/auth?response_type=code&client_id=32555940559.apps.googleusercontent.com&redirect_uri=https%3A%2F%2Fsdks.cloud.google.com%2Fauthcode.html&scope=openid+https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fuserinfo.email+https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fcloud-platform+https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fappengine.admin+https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fsqlservice.login+https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fcompute+https%3A%2F%2Fwww.googleapis.com%2Fauth%2Faccounts.reauth&state=Dq8oGaNZr1R9ZCcNJYHdCbw16RseoA&prompt=consent&token_usage=remote&access_type=offline&code_challenge=JhY7yox1PnEjOIrF4g2JLXLjsQw2y1QmYTY5952-HQ6code_challenge_method=S256

Once finished, enter the verification code provided in your browser: 4/0Ac198E9QKmoasRFwJcaVcs3UQ3rIbfEA4bvbTupCS1Emjwd2b2J1SQHCXMDU9Gv32TeIMw

You are now logged in as [adishansari786@gmail.com].
Your current project is [heroviredacademics]. You can change this setting by running:

    $ gcloud config set project PROJECT_ID

root@adish-assignment:/home/adishansari786/SampleMERNWithMicroservices# gcloud config set project heroviredacademics
(environment: untagged) Read more to tag: g.co/cloud/project-env-tag.
Updated property [core/project].
root@adish-assignment:/home/adishansari786/SampleMERNWithMicroservices#
```

Create a Docker file for each service

helloservice

```
# Build stage
FROM node:18-alpine AS builder
WORKDIR /app
COPY package*.json ./
RUN npm ci --only=production
```

```
# Runtime stage
FROM node:18-alpine
RUN addgroup -g 1001 -S nodejs && adduser -S nodejs -u 1001
WORKDIR /app
COPY --from=builder --chown=nodejs:nodejs /app/node_modules ./node_modules
COPY . .
USER nodejs
EXPOSE 3001
CMD ["node", "index.js"]
```

profiles-service

```
# Build stage
FROM node:18-alpine AS builder
WORKDIR /app
COPY package*.json ./
RUN npm ci --only=production

# Runtime stage
FROM node:18-alpine
RUN addgroup -g 1001 -S nodejs && adduser -S nodejs -u 1001
WORKDIR /app
COPY --from=builder --chown=nodejs:nodejs /app/node_modules ./node_modules
COPY . .
USER nodejs
EXPOSE 3002
CMD ["node", "index.js"]
```

frontend-service

```
# Stage 1: Build the React application
FROM node:18-alpine AS builder
WORKDIR /app
COPY package*.json ./
RUN npm ci
COPY . .
RUN npm run build

# Stage 2: Serve with Nginx
FROM nginx:stable-alpine
```

```
# Copy custom nginx config (optional - see note below)
COPY nginx.conf /etc/nginx/conf.d/default.conf
# Copy built static files
COPY --from=builder /app/build /usr/share/nginx/html
EXPOSE 3000
CMD ["nginx", "-g", "daemon off;"]
```

In frontendservice

nginx.conf

```
cat > nginx.conf << 'EOF'
server {
    listen 3000;
    server_name localhost;
    root /usr/share/nginx/html;
    index index.html;

    location / {
        try_files $uri $uri/ /index.html;
    }

    location ~* \.(js|css|png|jpg|jpeg|gif|ico|svg)$ {
        expires 1y;
        add_header Cache-Control "public, immutable";
    }
}
EOF
```

Build & Push Images Using Cloud Build

Enable Cloud Build API

gcloud services enable cloudbuild.googleapis.com

gcloud builds submit --tag gcr.io/heroviredacademics/hello-service ./backend/helloService

gcloud builds submit --tag gcr.io/heroviredacademics/profile-service ./backend/profileService
gcloud builds submit --tag gcr.io/heroviredacademics/frontend ./frontend

```
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# gcloud builds submit --tag gcr.io/heroviredacademics/hello-service ./backend/helloService
Creating temporary archive of 4 file(s) totalling 38.5 KiB before compression.
Uploading tarball of [/backend/helloService] to [gs://heroviredacademics_cloudbuild/source/1776159392.287754-3b621200039b452fba4f552ed3643117.tgz]
Created [https://cloudbuild.googleapis.com/v1/projects/heroviredacademics/locations/global/builds/29c867af-816b-4aa3-9fa6-077c064712d9].
Logs are available at [ https://console.cloud.google.com/cloud-build/builds/29c867af-816b-4aa3-9fa6-077c064712d9?project=601575894555 ].
Waiting for build to complete. Polling interval: 1 second(s).

----- REMOTE BUILD OUTPUT -----
starting build "29c867af-816b-4aa3-9fa6-077c064712d9"

FETCHSOURCE
Fetching storage object: gs://heroviredacademics_cloudbuild/source/1776159392.287754-3b621200039b452fba4f552ed3643117.tgz#1776159392554844
Copying gs://heroviredacademics_cloudbuild/source/1776159392.287754-3b621200039b452fba4f552ed3643117.tgz#1776159392554844...
/ [1 files] 11.8 KiB/ 11.8 KiB
Operation completed over 1 objects/11.8 KiB.
BUILD
Already have image (with digest): gcr.io/cloud-builders/gcb-internal
Sending build context to Docker daemon 43.01kB
Step 1/12 : FROM node:18-alpine AS builder
18-alpine: Pulling from library/node
f18232174bc9: Pulling fs layer
dd71dde834b5: Pulling fs layer
1e5a4c89cee5: Pulling fs layer
25ff2da83641: Pulling fs layer
25ff2da83641: Verifying Checksum
25ff2da83641: Download complete
1e5a4c89cee5: Verifying Checksum
1e5a4c89cee5: Download complete
f18232174bc9: Verifying Checksum
f18232174bc9: Download complete
f18232174bc9: Pull complete
dd71dde834b5: Verifying Checksum
dd71dde834b5: Download complete
dd71dde834b5: Pull complete
1e5a4c89cee5: Pull complete
25ff2da83641: Pull complete
Digest: sha256:8d6421d663b4c28fd3ebc498332f249011d118945588d0a35cb9bc4b8ca09d9e
Status: Downloaded newer image for node:18-alpine
--> ae776cd0c18
Step 2/12 : WORKDIR /app
--> Running in c4e350aaf08e
```

```
ID          IMAGES          CREATE_TIME          STATUS          DURATION          SOURCE
29c867af-816b-4aa3-9fa6-077c064712d9  2026-04-14T09:36:32+00:00  25S          gs://heroviredacademics_cloudbuild/source/1776159392.287754-3b621200039b452fba4f552ed3643117.tgz
gcr.io/heroviredacademics/hello-service (+1 more)  SUCCESS
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# gcloud builds submit --tag gcr.io/heroviredacademics/profile-service ./backend/profileService
Creating temporary archive of 4 file(s) totalling 48.4 KiB before compression.
Uploading tarball of [/backend/profileService] to [gs://heroviredacademics_cloudbuild/source/1776159435.251703-e354016306aa4b72aa483019dd1150e6.tgz]
Created [https://cloudbuild.googleapis.com/v1/projects/heroviredacademics/locations/global/builds/987b75fc-3016-47d9-bb71-9b110c7e55a3].
Logs are available at [ https://console.cloud.google.com/cloud-build/builds/987b75fc-3016-47d9-bb71-9b110c7e55a3?project=601575894555 ].
Waiting for build to complete. Polling interval: 1 second(s).

----- REMOTE BUILD OUTPUT -----
starting build "987b75fc-3016-47d9-bb71-9b110c7e55a3"

FETCHSOURCE
Fetching storage object: gs://heroviredacademics_cloudbuild/source/1776159435.251703-e354016306aa4b72aa483019dd1150e6.tgz#1776159435457698
Copying gs://heroviredacademics_cloudbuild/source/1776159435.251703-e354016306aa4b72aa483019dd1150e6.tgz#1776159435457698...
/ [1 files] 14.5 KiB/ 14.5 KiB
Operation completed over 1 objects/14.5 KiB.
BUILD
Already have image (with digest): gcr.io/cloud-builders/gcb-internal
Sending build context to Docker daemon 53.25kB
Step 1/12 : FROM node:18-alpine AS builder
18-alpine: Pulling from library/node
f18232174bc9: Pulling fs layer
dd71dde834b5: Pulling fs layer
1e5a4c89cee5: Pulling fs layer
25ff2da83641: Pulling fs layer
1e5a4c89cee5: Verifying Checksum
```

```
ID          IMAGES          CREATE_TIME          STATUS          DURATION          SOURCE
987b75fc-3016-47d9-bb71-9b110c7e55a3  2026-04-14T09:37:15+00:00  26S          gs://heroviredacademics_cloudbuild/source/1776159435.251703-e354016306aa4b72aa483019dd1150e6.tgz
gcr.io/heroviredacademics/profile-service (+1 more)  SUCCESS
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# gcloud builds submit --tag gcr.io/heroviredacademics/frontend ./frontend
Creating temporary archive of 19 file(s) totalling 717.7 KiB before compression.
Some files were not included in the source upload.

Check the gcloud log [/root/.config/gcloud/logs/2026.04.14/09.39.26.043734.log] to see which files and the contents of the
default gcloudignore file used (see '$ gcloud topic gcloudignore' to learn
more).

Uploading tarball of [/frontend] to [gs://heroviredacademics_cloudbuild/source/1776159566.295144-cl7091e23225496e872c1fe7330dc606.tgz]
Created [https://cloudbuild.googleapis.com/v1/projects/heroviredacademics/locations/global/builds/33f37018-0ef2-4a6d-971e-acc3cf1bccc3].
Logs are available at [ https://console.cloud.google.com/cloud-build/builds/33f37018-0ef2-4a6d-971e-acc3cf1bccc3?project=601575894555 ].
Waiting for build to complete. Polling interval: 1 second(s).

----- REMOTE BUILD OUTPUT -----
starting build "33f37018-0ef2-4a6d-971e-acc3cf1bccc3"

FETCHSOURCE
Fetching storage object: gs://heroviredacademics_cloudbuild/source/1776159566.295144-cl7091e23225496e872c1fe7330dc606.tgz#1776159566622605
Copying gs://heroviredacademics_cloudbuild/source/1776159566.295144-cl7091e23225496e872c1fe7330dc606.tgz#1776159566622605...
/ [1 files] 176.3 KiB/176.3 KiB
Operation completed over 1 objects/176.3 KiB.
BUILD
Already have image (with digest): gcr.io/cloud-builders/gcb-internal
Sending build context to Docker daemon 752.1kB
Step 1/11 : FROM node:18-alpine AS builder
18-alpine: Pulling from library/node
f18232174bc9: Pulling fs layer
dd71dde834b5: Pulling fs layer
1e5a4c89cee5: Pulling fs layer
25ff2da83641: Pulling fs layer
25ff2da83641: Verifying Checksum
25ff2da83641: Download complete
f18232174bc9: Verifying Checksum
f18232174bc9: Download complete
f18232174bc9: Pull complete
1e5a4c89cee5: Verifying Checksum
1e5a4c89cee5: Download complete
```

Google Cloud HeroViredAcademics Search (/) for resources, docs, products, and more Search

Artifact Registry / Project: heroviredacademics / Location: us / Repository: gcr.io

Repositories Settings

Images for gcr.io Delete Edit repository Setup instructions Copy path Refresh

Repository Details

Format Docker
Type Standard
[Show more](#)

Filter Enter property name or value

☐	Name ↑	Connection	Created	Updated
☐	frontend	—	1 hour ago	35 minutes ago
☐	github.com/scroll2learn/hero-labs-1302	—	Feb 14, 2026	Feb 14, 2026
☐	hello-service	—	9 days ago	1 hour ago
☐	profile-service	—	9 days ago	1 hour ago

gcloud container images list --repository=[gcr.io/heroviredacademics](#)

```
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# gcloud container images list --repository=gcr.io/heroviredacademics
NAME
gcr.io/heroviredacademics/frontend
gcr.io/heroviredacademics/github.com
gcr.io/heroviredacademics/hello-service
gcr.io/heroviredacademics/profile-service
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices#
```

Install the GKE Auth Plugin

```
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# gcloud container clusters create mern-cluster --zone us-central1-b --num-nodes 2 --machine-type e2-medium
Note: Your Pod address range ('--cluster-ip4-cidr') can accommodate at most 1008 node(s).
Creating cluster mern-cluster in us-central1-b... Cluster is being health-checked (Kubernetes Control Plane is healthy)...done.
Created [https://container.googleapis.com/v1/projects/heroviredacademics/zones/us-central1-b/clusters/mern-cluster].
To inspect the contents of your cluster, go to: https://console.cloud.google.com/kubernetes/workload/_gcloud/us-central1-b/mern-cluster?project=heroviredacademics
CRITICAL: ACTION REQUIRED: gke-gcloud-auth-plugin, which is needed for continued use of kubectl, was not found or is not executable. Install gke-gcloud-auth-plugin for use with kubectl by following https://cloud.google.com/kubernetes-engine/docs/how-to/cluster-access-for-kubectl#install_plugin
kubeconfig entry generated for mern-cluster.
NAME LOCATION MASTER_VERSION MASTER_IP MACHINE_TYPE NODE_VERSION NUM_NODES STATUS STACK_TYPE
mern-cluster us-central1-b 1.35.1-gke.1396002 104.154.231.234 e2-medium 1.35.1-gke.1396002 2 RUNNING IPV4
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# ^C
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# sudo apt-get install google-cloud-sdk-gke-gcloud-auth-plugin
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
E: Unable to locate package google-cloud-sdk-gke-gcloud-auth-plugin
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# gke-gcloud-auth-plugin --version
bash: gke-gcloud-auth-plugin: command not found
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# gcloud components install gke-gcloud-auth-plugin

Your current Google Cloud CLI version is: 564.0.0
Installing components from version: 564.0.0
```



```
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# gcloud components install gke-gcloud-auth-plugin

Your current Google Cloud CLI version is: 564.0.0
Installing components from version: 564.0.0

These components will be installed.



| Name                                       | Version | Size    |
|--------------------------------------------|---------|---------|
| gke-gcloud-auth-plugin (Platform Specific) | 0.5.12  | 3.8 MiB |



For the latest full release notes, please visit:
https://cloud.google.com/sdk/release\_notes

Once started, canceling this operation may leave your SDK installation in an inconsistent state.

Do you want to continue (Y/n)? y

Performing in place update...



|                                                         |   |
|---------------------------------------------------------|---|
| Downloading: gke-gcloud-auth-plugin                     | = |
| Downloading: gke-gcloud-auth-plugin (Platform Specific) | = |
| Installing: gke-gcloud-auth-plugin                      | = |
| Installing: gke-gcloud-auth-plugin (Platform Specific)  | = |



Performing post processing steps...done.
Update done!

Performing post processing steps...done.
Update done!

WARNING: There are other instances of Google Cloud tools on your system PATH.
Please remove the following to avoid confusion or accidental invocation:

/usr/bin/snap

root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# gke-gcloud-auth-plugin --version
Kubernetes v1.34.2+0dd7f7cd0b632699e47ecafa4acc8f77cfc73c06
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# gcloud container clusters get-credentials mern-cluster --zone us-central1-b
Fetching cluster endpoint and auth data.
kubeconfig entry generated for mern-cluster.
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices#
```

Install the plugin using apt (Ubuntu)

sudo apt-get install google-cloud-sdk-gke-gcloud-auth-plugin //if apt are not found the plugin then run the second command

gcloud components install gke-gcloud-auth-plugin

Verify installation

gke-gcloud-auth-plugin --version

Create a GKE Cluster

gcloud container clusters create mern-cluster --zone us-central1-b --num-nodes 2
--machine-type e2-medium

Add a Third Node

gcloud container clusters resize mern-cluster --node-pool default-pool --num-nodes=3 --zone us-central1-b

Get Credentials for kubectl

gcloud container clusters get-credentials mern-cluster --zone us-central1-b

The image shows two screenshots of the Google Cloud Platform console. The top screenshot displays the 'Kubernetes Engine / Clusters' page. It shows a list of clusters with one cluster, 'mern-cluster', in the 'us-central1-b' zone. The cluster is healthy and has 2 nodes. The bottom screenshot shows the 'Cluster details' page for 'mern-cluster', specifically the 'Nodes' tab. It shows a single node pool, 'default-pool', with 2 nodes. The node pool is healthy and has a machine type of 'e2-medium'.

Top Screenshot: Kubernetes Engine / Clusters

Overview Utilization Observability Cost Optimization

Health 100% healthy
Upgrade 100% up to date
Estimated monthly cost ₹0.00 / month · 0%

Filter Enter property name or value

Status	Name	Location	Fleet	Number of nodes	Total vCPUs	Total memory	Notifications
✓	mern-cluster	us-central1-b	Register	2	4	8 GB	

Bottom Screenshot: Cluster details / Nodes

Cluster details Edit Delete Deploy Connect Duplicate Equivalent code

Overview Details **Nodes** Storage Observability Logs App Errors (5)

Node pools Create user-managed node pool

Filter Filter node pools

Name	Status	Version	Number of nodes	Machine type	Image type	Autoscaling	Default IPv4 Pod
default-pool	✓ Ok	1.35.1-gke.1396002	2	e2-medium	Container-Optimized OS with containerd (cos_containerd)	Off	10.36.0.0/14

Nodes

Filter Node type: User-managed Filter nodes

Google Cloud HeroViredAcademics Search (/) for resources, docs, products, and more Search

Kubernetes Engine / Cluster: mern-cluster / Nodes

Cluster details Edit Delete Deploy Connect Duplicate Equivalent code

(cos_containerd)

Nodes

Filter Node type: User-managed Filter nodes

Name	Status	Node type	CPU requested	CPU allocatable	Memory requested	Memory allo
gke-mern-cluster-default-pool-e1a3cfe8-hp1m	Ready	User-managed	853 mCPU	940 mCPU	1.25 GB	
gke-mern-cluster-default-pool-e1a3cfe8-nrvc	Ready	User-managed	861 mCPU	940 mCPU	1.16 GB	

Verify kubectl Works

`kubectl apply -f k8s-manifests/`

`kubectl get nodes`

`kubectl get all`

`kubectl get pods`

`kubectl get pods -w`

`kubectl get svc`

`kubectl get ingress`

`kubectl get ingress mern-ingress //name of the cluster`

```

root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# kubectl get pods
NAME                                READY   STATUS    RESTARTS   AGE
frontend-68c74cbff7-4pjtj          1/1     Running   0           42h
frontend-68c74cbff7-jsf7m          1/1     Running   0           42h
hello-service-6d468b7878-j8szn     1/1     Running   0           41h
hello-service-6d468b7878-llnct     1/1     Running   0           41h
mongodb-0                           1/1     Running   0           42h
profile-service-5d87858c87-95trs    1/1     Running   0           56m
profile-service-5d87858c87-cpbkk    1/1     Running   0           56m
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# kubectl get nodes
NAME                                STATUS   ROLES    AGE   VERSION
gke-mern-cluster-default-pool-ela3cfe8-ggww   Ready   <none>   41h   v1.35.1-gke.1396002
gke-mern-cluster-default-pool-ela3cfe8-hp1m   Ready   <none>   42h   v1.35.1-gke.1396002
gke-mern-cluster-default-pool-ela3cfe8-nrvc   Ready   <none>   42h   v1.35.1-gke.1396002
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# kubectl get svc
NAME                TYPE        CLUSTER-IP   EXTERNAL-IP   PORT(S)    AGE
frontend-service    ClusterIP   34.118.235.30 <none>        3000/TCP    42h
hello-service       ClusterIP   34.118.227.71 <none>        3001/TCP    42h
kubernetes          ClusterIP   34.118.224.1  <none>        443/TCP     42h
mongodb-service     ClusterIP   None          <none>        27017/TCP   42h
profile-service     ClusterIP   34.118.235.36 <none>        3002/TCP    42h

```

```

root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# kubectl get all
NAME                                READY   STATUS    RESTARTS   AGE
pod/frontend-68c74cbff7-4pjtj      1/1     Running   0           42h
pod/frontend-68c74cbff7-jsf7m      1/1     Running   0           42h
pod/hello-service-6d468b7878-j8szn 1/1     Running   0           41h
pod/hello-service-6d468b7878-llnct 1/1     Running   0           41h
pod/mongodb-0                      1/1     Running   0           42h
pod/profile-service-5d87858c87-95trs 1/1     Running   0           56m
pod/profile-service-5d87858c87-cpbkk 1/1     Running   0           56m

NAME                TYPE        CLUSTER-IP   EXTERNAL-IP   PORT(S)    AGE
service/frontend-service ClusterIP   34.118.235.30 <none>        3000/TCP    42h
service/hello-service  ClusterIP   34.118.227.71 <none>        3001/TCP    42h
service/kubernetes     ClusterIP   34.118.224.1  <none>        443/TCP     42h
service/mongodb-service ClusterIP   None          <none>        27017/TCP   42h
service/profile-service ClusterIP   34.118.235.36 <none>        3002/TCP    42h

NAME                READY   UP-TO-DATE   AVAILABLE   AGE
deployment.apps/frontend  2/2     2             2           42h
deployment.apps/hello-service  2/2     2             2           42h
deployment.apps/profile-service  2/2     2             2           42h

NAME                                DESIRED   CURRENT   READY   AGE
replicaset.apps/frontend-68c74cbff7 2          2         2       42h
replicaset.apps/frontend-799bc57f64 0          0         0       42h
replicaset.apps/hello-service-68667b4f9b 0          0         0       42h
replicaset.apps/hello-service-6d468b7878 2          2         2       41h
replicaset.apps/profile-service-59b58b46cb 0          0         0       42h
replicaset.apps/profile-service-59c89f69d4 0          0         0       41h
replicaset.apps/profile-service-5d87858c87 2          2         2       62m
replicaset.apps/profile-service-647444457c 0          0         0       42h
replicaset.apps/profile-service-6bd9868446 0          0         0       25h
replicaset.apps/profile-service-6d77c54cf4 0          0         0       25h
replicaset.apps/profile-service-7448d88678 0          0         0       25h
replicaset.apps/profile-service-7575789dd7 0          0         0       25h
replicaset.apps/profile-service-7666cbf95d 0          0         0       25h
replicaset.apps/profile-service-767f579f45 0          0         0       41h
replicaset.apps/profile-service-c68ff5fcc 0          0         0       25h


```


```
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# kubectl get ingress mern-ingress
NAME      CLASS      HOSTS      ADDRESS      PORTS      AGE
mern-ingress  <none>    *          34.111.2.96  80         49m
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# kubectl get ingress
NAME      CLASS      HOSTS      ADDRESS      PORTS      AGE
mern-ingress  <none>    *          34.111.2.96  80         49m
root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# curl http://34.111.2.96
<doctype html><html lang="en"><head><meta charset="utf-8"/><link rel="icon" href="/favicon.ico"/><meta name="viewport" content="width=device-width,initial-scale=1"/><meta
name="theme-color" content="#000000"/><meta name="description" content="Web site created using create-react-app"/><link rel="apple-touch-icon" href="/logo192.png"/><link
rel="manifest" href="/manifest.json"/><title>React App</title><script defer="defer" src="/static/js/main.7c7a6051.js"></script><link href="/static/css/main.f855e6bc.css" r
el="stylesheet"></head><body><noscript>You need to enable JavaScript to run this app.</noscript><div id="root"></div></body></html>root@adish-assignment:/home/adishansari7
86/SampleMERNwithMicroservices# curl http://34.111.2.96/api
{"msg":"Hello from /api endpoint"}root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices# curl http://34.111.2.96/health
<doctype html><html lang="en"><head><meta charset="utf-8"/><link rel="icon" href="/favicon.ico"/><meta name="viewport" content="width=device-width,initial-scale=1"/><meta
name="theme-color" content="#000000"/><meta name="description" content="Web site created using create-react-app"/><link rel="apple-touch-icon" href="/logo192.png"/><link
rel="manifest" href="/manifest.json"/><title>React App</title><script defer="defer" src="/static/js/main.7c7a6051.js"></script><link href="/static/css/main.f855e6bc.css" r
el="stylesheet"></head><body><noscript>You need to enable JavaScript to run this app.</noscript><div id="root"></div></body></html>root@adish-assignment:/home/adishansari7
86/SampleMERNwithMicroservices# curl http://34.111.2.96/profile
{"message":"Profile endpoint works"}root@adish-assignment:/home/adishansari786/SampleMERNwithMicroservices#
```



Welcome


Profile





Welcome

Profile



```
{  
  "message": "Profile endpoint works"  
}
```

Frontend (should return the React HTML)
curl http://34.49.202.235/
Hello service (should return a greeting JSON)
curl http://34.49.202.235/api/
Profile service (should return profile data or a message)
curl http://34.49.202.235/profile/

Navigation menu ()

Compute Engine

Overview

Security risk overview

Virtual machines

VM instances

Instance templates

Sole-tenant nodes

Machine images

TPUs

Committed use discou...

Reservations

Marketplace

VM instances

Create instanceImport VMRefresh

Learn

InstancesObservabilityInstance schedules

VM instances

Filter Enter property name or value

Status	Name ↑	Zone	Recommendations	In use by	Internal IP	Connect
☐	adish-assignment	us-central1-b			10.128.0.13 (nic0)	SSH
☒	gke-mern-cluster-default-pool-e1a3cfe8-ggww	us-central1-b		gke-	10.128.15.227 (nic0)	SSH
☒	gke-mern-cluster-default-pool-e1a3cfe8-hp1m	us-central1-b		gke-	10.128.0.24 (nic0)	SSH
☒	gke-mern-cluster-default-pool-e1a3cfe8-nrvc	us-central1-b		gke-	10.128.0.23 (nic0)	SSH

Google Cloud

HeroViredAcademics

gke

Search

6

Kubernetes Engine / Clusters

All Fleets

Fleet heroviredacademics-fleet

Resource Management

Overview

Clusters

Workloads

AI/ML

Teams

Applications

Secrets & ConfigMaps

Kubernetes clusters

CreateDeployRefreshAttach clusterNew

Learn

OverviewUtilizationObservabilityCost Optimization

Health 100% healthy

Upgrade 100% up to date

Estimated monthly cost ₹0.00 / month · 0%

Filter Enter property name or value

Status	Name ↑	Location	Fleet	Number of nodes	Total vCPUs	Total memory	Notifications
☒	mern-cluster	us-central1-b	Register				

Google Cloud

HeroViredAcademics

gke

Search

6

Kubernetes Engine / Cluster: mern-cluster

All Fleets

Fleet heroviredacademics-fleet

Resource Management

Overview

Clusters

Workloads

AI/ML

Teams

Applications

Secrets & ConfigMaps

Marketplace

Release Notes

Cluster details

EditDeleteDeployConnectDuplicate

Equivalent code

mern-cluster

OverviewDetailsNodesStorageObservabilityLogsApp Errors (6)

Status Running

Mode Standard

Number of nodes 3

Control plane zone us-central1-b

Endpoint 104.154.231.234

Optimize your GKE experience

Automate cluster upgrades



Configure maintenance policies

Enable notifications

Keep your cluster seamlessly up to date

Your cluster is enrolled in the Regular release channel. It'll receive upgrades roughly every two to three months for minor versions, and more frequent patch releases. View release schedule

Edit release channel



← → ↺ 🏠

console.cloud.google.com/kubernetes/list/overview?project=heroviredacademics

☆ 🔴 📄 🗑️ ⌵ 👤

📁 root

🔍 Search (/) for resources, docs, products, and more 🔍 Search

🔔 🔔 👤

Kubernetes Engine / Clusters

All Fleets

Fleet heroviredacademics-fleet

Resource Management

Overview

Clusters

Workloads

AI/ML New

Teams

Applications

Secrets & ConfigMaps

Marketplace

Release Notes

Kubernetes clusters

Create Deploy Refresh Attach

Overview

Utilization

Observability

Cost Optimization

Health ⓘ

100% healthy

No recommendations

Upgrade ⓘ

100% up to date

No recommendations

Filter

Enter property name or value

☐ Status

Name ↑

Location

Fleet ⓘ

Number of nodes

No rows to display

Notifications

✓ Delete Kubernetes Engine cluster "mem-cluster" 4 minutes ago

HeroViredAcademics

✓ Stop VM instance "adish-assignment" 13 days ago

HeroViredAcademics

✓ Start VM instance "adish-assignment" 13 days ago

HeroViredAcademics

✓ Stop VM instance "adish-assignment" Apr 15, 2026

HeroViredAcademics

✓ Start VM instance "adish-assignment" Apr 15, 2026

HeroViredAcademics

See all activities