

SOURCE CODE:MYPORT FOLIO

Index.html:

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>Personal Portfolio using Angular</title>
  <base href="/">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link href="https://fonts.googleapis.com/css?family=Montserrat:400,700,200"
rel="stylesheet" />
  <link href="https://use.fontawesome.com/releases/v5.0.6/css/all.css"
rel="stylesheet">
  <link href="https://maxcdn.bootstrapcdn.com/font-awesome/latest/css/font-
awesome.min.css" rel="stylesheet">
  <link href="assets/css/aos.css" rel="stylesheet">
  <link href="assets/css/bootstrap.min.css" rel="stylesheet">
  <link href="assets/css/main.css" rel="stylesheet">
  <link rel="icon" type="image/x-icon" href="favicon.ico">
</head>
<body>
  <app-root></app-root>
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></scrip
t>
  <script src="assets/js/core/popper.min.js"></script>
  <script src="assets/js/core/bootstrap.min.js"></script>
  <script src="assets/js/nou-ui-kit.js?v=1.3.0"></script>
  <script src="assets/js/aos.js"></script>
  <script src="assets/js/main.js"></script>
</body>
</html>
```

Create a folder name it as profile

In Profile folder Create sub folder name it as about

Create about.component.html

```
<div class="section" id="about">
  <div class="container">
    <div class="card" data-aos="fade-up" data-aos-offset="10">
      <div class="row">
        <div class="col-lg-6 col-md-12">
          <div class="card-body">
            <div class="h4 mt-0 title">About Me</div>
```

```

        <p align="justify">From a young age, I've always
had a sense of motivation and passion driving me forward.
        Whether it's exploring unique opportunities,
learning additional skills, or meeting new people,
        I bring these values to every experience
throughout my life on a personal and professional level.</p>
        <p align="justify">Lover of innovation and
everything related to generate new knowledge.
        Face problems with a smile and solve them as
soon as possible.
        Very calculated about the time I spend and
work I do.</p>
        <p align="justify">To learn more about me, keep
exploring my site or reach out directly.</p>
    </div>
</div>
<div class="col-lg-6 col-md-12">
    <div class="card-body">
        <div class="h4 mt-0 title">Basic Information</div>
        <div class="row">
            <div class="col-sm-4">
                <strong class="text-uppercase">Date of
Birth:</strong>
            </div>
            <div class="col-sm-8">oct 1, 1997</div>
        </div>
        <div class="row mt-4">
            <div class="col-sm-4">
                <strong class="text-uppercase">Email:</strong>
            </div>
            <div class="col-sm-8"><a href="mailto:AdityaKr.Saurabh@example.com">AdityaKr.Saurabh@example.com</a>
            </div>
        </div>
        <div class="row mt-4">
            <div class="col-sm-4">
                <strong class="text-uppercase">Mobile
No:</strong>
            </div>
            <div class="col-sm-8">1234567898</div>
        </div>
        <div class="row mt-4">
            <div class="col-sm-4">
                <strong class="text-
uppercase">Address:</strong>
            </div>
            <div class="col-sm-8">bihar, India</div>
        </div>
    </div>
</div>
<div class="row mt-4">
    <div class="col-sm-4">

```

```

        <strong class="text-
uppercase">Language:</strong>
      </div>
      <div class="col-sm-8">English, Hindi</div>
    </div>
  </div>
</div>
</div>
</div>
</div>

```

Create about.component.css

Create about.component.spec.ts

```

import { async, ComponentFixture, TestBed } from '@angular/core/testing';

import { AboutComponent } from './about.component';

describe('AboutComponent', () => {
  let component: AboutComponent;
  let fixture: ComponentFixture<AboutComponent>;

  beforeEach(async(() => {
    TestBed.configureTestingModule({
      declarations: [ AboutComponent ]
    })
    .compileComponents();
  }));

  beforeEach(() => {
    fixture = TestBed.createComponent(AboutComponent);
    component = fixture.componentInstance;
    fixture.detectChanges();
  });

  it('should create', () => {
    expect(component).toBeTruthy();
  });
});

```

Create about.components.ts

```

import { Component, OnInit } from '@angular/core';

@Component({

```



```

        <input class="form-control" type="text"
name="subject" #subject placeholder="Subject"
        [(ngModel)]="model.subject" #subject="ngModel"
        [ngClass]="{ 'is-invalid': f.submitted &&
subject.invalid }" required />
    </div>
</div>
<div class="row mb-3">
    <div class="col">
        <div class="input-group">
            <input class="form-control" type="text"
name="email" #email placeholder="E-mail"
            [(ngModel)]="model.email" #email="ngModel"
            [ngClass]="{ 'is-invalid': f.submitted &&
email.invalid }"
                pattern="^([a-zA-Z0-9_\-\.]+)@([a-zA-Z0-9_\-
\.]+)\.([a-zA-Z]{2,5})$" required />
        </div>
    </div>
</div>
<div class="row mb-3">
    <div class="col">
        <div class="form-group">
            <textarea class="form-control" name="message"
#message placeholder="Your Message"
            [(ngModel)]="model.message" #message="ngModel"
            [ngClass]="{ 'is-invalid': f.submitted &&
message.invalid }" required></textarea>
        </div>
    </div>
</div>
<div class="row">
    <div class="col">
        <button class="btn btn-primary" type="submit"
(click)="onSubmit(name.value, subject.value, email.value, message.value)">
Send</button>
    </div>
</div>
</form>
</div>
<div class="col-md-6">
    <div class="card-body">
        <p class="mb-0">
            <strong>Phone</strong>
        </p>
        <p class="pb-2">+91 1234567890</p>
    </div>
</div>

```



```

import { Component, OnInit } from '@angular/core';
import { HttpClient } from '@angular/common/http';
import { HttpHeaders } from '@angular/common/http';
import { ProfileService } from '../profile.service';
import { SnotifyService } from 'ng-snotify';
import { environment } from '../../environments/environment';

@Component({
  selector: 'app-contact',
  templateUrl: './contact.component.html',
  styleUrls: ['./contact.component.scss']
})
export class ContactComponent implements OnInit {
  model: any = {};

  constructor(
    private http: HttpClient
  ){}

  ngOnInit() {
  }
  onSubmit(name, subject, email, message) {
    const headers = new HttpHeaders({ 'Content-Type': 'application/json'
});
    this.http.post('https://formspree.io/f/mwkwzve',
      { name: name, subject: subject, replyto: email, message: message
    },
      { 'headers': headers }).subscribe(
        response => {
          console.log(response);
        }
      );
  }
}

```

In Profile folder Create sub folder name it as education

Create education.component.html

```

<div class="section" id="education">
  <div class="container cc-education">
    <div class="h4 text-center mb-4 title">Education</div>
    <div class="card">
      <div class="row">
        <div class="col-md-3 bg-primary" data-aos="fade-right"
data-aos-offset="50" data-aos-duration="500">
          <div class="card-body cc-education-header">
            <p>2017-2021</p>
            <div class="h5">Bachelor Degree</div>

```

```

        </div>
    </div>
    <div class="col-md-9" data-aos="fade-left" data-aos-
offset="50" data-aos-duration="500">
        <div class="card-body">
            <div class="h4">Bachelor of Engineering</div>
            <h4 class="category">KLU, bihar</h4>
            <ul>
                <li> KLU College of Engineering is one of
the <b>good</b> colleges in bihar </li>
                <li>Completed B-tech in Electronics
and communications Engineering with <b>80% </b>.</li>
            </ul>
        </div>
    </div>
</div>
<div class="card">
    <div class="row">
        <div class="col-md-3 bg-primary" data-aos="fade-right"
data-aos-offset="50" data-aos-duration="500">
            <div class="card-body cc-education-header">
                <p>2015-2017</p>
                <div class="h5">Secondary education</div>
            </div>
        </div>
        <div class="col-md-9" data-aos="fade-left" data-aos-
offset="50" data-aos-duration="500">
            <div class="card-body">
                <div class="h4">English Medium</div>
                <h4 class="category">NRI Jr. College, bihar</h4>
                <ul>
                    <li>Completed secondary education with
<b>92%</b> Aggregate.</li>
                </ul>
            </div>
        </div>
    </div>
</div>
<div class="card">
    <div class="row">
        <div class="col-md-3 bg-primary" data-aos="fade-right"
data-aos-offset="50" data-aos-duration="500">
            <div class="card-body cc-education-header">
                <p>2015</p>
                <div class="h5">Primary education</div>
            </div>
        </div>
    </div>
</div>

```



```

        <div class="col-md-9" data-aos="fade-left" data-aos-
offset="50" data-aos-duration="500">
          <div class="card-body">
            <div class="h5">English Medium</div>
            <h4 class="category">xyz school</h4>
            <ul>
              <li>Completed with <b>92%
</b>Aggregate.</li>
            </ul>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```

Create education.component.scss

Create education.component.spec.ts

```

import { async, ComponentFixture, TestBed } from '@angular/core/testing';

import { EducationComponent } from './education.component';

describe('EducationComponent', () => {
  let component: EducationComponent;
  let fixture: ComponentFixture<EducationComponent>;

  beforeEach(async(() => {
    TestBed.configureTestingModule({
      declarations: [ EducationComponent ]
    })
    .compileComponents();
  }));

  beforeEach(() => {
    fixture = TestBed.createComponent(EducationComponent);
    component = fixture.componentInstance;
    fixture.detectChanges();
  });

  it('should create', () => {
    expect(component).toBeTruthy();
  });
});

```

Create education.component.ts

```

import { Component, OnInit } from '@angular/core';

```

```

@Component({
  selector: 'app-education',
  templateUrl: './education.component.html',
  styleUrls: ['./education.component.scss']
})
export class EducationComponent implements OnInit {

  constructor() { }

  ngOnInit(): void {
  }

}

```

In Profile folder Create sub folder name it as footer

Create footer.component.html

```

<footer class="footer">
  <div class="container text-center">
    <a class="cc-facebook btn btn-link" href="#" target="_blank">
      <i class="fa fa-facebook fa-2x " aria-hidden="true"></i>
    </a>
    <a class="cc-instagram btn btn-link" href="#" target="_blank">
      <i class="fa fa-instagram fa-2x " aria-hidden="true"></i>
    </a>
    <a class="cc-github btn btn-link " href="#" target="_blank">
      <i class="fa fa-github fa-2x " aria-hidden="true"></i>
    </a>
  </div>
  <div class="text-center text-muted">
    <p>&copy; All rights reserved.</p>
  </div>
</footer>

```

Create footer.component.scss

Create footer.component.spec.ts

```

import { async, ComponentFixture, TestBed } from '@angular/core/testing';

import { FooterComponent } from './footer.component';

describe('FooterComponent', () => {
  let component: FooterComponent;
  let fixture: ComponentFixture<FooterComponent>;

  beforeEach(async(() => {
    TestBed.configureTestingModule({
      declarations: [ FooterComponent ]
    })
  })

```

```

        .compileComponents();
    }));

    beforeEach(() => {
        fixture = TestBed.createComponent(FooterComponent);
        component = fixture.componentInstance;
        fixture.detectChanges();
    });

    it('should create', () => {
        expect(component).toBeTruthy();
    });
});

```

Create footer.component.ts

```

import { Component, OnInit } from '@angular/core';

@Component({
  selector: 'app-footer',
  templateUrl: './footer.component.html',
  styleUrls: ['./footer.component.scss']
})
export class FooterComponent implements OnInit {

  constructor() { }

  ngOnInit(): void {
  }

}

```

In Profile folder Create sub folder name it as header

Create header.component.html

```

<header>
  <div class = "profile-page sidebar-collapse">
    <nav class="navbar navbar-expand-lg fixed-top navbar-transparent bg-
primary" color-on-scroll="400">
      <div class="container">
        <div class="navbar-translate">
          <a class="navbar-brand" href="#" rel="tooltip">Aditya Kr.
Saurabh</a>
          <button class="navbar-toggler navbar-toggler" type="button"
data-toggle="collapse"
            data-target="#navigation" aria-controls="navigation" aria-
expanded="false" aria-label="Toggle navigation">

```

```

        <span class="navbar-toggler-bar bar2"></span>
        <span class="navbar-toggler-bar bar3"></span>
      </button>
    </div>
    <div class="collapse navbar-collapse justify-content-end"
id="navigation">
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link smooth-scroll" href="#about">About</a>
        </li>
        <li class="nav-item">
          <a class="nav-link smooth-scroll" href="#skill">Skills</a>
        </li>
        <li class="nav-item">
          <a class="nav-link smooth-scroll"
href="#education">Education</a>
        </li>

        <li class="nav-item">
          <a class="nav-link smooth-scroll"
href="#reference">Reference</a>
        </li>

        <li class="nav-item">
          <a class="nav-link smooth-scroll"
href="#contact">Contact</a>
        </li>
      </ul>
    </div>
  </nav>
</div>
</header>

```

Create header.component.scss

Create header.component.spec.ts

```

import { async, ComponentFixture, TestBed } from '@angular/core/testing';

import { HeaderComponent } from './header.component';

describe('HeaderComponent', () => {
  let component: HeaderComponent;
  let fixture: ComponentFixture<HeaderComponent>;

  beforeEach(async(() => {
    TestBed.configureTestingModule({

```

```

        declarations: [ HeaderComponent ]
    })
    .compileComponents();
  }));

  beforeEach(() => {
    fixture = TestBed.createComponent(HeaderComponent);
    component = fixture.componentInstance;
    fixture.detectChanges();
  });

  it('should create', () => {
    expect(component).toBeTruthy();
  });
});

```

Create header.component.ts

```

import { Component, OnInit } from '@angular/core';

@Component({
  selector: 'app-header',
  templateUrl: './header.component.html',
  styleUrls: ['./header.component.scss']
})
export class HeaderComponent implements OnInit {

  constructor() { }

  ngOnInit(): void {
  }

}

```

In Profile folder Create sub folder name it as intro

Create intro.component.html

```

<div class="profile-page">
  <div class="wrapper">
    <div class="page-header page-header-small" filter-color="orange">
      <div class="page-header-image" data-parallax="true"
style="background-image: url('assets/images/introduction.jpg');">
    </div>
    <div class="container">
      <div class="content-center">
        <div class="profile-image">
          <a href="#">
            

```

```

        </a>
      </div>
      <div class="h2 title">Aditya Kr. Saurabh</div>
      <p class="category text-white">Java Full Stack Developer</p>
      <a class="btn btn-primary smooth-scroll mr-2" href="#contact"
data-aos="zoom-in" data-aos-anchor="data-aos-anchor">Hire Me</a>
      <a class="btn btn-primary" href="#" target="_blank" data-
aos="zoom-in" data-aos-anchor="data-aos-anchor">Download CV</a>
    </div>
  </div>
  <div class="section">
    <div class="container">
      <div class="button-container">
        <a class="btn btn-default btn-round btn-lg btn-icon"
href="#" target="_blank" rel="tooltip" title="Follow me on Facebook">
          <i class="fa fa-facebook"></i>
        </a>
        <a class="btn btn-default btn-round btn-lg btn-icon"
href="#" target="_blank" rel="tooltip" title="Follow me on LinkedIn">
          <i class="fa fa-linkedin"></i>
        </a>
        <a class="btn btn-default btn-round btn-lg btn-icon"
href="#" target="_blank" rel="tooltip" title="Follow me on Github">
          <i class="fa fa-github"></i>
        </a>
      </div>
    </div>
  </div>
</div>

```

Create intro.component.scss

Create intro.component.spec.ts

```

import { async, ComponentFixture, TestBed } from '@angular/core/testing';

import { IntroComponent } from './intro.component';

describe('IntroComponent', () => {
  let component: IntroComponent;
  let fixture: ComponentFixture<IntroComponent>;

  beforeEach(async(() => {
    TestBed.configureTestingModule({
      declarations: [ IntroComponent ]
    })
    .compileComponents();
  }));

```

```

beforeEach(() => {
  fixture = TestBed.createComponent(IntroComponent);
  component = fixture.componentInstance;
  fixture.detectChanges();
});

it('should create', () => {
  expect(component).toBeTruthy();
});
});

```

Create intro.component.ts

```

import { Component, OnInit } from '@angular/core';

@Component({
  selector: 'app-intro',
  templateUrl: './intro.component.html',
  styleUrls: ['./intro.component.scss']
})
export class IntroComponent implements OnInit {

  constructor() { }

  ngOnInit(): void {
  }

}

```

In Profile folder Create sub folder name it as skills

Create skills.component.html

```

<div class="section" id="skill">
  <div class="container">
    <div class="h4 text-center mb-4 title">Skills</div>
    <div class="card" data-aos="fade-up" data-aos-anchor-placement="top-bottom">
      <div class="card-body">
        <div class="row">
          <div class="col-md-6">
            <div class="progress-container progress-primary">
              <span class="progress-badge">Java</span>
              <div class="progress">
                <div class="progress-bar progress-bar-primary" data-aos="progress-full" data-aos-offset="10" data-aos-duration="2000" role="progressbar" aria-valuenow="60" aria-valuemin="0" aria-valuemax="100">

```

```

        style="width: 85%;"></div>
        <span class="progress-value">85%</span>
      </div>
    </div>
  </div>
<div class="row">
  <div class="col-md-6">
    <div class="progress-container progress-primary">
      <span class="progress-badge">Spring Framework</span>
      <div class="progress">
        <div class="progress-bar progress-bar-primary" data-
aos="progress-full" data-aos-offset="10"
        data-aos-duration="2000" role="progressbar" aria-
valuenow="60" aria-valuemin="0" aria-valuemax="100"
        style="width: 70%;"></div>
        <span class="progress-value">75%</span>
      </div>
    </div>
  </div>
  <div class="col-md-6">
    <div class="progress-container progress-primary">
      <span class="progress-badge">Angular8</span>
      <div class="progress">
        <div class="progress-bar progress-bar-striped progress-bar-
animated" data-aos="progress-full" data-aos-offset="10"
        data-aos-duration="2000" role="progressbar" aria-
valuenow="60" aria-valuemin="0" aria-valuemax="100"
        style="width: 60%;"></div>
        <span class="progress-value">80%</span>
      </div>
    </div>
  </div>
</div>
<div class="row">
  <div class="col-md-6">
    <div class="progress-container progress-primary">
      <span class="progress-badge">RDBMS</span>
      <div class="progress">
        <div class="progress-bar progress-bar-primary" data-
aos="progress-full" data-aos-offset="10"
        data-aos-duration="2000" role="progressbar" aria-
valuenow="60" aria-valuemin="0" aria-valuemax="100"
        style="width: 75%;"></div>
        <span class="progress-value">95%</span>
      </div>
    </div>
  </div>
</div>
<div class="col-md-6">

```



```

        <div class="progress-container progress-primary">
          <span class="progress-badge">HTML,CSS,JS</span>
          <div class="progress">
            <div class="progress-bar progress-bar-primary" data-
aos="progress-full" data-aos-offset="10"
              data-aos-duration="2000" role="progressbar" aria-
valuenow="60" aria-valuemin="0" aria-valuemax="100"
              style="width: 70%;"></div>
            <span class="progress-value">70%</span>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
</div>

```

Create skills.component.scss

Create skills.component.spec.ts

```

import { async, ComponentFixture, TestBed } from '@angular/core/testing';

import { SkillsComponent } from './skills.component';

describe('SkillsComponent', () => {
  let component: SkillsComponent;
  let fixture: ComponentFixture<SkillsComponent>;

  beforeEach(async(() => {
    TestBed.configureTestingModule({
      declarations: [ SkillsComponent ]
    })
    .compileComponents();
  }));

  beforeEach(() => {
    fixture = TestBed.createComponent(SkillsComponent);
    component = fixture.componentInstance;
    fixture.detectChanges();
  });

  it('should create', () => {
    expect(component).toBeTruthy();
  });
});

```

Create skills.component.ts

```
import { Component, OnInit } from '@angular/core';

@Component({
  selector: 'app-skills',
  templateUrl: './skills.component.html',
  styleUrls: ['./skills.component.scss']
})
export class SkillsComponent implements OnInit {

  constructor() { }

  ngOnInit(): void {
  }

}
```

In Profile create profile.component.html

```
<app-header></app-header>
<div class ="page-content">
  <app-intro></app-intro>
  <app-about></app-about>
  <app-skills></app-skills>
  <app-education></app-education>
  <app-contact></app-contact>
</div>
<app-footer></app-footer>
<ngx-spinner bdColor="rgba(255,255,255,1)" size="medium" color="#033d5b"
type="ball-spin-clockwise"></ngx-spinner>
```

In Profile create profile.component.scss

In Profile create profile.component.spec.ts

```
import { async, ComponentFixture, TestBed } from '@angular/core/testing';

import { ProfileComponent } from './profile.component';

describe('ProfileComponent', () => {
  let component: ProfileComponent;
  let fixture: ComponentFixture<ProfileComponent>;

  beforeEach(async(() => {
    TestBed.configureTestingModule({
      declarations: [ ProfileComponent ]
    })
    .compileComponents();
  }));
```

```

beforeEach(() => {
  fixture = TestBed.createComponent(ProfileComponent);
  component = fixture.componentInstance;
  fixture.detectChanges();
});

it('should create', () => {
  expect(component).toBeTruthy();
});
});

```

In Profile create profile.component.ts

```

import { Component, OnInit } from '@angular/core';
import { NgxSpinnerService } from 'ngx-spinner';

@Component({
  selector: 'app-profile',
  templateUrl: './profile.component.html',
  styleUrls: ['./profile.component.scss']
})
export class ProfileComponent implements OnInit {

  constructor(
    private spinner: NgxSpinnerService
  ) { }

  ngOnInit() {
    this.spinner.show();
    setTimeout(() => {
      this.spinner.hide();
    }, 2000);
  }

}

```

In Profile create profile.module.ts

```

import { NgModule } from '@angular/core';
import { CommonModule } from '@angular/common';
import { SnotifyModule, SnotifyService, ToastDefaults } from 'ng-snotify';
import { ProfileComponent } from './profile.component';
import { HeaderComponent } from './header/header.component';
import { FooterComponent } from './footer/footer.component';
import { IntroComponent } from './intro/intro.component';
import { AboutComponent } from './about/about.component';
import { NgxSpinnerModule } from 'ngx-spinner';
import { ContactComponent } from './contact/contact.component';
import { EducationComponent } from './education/education.component';
import { SkillsComponent } from './skills/skills.component';

```

```

import {FormsModule,ReactiveFormsModule} from '@angular/forms';

@NgModule({
  imports: [
    CommonModule,
    FormsModule,
    SnotifyModule,
    FormsModule,
    ReactiveFormsModule,
    NgxSpinnerModule
  ],
  declarations: [
    ProfileComponent,
    HeaderComponent,
    FooterComponent,
    AboutComponent,
    IntroComponent,
    ContactComponent,
    EducationComponent,
    SkillsComponent,
  ],
  providers: [
    { provide: 'SnotifyToastConfig', useValue: ToastDefaults},
    SnotifyService,
  ]
})
export class ProfileModule { }

```

In profile Create profile.service.ts

```

import { Injectable } from '@angular/core';
import { Observable } from 'rxjs';
import { HttpClient } from '@angular/common/http';
import { environment } from '../../environments/environment';

@Injectable({
  providedIn: 'root'
})
export class ProfileService {
  baseUrl = environment.baseUrl;

  constructor(
    private http: HttpClient
  ) { }

  contactus(data: any): Observable<any> {
    return this.http.post('http://localhost:4200/contact',data);
  }
}

```

In profile open app.component.html

```
<router-outlet></router-outlet>
```

In profile open app.module.ts

```
import { BrowserModule } from '@angular/platform-browser';
import { NgModule } from '@angular/core';

import { AppComponent } from './app.component';
import { RouterModule, Routes, ExtraOptions } from '@angular/router';
import { ProfileComponent } from './profile/profile.component';
import { ProfileModule } from './profile/profile.module';
import { HttpClientModule } from '@angular/common/http';
import { FormsModule, ReactiveFormsModule } from '@angular/forms';

const routes: Routes = [
  {
    path: '',
    component: ProfileComponent
  }
];

const config: ExtraOptions = {
  useHash: true,
};

@NgModule({
  declarations: [
    AppComponent
  ],
  imports: [
    BrowserModule,
    FormsModule,
    ReactiveFormsModule,
    RouterModule.forRoot(routes, config),
    ProfileModule,
    HttpClientModule
  ],
  providers: [],
  bootstrap: [AppComponent]
})
export class AppModule { }
```