

STANDAR DOKUMENTASI & RENCANA PENGUJIAN (TEST PLAN)

Aplikasi: Nutri-Guide — Personal Nutrition Recommendation System Versi: 1.0 |
Tanggal: 17 Mei 2026

1. STANDAR INSTALLATION MANUAL

1.1 System Requirements

Komponen	Spesifikasi Minimum
OS	Windows 10+ / Ubuntu 20.04+ / macOS 12+
Node.js	v20.x LTS atau lebih baru
npm	v10.x
PostgreSQL	v15 (via Docker atau native)
Docker (production)	v24+ dengan Docker Compose v2
Browser	Chrome 100+ / Firefox 100+ / Edge 100+
RAM	Minimal 4 GB
Disk	Minimal 2 GB ruang kosong

1.2 Technology Stack

Layer	Teknologi	Versi
Frontend	React + TypeScript + Vite	React 19, Vite 8
Backend	Express.js + TypeScript	Express 4.19, TS 5.4
Database	PostgreSQL + Prisma ORM	PG 15, Prisma 5.13
Authentication	JWT (Access + Refresh Token)	jsonwebtoken 9.0
Email	Nodemailer (Gmail SMTP)	nodemailer 8.0

Deployment	Docker + Nginx + Azure VM	-
------------	---------------------------	---

1.3 Environment Setup

A. Clone Repository

```
git clone https://github.com/Adisonsmn/backend-nutriguide.git backend
git clone https://github.com/Adisonsmn/frontend-nutriguide.git frontend
```

B. Konfigurasi Backend (.env)

Buat file backend/.env:

```
# Database
DATABASE_URL="postgresql://postgres:password@localhost:5432/nutri_guide?schema=public"

# Server
PORT=3000
NODE_ENV=development

# JWT
JWT_SECRET=nutri_guide_jwt_secret_key_2026
JWT_REFRESH_SECRET=nutri_guide_refresh_secret_key_2026
ACCESS_TOKEN_EXPIRE=15m
REFRESH_TOKEN_EXPIRE=7d

# Email (Gmail SMTP)
SMTP_EMAIL=your_gmail@gmail.com
SMTP_PASSWORD="your_app_password"
```

C. Konfigurasi Frontend (.env.development)

```
VITE_API_URL=http://localhost:3000/api
```

1.4 Database Deployment

```
cd backend
npm install
npx prisma migrate dev          # Jalankan semua migrasi
npx prisma db seed              # (Opsional) Seed data awal
```

Untuk seed data makanan dan artikel, jalankan file SQL:

```
psql -U postgres -d nutri_guide -f prisma/seed-foods.sql
psql -U postgres -d nutri_guide -f prisma/seed-articles.sql
```

1.5 Execution (Menjalankan Aplikasi)

Lokal (Development)

```
# Terminal 1 - Backend
cd backend
npm install
npm run dev # Server berjalan di http://localhost:3000

# Terminal 2 - Frontend
cd frontend
npm install
npm run dev # App berjalan di http://localhost:5173
```

Production (Docker)

```
cd deployment-nutriguide

# Buat file .env (lihat bagian 1.3)
# Lalu jalankan:
docker compose up -d

# Migrasi database
docker compose exec backend npx prisma migrate deploy
```

2. BACKEND TEST PLAN (Berdasarkan Sequence Diagram)

Pengujian backend dilakukan menggunakan Postman dengan aturan Traceability:

Komponen Desain	Implementasi Testing
1 Sequence Diagram	= 1 Folder Collection di Postman
Setiap Method Call dalam diagram	= 1 Request endpoint di Postman
Return Value di diagram	= Validasi pada tab "Tests" (Response Body)

BASE_URL: <https://nutriguide.koreacentral.cloudapp.azure.com/api>

✓ NutriGuide API

- > 📁 Auth
- > 📁 Profile
- > 📁 Foods
- > 📁 Nutrition
- > 📁 Recommendations
- > 📁 Recipes
- > 📁 History
- > 📁 Articles
- > 📁 Notifications

SD-01: Sequence Diagram — Autentikasi

TC-01: Register

Item	Detail
Method	POST
Endpoint	/auth/register
Request Body	{ "name": "Adison", "email": "Adison@mail.com", "password": "password123" }
Expected Status	201 Created
Expected Response	{ status: "success", data: { user_id, name, email, is_active } }
Actual Status	 201 Created

Validasi Postman:

```
pm.test("Status 201", () => pm.response.to.have.status(201));

pm.test("Status success", () => {


    pm.expect(pm.response.json().status).to.eql("success");

});

pm.test("Data berisi user_id", () => {

    pm.expect(pm.response.json().data).to.have.property("user_id");

});
```



TC-02: Login

Item	Detail
Method	POST
Endpoint	/auth/login
Request Body	{ "email": "shantika123@gmail.com", "password": "Cantik123" }
Expected Status	200 OK
Expected Response	{ status: "success", data: { accessToken, refreshToken, user } }
Actual Status	✅ 200 OK

Validasi Postman:

```
pm.test("Status 200", () => pm.response.to.have.status(200));


pm.test("Ada accessToken", () => {

  pm.expect(pm.response.json().data).to.have.property("accessToken");

});


// Simpan token ke environment
```

```
pm.environment.set("accessToken", pm.response.json().data.accessToken);
pm.environment.set("refreshToken", pm.response.json().data.refreshToken);
```




TC-03: Login Gagal (Password Salah)

Item	Detail
Item	Detail
Method	POST
Endpoint	/auth/login
Request Body	{ "email": "Adison@mail.com", "password": "password12." }
Expected Status	401 Unauthorized



TC-04: Logout

Item	Detail
Method	POST
Endpoint	/auth/logout
Headers	Authorization: Bearer {{accessToken}}
Expected Status	200 OK
Actual Status	✓ 200 OK



The screenshot shows a REST client interface with a dark theme. At the top, the status bar indicates a '200 OK' response, a duration of '195 ms', and a size of '1.1 KB'. Below this, the 'Body' tab is selected, showing a JSON response. The JSON is formatted with line numbers 1 through 5 on the left. The response body is:

```
{
  "status": "success",
  "message": "Logged out successfully",
  "data": null
}
```

TC-05: Refresh Token

Item	Detail
Method	POST
Endpoint	/auth/refresh-token
Request Body	{ "refreshToken": "{{refreshToken}}" }
Expected Status	200 OK
Expected Response	{ data: { accessToken } }

POST

{{base_url}} /api/auth/refresh-token

Send

Docs

Params

Auth

Headers (10)

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

```
1 {
2   "refreshToken": "{{refreshToken}}"
3 }
```

Body

200 OK

174 ms

1.23 KB

{ } JSON


Preview

Visualize

```
1 {
2   "status": "success",
3   "message": "Token refreshed successfully",
4   "data": {
5     "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJlVU0VSLTAxNyIsImVtYWlsIjoiQWRpc29uQG1haWwuY29tIiwiaWF0IjoxNzgwODQzMjc1LCJleHAiOjE3ODQ4NDQxNzV9.XH-t3ckr4xdlrougTj1wKeU_YG_pI2qoftBx0vi67L0"
6   }
7 }
```

TC-06: Forgot Password (Kirim OTP)

Item	Detail
Method	POST
Endpoint	/auth/forgot-password
Request Body	{ "email": "test@mail.com" }
Expected Status	200 OK
Expected Response	{ data: { message: "OTP has been sent..." } }
Validasi Tambahan	Cek inbox email — OTP 6 digit diterima



TC-07: Reset Password

Item	Detail
Method	POST
Endpoint	/auth/reset-password
Request Body	{ "email": "test@mail.com", "otp": "123456", "newPassword": "NewPass123." }
Expected Status	200 OK

The screenshot shows a REST client interface with the following details:

- Method:** POST
- Endpoint:** `{{base_url}}/api/auth/reset-password`
- Request Body (JSON):**

```

1 {
2   "email": "Adison@mail.com",
3   "otp": "166614",
4   "newPassword": "passwordBaru123"
5 }
6

```
- Response Status:** 200 OK (265 ms, 1.16 KB)
- Response Body (JSON):**

```

1 {
2   "status": "success",
3   "message": "Password reset successful",
4   "data": {
5     "message": "Password reset successfully"
6   }
7 }

```

TC-08: Reset Password (Password Sama dengan Lama)

Item	Detail
Method	POST

Endpoint	/auth/reset-password
Request Body	{ "email": "test@mail.com", "otp": "123456", "newPassword": "Test123." }
Expected Status	400 Bad Request
Expected Response	{ message: "New password must be different from your current password" }

<

POST Refri

Food:

POST New

>

+

▼

NutriGuide

▼

HTTP

NutriGuide API / ... / New Request

Save

Share

POST

▼

{{base_url}} /api/auth/reset-password

Send

▼

Docs

Params

Auth

Headers (10)

Body

Scripts

Settings

Cookies

raw

▼

JSON

▼

Schema

Beautify

1

{

2

"email": "Adison@mail.com",

3

"otp": "634240",

4

"newPassword": "passwordBaru123"

5

}

6

Body

▼

🕒

400 Bad Request

• 336 ms • 1.16 KB • 🌐 | 📄 | ⋮

{ } JSON

▼

▶ Preview

🔍 Debug with AI

▼

↺

☰

🔍

📄

🔗

1

{

2

"status": "error",

3

"message": "New password must be different from your

current password",

4

"data": null

5

}

SD-02: Sequence Diagram — Profil & Preferensi

TC-09: Create Profile

Item	Detail
Method	POST
Endpoint	/profile
Headers	Authorization: Bearer {{accessToken}}
Request Body	{ "age": 18, "weight_kg": 55, "height_cm": 168, "gender": "female", "goal": "lose_weight" }
Expected Status	201 Created

 NutriGuide API > Profile > Create Profile

Save

Share

POST

{{base_url}}/api/profile

Send

Docs

Params

Authorization

Headers 12

Body

Scripts

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

Schema

Beautify

```
1 {
2   "age": 18,
3   "weight_kg": 55,
4   "height_cm": 168,
5   "gender": "female",
6   "goal": "lose_weight"
7 }
```

Body

Cookies

Headers 19

Test Results 2/2

201 Created

93 ms

1.17 KB

Save Response

JSON

Preview

Visualize

```
1 {
2   "status": "success",
3   "message": "Profile created successfully",
4   "data": {
5     "profile_id": "1eca932d-8319-4474-94dc-fa0f08c25296",
6     "user_id": "fe52bada-980a-4917-849e-9b3b0e13d7d7",
7     "age": 18,
8     "weight_kg": 55,
9     "height_cm": 168,
10    "gender": "female",
11    "goal": "lose_weight",
12    "updated_at": "2026-05-04T04:10:25.425Z"
13  }
14 }
```

TC-10: Get Profile

Item	Detail
------	--------

Method	GET
Endpoint	/profile
Headers	Authorization: Bearer {{accessToken}}
Expected Status	200 OK
Expected Response	{ data: { profile: {...}, preferences: {...} } }

[HTTP](#)
NutriGuide API > Profile > Get Profile
Save
Share

GET
{{base_url}}/api/profile
Send

Docs
Params
Authorization
Headers 8
Body
Scripts
Tests
Settings
Cookies

☒ none
☐ form-data
☐ x-www-form-urlencoded
☐ raw
☐ binary
☐ GraphQL

This request does not have a body

Body
Cookies
Headers 19
Test Results 2/2
200 OK • 93 ms • 1.27 KB
Save Response

JSON
Preview
Visualize

```

1  {
2      "status": "success",
3      "message": "Profile retrieved successfully",
4      "data": {
5          "profile": {
6              "profile_id": "1eca932d-8319-4474-94dc-fa0f08c25296",
7              "user_id": "fe52bada-980a-4917-849e-9b3b0e13d7d7",
8              "age": 18,
9              "weight_kg": 55,
10             "height_cm": 168,
11             "gender": "female",
12             "goal": "lose_weight",
13             "updated_at": "2026-05-04T04:10:25.425Z",
14             "user": {
15                 "name": "Shantika",
16                 "email": "shantika_1777867824896@gmail.com"
17             }
18         },
19         "preferences": null
20     }
21 }

```

TC-11: Update Profile

Item	Detail
Method	PUT
Endpoint	/profile
Request Body	{ "weight_kg": 72, "goal": "lose" }

Expected
Status

200 OK

HTTP NutriGuide API > Profile > Update Profile Save Share

PUT Send `{{base_url}}/api/profile`

Docs Params Authorization Headers 11 Body Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Schema Beautify

```
1 {"age":18,"weight_kg":55,"height_cm":168,"gender":"female","goal":"lose_weight"}
```

Body Cookies Headers 19 Test Results 2/2 200 OK • 106 ms • 1.17 KB Save Response

JSON Preview Visualize

```
1 {
2   "status": "success",
3   "message": "Profile updated successfully",
4   "data": {
5     "profile_id": "1eca932d-8319-4474-94dc-fa0f08c25296",
6     "user_id": "fe52bada-980a-4917-849e-9b3b0e13d7d7",
7     "age": 18,
8     "weight_kg": 55,
9     "height_cm": 168,
10    "gender": "female",
11    "goal": "lose_weight",
12    "updated_at": "2026-05-04T04:10:57.867Z"
13  }
14 }
```


TC-12: Get Preferences

Item	Detail
Method	GET
Endpoint	/profile/preferences
Expected Status	200 OK

NutriGuide API > Profile > Get Preferences

SaveShare

GET

{{base_url}} /api/profile/preferences

Send

DocsParamsAuthorizationHeaders8BodyScriptsTestsSettings

Cookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

This request does not have a body

BodyCookiesHeaders19Test Results2/2

200 OK • 87 ms • 985 B • Save Response


JSON

PreviewVisualize

```
1 {
2   "status": "success",
3   "message": "Preferences retrieved successfully",
4   "data": null
5 }
```

TC-13: Update Preferences


Item	Detail
Method	PUT
Endpoint	/profile/preferences
Request Body	{ "diet_type": "High Protein", "daily_budget": 50000 }
Expected Status	200 OK



SD-03: Sequence Diagram — Rekomendasi Makanan

TC-14: Get Recommendations

Item	Detail
Method	GET
Endpoint	/recommendations
Headers	Authorization: Bearer {{accessToken}}
Expected Status	200 OK
Expected Response	{ data: { recommendation_id, total_calories, target_calories, meals: [...] } }
Validasi	meals array tidak kosong , total_calories > 0



TC-14b: Recommendations by Budget

Item	Detail
Method	GET
Endpoint	/recommendations?budget=50000
Headers	Authorization: Bearer {{accessToken}}
Expected Status	200 OK
Actual Status	 200 OK

HTTP NutriGuide API > Recommendations > **Recommendations by Budget** Save Share

GET ▼ `{{base_url}}/api/recommendations?budget=50000` Send ▼

Docs Params Authorization Headers 9 **Body** Scripts Tests Settings Cookies

☒ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

This request does not have a body

Body Cookies Headers 19 Test Results 200 OK • 96 ms • 1.11 KB Save Response ...

{} JSON ▼ Preview Visualize ▼

```

1  {
2      "status": "success",
3      "message": "Recommendations generated successfully",
4      "data": {
5          "recommendation_id": null,
6          "total_calories": 0,
7          "meals": {
8              "breakfast": [],
9              "lunch": [],
10             "dinner": [],
11             "snack": []
12          },
13          "message": "No foods found matching your criteria"
14      }
15  }

```

TC-14c: Recommendations by Preference

Item	Detail
Method	GET
Endpoint	/recommendations?preference=vegetarian
Headers	Authorization: Bearer {{accessToken}}
Expected Status	200 OK
Actual Status	 200 OK

NutriGuide API > Recommendations > Recommendations by Preference

GET `{{base_url}}/api/recommendations?preference=vegetarian` Send

Docs Params Authorization Headers 9 Body Scripts Tests Settings Cookies

☒ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

This request does not have a body

Body Cookies Headers 19 Test Results 200 OK • 91 ms • 1.11 KB Save Response

`{}` JSON Preview Visualize

```
1 {
2   "status": "success",
3   "message": "Recommendations generated successfully",
4   "data": {
5     "recommendation_id": null,
6     "total_calories": 0,
7     "meals": {
8       "breakfast": [],
9       "lunch": [],
10      "dinner": [],
11      "snack": []
12    },
13    "message": "No foods found matching your criteria"
14  }
15 }
```

TC-14d: Recommendations by Budget & Preference

Item	Detail
Method	GET
Endpoint	<code>/recommendations?budget=50000&preference=vegetarian</code>
Headers	Authorization: Bearer <code>{{accessToken}}</code>
Expected Status	200 OK
Actual Status	 200 OK

 NutriGuide API > Recommendations > Recommendations by Budget and Preference

Save

Share

GET

`{{base_url}}/api/recommendations?budget=50000&preference=vegetarian`

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Tests

Settings

Cookies

☒ none

☐ form-data

☐ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

This request does not have a body

Body

Cookies

Headers 19

Test Results

200 OK

93 ms

1.11 KB

e.g. Save Response

JSON

Preview

Visualize

```
1 {
2   "status": "success",
3   "message": "Recommendations generated successfully",
4   "data": {
5     "recommendation_id": null,
6     "total_calories": 0,
7     "meals": {
8       "breakfast": [],
9       "lunch": [],
10      "dinner": [],
11      "snack": []
12    },
13    "message": "No foods found matching your criteria"
14  }
15 }
```

SD-04: Sequence Diagram — Riwayat Konsumsi

TC-15: Add History

Item	Detail
Method	POST
Endpoint	/history
Request Body	{ "food_id": "{{foodId}}", "qty_gram": 150 }
Expected Status	201 Created

NutriGuide API > History > List History

GET

{{base_url}}/api/history

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

This request does not have a body

Body

Cookies

Headers 19

Test Results

200 OK

88 ms

984 B

Save Response

JSON

Preview

Visualize

```
1 {
2   "status": "success",
3   "message": "Food history retrieved successfully",
4   "data": []
5 }
```

TC-16: Get History

Item	Detail
Method	GET
Endpoint	/history
Expected Status	200 OK
Expected Response	Array of history entries dengan relasi food

NutriGuide API > History > **History Summary** Save Share

GET ▼ `{{base_url}}/api/history/summary` Send ▼

Docs Params Authorization Headers 9 **Body** Scripts Tests Settings Cookies

☒ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

This request does not have a body

Body Cookies Headers 19 Test Results 200 OK • 93 ms • 1.09 KB Save Response ⋮

`{}` JSON ▼ Preview Visualize ⋮

```

1  {
2      "status": "success",
3      "message": "Daily summary retrieved successfully",
4      "data": {
5          "date": "2026-05-04",
6          "totalCalories": 0,
7          "targetCalories": 1591,
8          "remaining": 1591,
9          "percentage": 0,
10         "macros": {
11             "protein": 0,
12             "carbs": 0,
13             "fat": 0
14         }
15     }
16 }

```

TC-17: Get Daily Summary

Item	Detail
Method	GET
Endpoint	/history/summary
Expected Status	200 OK
Expected Response	{ data: { totalCalories, targetCalories, percentage, macros } }

NutriGuide API > History > History by Date

SaveShare

GET

{{base_url}} /api/history?date=2025-01-01

Send

DocsParamsAuthorizationHeaders9BodyScriptsTestsSettings

Cookies

☒ none☐ form-data☐ x-www-form-urlencoded☐ raw☐ binary☐ GraphQL

This request does not have a body

BodyCookiesHeaders19Test Results

200 OK • 95 ms • 984 B • Save Response


{ } JSON

PreviewVisualize

```
1 {
2   "status": "success",
3   "message": "Food history retrieved successfully",
4   "data": []
5 }
```

TC-18: Delete History

Item	Detail
Method	DELETE
Endpoint	/history/{{historyId}}
Expected Status	200 OK



SD-05: Sequence Diagram — Artikel

TC-19: Get All Articles

Item	Detail
Method	GET
Endpoint	/articles
Expected Status	200 OK
Expected Response	Array of articles with title, content, category, image_url

HTTP NutriGuide API > Articles > **List Articles** Save Share

GET ▼ `{{base_url}}/api/articles` Send ▼

Docs Params Authorization Headers 9 **Body** Scripts Tests Settings Cookies

☒ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

This request does not have a body

Body Cookies Headers 19 Test Results 200 OK • 90 ms • 980 B • Save Response ...

`{}` JSON ▼ Preview Visualize ▼

```

1  {
2    "status": "success",
3    "message": "Articles retrieved successfully",
4    "data": []
5  }
```

TC-20: Get Article Detail

Item	Detail
Method	GET
Endpoint	/articles/{{articleId}}
Expected Status	200 OK

NutriGuide API > Articles > **Articles by Category** Save Share

GET ▼ `{{base_url}}/api/articles?category=nutrition` Send ▼

Docs Params Authorization Headers 9 **Body** Scripts Tests Settings Cookies

☒ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

This request does not have a body

Body Cookies Headers 19 Test Results 200 OK • 91 ms • 980 B Save Response ...

`{}` JSON ▼ Preview Visualize ▼

```

1 {
2   "status": "success",
3   "message": "Articles retrieved successfully",
4   "data": []
5 }
```

SD-06: Sequence Diagram — Notifikasi

TC-21: Get Notifications

Item	Detail
Method	GET
Endpoint	/notifications
Expected Status	200 OK
Expected Response	Array of notifications, sorted by <code>created_date</code> DESC

NutriGuide API > Notifications > **Get Daily Notifications** Save Share

GET ▼ `{{base_url}}/api/notifications/daily` Send ▼

Docs Params Authorization Headers 9 **Body** Scripts Tests Settings Cookies

☒ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

This request does not have a body

Body Cookies Headers 19 Test Results 200 OK • 91 ms • 991 B Save Response ...

`{}` JSON ▼ Preview Visualize ▼

```

1 {
2   "status": "success",
3   "message": "Daily notifications retrieved successfully",
4   "data": []
5 }
```

TC-22: Get Unread Count

Item	Detail
Method	GET
Endpoint	/notifications/unread-count
Expected Status	200 OK
Expected Response	{ data: { count: number } }

TC-23: Mark As Read

Item	Detail
Method	PATCH
Endpoint	/notifications/{{notifId}}/read
Expected Status	200 OK

HTTP NutriGuide API > Notifications > **Update Notification Settings** Save Share

PUT Send `{{base_url}}/api/notifications/settings`

Docs Params Authorization Headers 12 **Body** Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** Schema Beautify

```

1  {
2    "type": "reminder",
3    "message": "Waktunya makan siang!",
4    "scheduled_at": "2025-01-01T12:00:00Z"
5  }

```

Body Cookies Headers 19 Test Results **200 OK** • 96 ms • 1.21 KB Save Response ...

JSON Preview Visualize ...

```

1  {
2    "status": "success",
3    "message": "Notification settings updated successfully",
4    "data": {
5      "notif_id": "592fb041-c425-4fc5-a54b-c982cbf9c1df",
6      "user_id": "fe52bada-980a-4917-849e-9b3b0e13d7d7",
7      "type": "reminder",
8      "message": "Waktunya makan siang!",
9      "scheduled_at": "2025-01-01T12:00:00.000Z",
10     "is_sent": false,
11     "created_date": "2026-05-04T04:20:49.676Z"
12   }
13 }

```

TC-24: Mark All As Read

Item	Detail
Method	PATCH
Endpoint	/notifications/read-all
Expected Status	200 OK

SD-07: Sequence Diagram — Foods & Nutrition

TC-25: Get All Foods

Item	Detail
Method	GET
Endpoint	/foods
Expected Status	200 OK

 NutriGuide API > Foods > **List Foods**

GET

{{base_url}}/api/foods

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

This request does not have a body

Body

Cookies

Headers 19

Test Results

200 OK • 107 ms • 977 B •   Save Response ...

{ } JSON


Preview

Visualize

```
1 {
2   "status": "success",
3   "message": "Foods retrieved successfully",
4   "data": []
5 }
```

TC-26: Get Food Detail

Item	Detail
Method	GET
Endpoint	/foods/{{foodId}}
Expected Status	200 OK



TC-27: Calculate Nutrition

Item	Detail
Method	GET
Endpoint	/nutrition/calculate
Expected Status	200 OK
Expected Response	{ data: { dailyCalorieTarget, bmr, tdee, macros } }

HTTP NutriGuide API > Nutrition > **Calculate Nutrition** Save Share

GET ⌵ `{{base_url}}/api/nutrition/calculate` Send ⌵

Docs Params Authorization Headers 9 **Body** Scripts Tests Settings Cookies

☒ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

This request does not have a body

Body Cookies Headers 19 Test Results 🔄 200 OK • 90 ms • 1.05 KB • 🌐 Save Response ⋮


{} JSON ⌵ ▶ Preview 🖼️ Visualize ⌵ 🔍 📄 🔗

```

1  {
2      "status": "success",
3      "message": "Nutrition calculated successfully",
4      "data": {
5          "bmi": 1349,
6          "tdee": 2091,
7          "dailyCalorieTarget": 1591,
8          "macros": {
9              "protein": 119,
10             "carbs": 159,
11             "fat": 53
12         }
13     }
14 }
```

TC-28: Get Recipe

Item	Detail
Method	GET
Endpoint	/recipes/{{recipeId}}
Expected Status	200 OK
Expected Response	<pre>{ data: { ingredients, steps, prep_time_min } }</pre>



3. MATRIKS PENYELARASAN (Traceability Matrix)

ID DFD	Nama Proses DFD	Sequence Diagram	Method Backend (Postman)	Skenario Usability
1.0	Manajemen Autentikasi	SD-01: Autentikasi	POST /auth/register	UT-01: Registrasi akun baru
1.0	Manajemen Autentikasi	SD-01: Autentikasi	POST /auth/login	UT-02: Login dan navigasi dashboard
1.0	Manajemen Autentikasi	SD-01: Autentikasi	POST /auth/logout	—
1.0	Manajemen Autentikasi	SD-01: Autentikasi	POST /auth/refresh-token	—
1.0	Manajemen Autentikasi	SD-01: Autentikasi	POST /auth/forgot-password	—

1.0	Manajemen Autentikasi	SD-01: Autentikasi	POST /auth/reset-password	—
2.0	Manajemen Profil	SD-02: Profil & Preferensi	POST /profile	UT-03: Mengisi profil kesehatan
2.0	Manajemen Profil	SD-02: Profil & Preferensi	GET /profile	UT-03: Mengisi profil kesehatan
2.0	Manajemen Profil	SD-02: Profil & Preferensi	PUT /profile	UT-03: Mengisi profil kesehatan
2.0	Manajemen Profil	SD-02: Profil & Preferensi	GET /profile/preferences	UT-03: Mengisi profil kesehatan
2.0	Manajemen Profil	SD-02: Profil & Preferensi	PUT /profile/preferences	UT-03: Mengisi profil kesehatan
3.0	Rekomendasi Makanan	SD-03: Rekomendasi	GET /recommendations	UT-04: Melihat rekomendasi makanan
4.0	Riwayat Konsumsi	SD-04: Riwayat	POST /history	UT-05: Melihat riwayat konsumsi
4.0	Riwayat Konsumsi	SD-04: Riwayat	GET /history	UT-05: Melihat riwayat konsumsi

4.0	Riwayat Konsumsi	SD-04: Riwayat	GET /history/summary	UT-05: Melihat riwayat konsumsi
4.0	Riwayat Konsumsi	SD-04: Riwayat	DELETE /history/:id	UT-05: Melihat riwayat konsumsi
5.0	Manajemen Artikel	SD-05: Artikel	GET /articles	UT-06: Membaca artikel kesehatan
5.0	Manajemen Artikel	SD-05: Artikel	GET /articles/:id	UT-06: Membaca artikel kesehatan
6.0	Manajemen Notifikasi	SD-06: Notifikasi	GET /notifications	UT-07: Melihat notifikasi
6.0	Manajemen Notifikasi	SD-06: Notifikasi	GET /notifications/unread-count	UT-07: Melihat notifikasi
6.0	Manajemen Notifikasi	SD-06: Notifikasi	PATCH /notifications/:id/read	UT-07: Melihat notifikasi
6.0	Manajemen Notifikasi	SD-06: Notifikasi	PATCH /notifications/read-all	UT-07: Melihat notifikasi
7.0	Kalkulasi Nutrisi	SD-07: Foods & Nutrition	GET /nutrition/calculate	— (otomatis)
7.0	Kalkulasi Nutrisi	SD-07: Foods & Nutrition	GET /nutrition/food/:id	— (otomatis)

7.0	Kalkulasi Nutrisi	SD-07: Foods & Nutrition	GET /foods	UT-04: Melihat rekomendasi
7.0	Kalkulasi Nutrisi	SD-07: Foods & Nutrition	GET /foods/:id	UT-04: Melihat rekomendasi
7.0	Kalkulasi Nutrisi	SD-07: Foods & Nutrition	GET /recipes/:id	UT-04: Melihat rekomendasi