



MINOR ASSIGNMENT REPORT ON
PHYSIOLOGICAL BARRIERS IN COMMUNICATION

Semester :1st

Subject Name: Business Communication

Subject Code: EGL805

Course: MCA

SUBMITTED BY

A handwritten signature in black ink that reads 'Aditya.s'.

ADITYA SHARMA

KID:K26798

COURSE:MCA

SUBMITTED TO

Mr. Ashar khan,
Assistant Professor

SCHOOL OF COMPUTER APPLICATION & TECHNOLOGY,
CAREER POINT UNIVERSITY, KOTA(RAJASTHAN)

Index

S. No.	Topic
1	Introduction
2	What are Physiological Barriers to Communication
3	Examples of Physiological Barriers
4	Types of Physiological Barriers
5	How Physiological Barriers Affect Communication
6	Conclusion

What are Physiological barriers to communication?

Physiological barriers to communication refer to the physical conditions or limitations that can impact the effective exchange of information between individuals. These barriers are rooted in various physiological factors, such as sensory impairments and neurological conditions, which directly affect a person's ability to send or receive messages.

The most common physiological barriers include vision impairment, hearing impairment, language disorders, and speech impairments. Additionally, physiological barriers can also affect [both verbal and non-verbal communication](#), making it challenging for individuals to convey or understand information accurately.

Therefore, when a person faces physiological barriers, their ability to send or receive information may be compromised, leading to miscommunication or difficulty in expressing themselves clearly.

Examples of Physiological Barriers to Communication

Most common physiological barriers to communication along with examples:

1. Hearing Impairments:

- Partial or complete deafness.
- Difficulty distinguishing sounds or speech.
- Inability to hear soft or high-pitched sounds.

2. Speech Disorders:

- Stuttering or stammering.
- Articulation difficulties.
- Apraxia, where the coordination of speech muscles is impaired.

3. Visual Impairments:

- Blindness or low vision.
- Difficulty reading written text or visual materials.
- Challenges interpreting facial expressions or body language.

4. Physical Disabilities:

- Limited mobility affects gestures or body language.
- Inability to use hand movements or facial expressions to convey messages.
- Dependence on assistive devices that may affect communication dynamics.

5. Visual Perception Differences:

- Difficulty recognizing or interpreting visual cues or symbols.
- Sensory processing disorders affect how visual information is processed.
- Challenges with eye contact or visual tracking during communication.

Physiological barriers example

Our body consists of various types of barriers, which can be categorized as follows:

1. Neutral Points (Point of maximal ease)
2. Physiological Barriers (Active motion)
3. Anatomical Barriers (Passive motion)

These barriers play a role in the movement and functioning of our bodies.

Types of Physiological Barriers

1. Visual impairments:

Visual impairments refer to conditions that affect an individual's ability to see or interpret visual information accurately. According to [WHO approximately 2.2 billion](#) individuals worldwide experience either near or distance vision impairment. Thus, people with visual impairments may have a partial or complete loss of vision, making it challenging for them to perceive facial expressions, body language, and other non-verbal cues during communication.

Visual impairments can prevent effective communication in several ways. Here are a few key points to consider:

- **Non-verbal cues and facial expressions:** Visual cues play a crucial role in communication, as they provide additional meaning and context to [verbal messages](#). People with visual impairments may miss out on important non-verbal cues, such as facial expressions, gestures, and body language.
- **Alternative communication methods:** Individuals with visual impairments often rely on alternative [communication methods to overcome barriers](#). These methods include [braille](#), a system of raised dots that can be read by touch, and assistive technologies such as screen readers and magnifiers.

It is important to note that not all individuals with visual impairments use the same communication methods. The specific needs and preferences of each person should be taken into consideration for effective communication.

2. Hearing impairments:

Hearing impairments refer to conditions that affect an individual's ability to hear sounds and speak clearly. These conditions can range from mild hearing loss to profound deafness.

Presently, over 1.5 billion individuals, accounting for nearly 20% of the global population, [live with some form of hearing loss](#), with 430 million among them facing disabling hearing loss. Thus, individuals with hearing impairments face unique challenges in communication, particularly when it involves spoken language.

Key points to consider regarding hearing impairments and communication:

- **Difficulty in understanding spoken language:** People with hearing impairments may have difficulty understanding spoken language, especially in environments with background noise or when the speaker's voice is unclear. This can lead to misinterpretations of messages.
- **Sign language and lip-reading:** Sign language serves as the primary mode of communication for numerous individuals who experience hearing impairments. It includes a combination of hand gestures, facial expressions, and body movements to effectively convey meaning. Furthermore, lip-reading is also commonly used, where

individuals rely on observing the movements of a speaker's lips to understand what is being said.

It is important to remember that not all individuals with hearing impairments communicate in the same way. Some may use a combination of strategies, while others may rely on specific methods based on their preferences and abilities.

3. Speech impairments:

Speech impairments involve difficulties in articulating or producing sounds, affecting an individual's ability to express themselves verbally. These impairments can include speech disorders such as stuttering, lisping, or apraxia, which may make speech unclear or difficult to understand.

Individuals with speech impairments may find it challenging to convey their thoughts, ideas, or emotions effectively, leading to frustration. They may require additional time or assistance to express themselves, and listeners need to be patient, attentive, and supportive.

When communicating with someone who has a speech impairment, it is important to maintain eye contact, listen attentively, and avoid interrupting or finishing their sentences. Providing a supportive and non-judgmental environment can help individuals with speech impairments feel more comfortable and confident in expressing themselves.

4. Mobility impairments:

Mobility impairments refer to physical disabilities that affect an individual's ability to move or control their body movements. These disabilities can result from conditions such as paralysis, muscular dystrophy, or limb loss, among others. Making it difficult for individuals to perform movements required for typical communication.

Communication barriers related to mobility impairments can include the inability to use hand movements or facial expressions to convey meaning, which are essential [aspects of non-verbal communication](#). Individuals with mobility impairments may rely on alternative methods of communication.

These can include specialized keyboards, eye-tracking devices, or switch-based systems that allow individuals to control communication tools through movements they can perform. These devices enable them to express their thoughts, feelings and needs effectively.

5. Mood disorders:

Mood disorders are a category of mental health conditions characterized by significant changes in mood that affect a person's emotional state and overall well-being. Common mood disorders include depression and anxiety disorders. These disorders can impact communication in various ways and [create barriers to effective interpersonal interactions](#).

key points to consider regarding mood disorders as a barrier to communication:

- **Impact on expression and engagement:** Individuals with mood disorders may experience difficulties expressing their thoughts, feelings, and needs clearly.

Depression, for example, can lead to a decreased desire or motivation to communicate, resulting in withdrawal or minimal engagement in conversations. On the other hand, anxiety can lead to an overwhelming sense of worry or fear that prevents the ability to communicate effectively.

Informative Fact: Approximately 7% of adults in the United States experience depression annually, according to researchers' estimates.

- **Emotional regulation challenges:** Mood disorders can interfere with an individual's capacity to effectively regulate their emotions. This can lead to mood swings, irritability, or emotional instability, which can affect the tone and quality of communication interactions. It may result in misinterpretations or strained relationships.

In more severe cases, collaborating with mental health professionals can be beneficial to support individuals with mood disorders in managing their symptoms and improving their communication abilities.

How can physiological barriers affect communication

Physiological barriers, which arise from physical factors can have a profound impact on the transmission and reception of messages, making it essential to understand how they affect communication dynamics.

1. Speech and Language Difficulties: Physiological conditions like speech disorders or language impairments can restrain an individual's ability to articulate their thoughts clearly. This may lead to difficulties in expressing ideas, conveying messages effectively, or being understood by others.

2. Limited Feedback and Engagement: Physiological barriers can make it difficult for individuals to actively engage in communication and provide timely feedback. For instance, hearing impairments can affect an individual's ability to participate in conversations or respond to questions, limiting their engagement in the communication process.

3. Emotional and Psychological Impact: Physiological barriers can have emotional and psychological effects on individuals, leading to [emotional blocks in relationships](#). Conditions like anxiety or low self-esteem, often associated with physiological barriers, may result in communication apprehension, reluctance to speak up, or difficulty expressing oneself effectively.

4. Barriers to Accessing Information: Physiological barriers can impede individuals' access to information in various formats, such as written materials, audiovisual content, or digital platforms. This can limit their ability to stay informed, participate fully, and communicate meaningfully.

Conclusion:

Physiological barriers significantly affect the process of communication by creating obstacles in sending and receiving messages effectively. These barriers arise due to physical limitations such as hearing, visual, or speech impairments, as well as mood and mobility disorders.

Recognizing and addressing these challenges through empathy, assistive technologies, and inclusive communication practices can help ensure that every individual is able to express and understand messages clearly, fostering better understanding and connection in all forms of communication.