



# CAREER POINT UNIVERSITY

## Assignment File

**SEMESTER:** - 1<sup>st</sup>

**SUBJECT NAME:** - Web Technology

**SUBJECT CODE:** - CAL815

**NAME OF COURSE:** - Masters of Computer Applications

**SUBMITTED BY:**

Unnati Tyagi

K27065

**SUBMITTED TO:**

Mannu Soni Ma'am

Assistant Professor

SCHOOL OF COMPUTER APPLICATIONS

2025-26

**1.**A store gives a 10% discount if the total purchase is above ₹500.

Write a PHP program that checks the total purchase amount and prints whether the customer gets a discount or not.

```
<!DOCTYPE html>

<html>

<head><title>Discount Checker</title></head>

<body>

<form method="post">

    <label>Enter Purchase Amount: </label>

    <input type="number" name="total" required>

    <button type="submit">Check</button>

</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {

    $total = $_POST["total"];

    if ($total >= 500) {

        echo "<h3>Congratulations! You've earned a 10% discount 🎉</h3>";

    } else {

        echo "<h3>Sorry, no discount applied.</h3>";

    }

}

?>

</body>

</html>
```

2. A student's exam score is given. Write a PHP program using conditional statements to print the grade based on marks:

- a. 90+ → A
- b. 75–89 → B
- c. 50–74 → C
- d. Below 50 → Fail

```
<!DOCTYPE html>
<html>
<body>
<form method="post">
  <label>Enter Marks: </label>
  <input type="number" name="score" required>
  <input type="submit" value="Show Grade">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
  $s = $_POST["score"];
  if ($s > 89)
    echo "Grade: A";
  elseif ($s >= 75)
    echo "Grade: B";
  elseif ($s >= 50)
    echo "Grade: C";
  else
    echo "Grade: Fail 😞";
}
?>
</body>
</html>
```

**3.** A teacher wants to check if a roll number is even or odd. Write a PHP program to solve this.

```
<!DOCTYPE html>
<html>
<body>
<form method="post">
  <input type="number" name="rollNo" placeholder="Enter Roll No" required>
  <input type="submit" value="Check">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
  $r = $_POST["rollNo"];
  echo ($r % 2 == 0) ? "Roll No $r is Even." : "Roll No $r is Odd.";
}
?>
</body>
</html>
```

4. Write a PHP program that checks whether a person is eligible to vote (age  $\geq 18$ ).

```
<!DOCTYPE html>
<html>
<body>
<form method="post">
  <label>Your Age: </label>
  <input type="number" name="age" required>
  <input type="submit" value="Check Eligibility">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
  $a = $_POST["age"];
  echo ($a >= 18) ? "Eligible to vote  " : "Not eligible  ";
}
?>
</body>
</html>
```

5. Create a PHP program that takes input as "red", "yellow", or "green" and prints the appropriate traffic signal message.

```
<!DOCTYPE html>
<html>
<body>
<form method="post">
  <h4>Pick a Signal Color:</h4>
  <label><input type="radio" name="light" value="red" required> Red</label>
  <label><input type="radio" name="light" value="yellow"> Yellow</label>
  <label><input type="radio" name="light" value="green"> Green</label><br><br>
  <input type="submit" value="Show Message">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $color = $_POST["light"];

    switch ($color) {
        case "red": echo "⊘ Stop Immediately!"; break;
        case "yellow": echo "⚠ Wait & Get Ready!"; break;
        case "green": echo "✅ You may Go!"; break;
        default: echo "Invalid Signal!";
    }
}
?>
</body>
</html>
```

**6.** Write a PHP program using a loop to print numbers 1 to 10.

```
<?php
for ($i = 1; $i <= 10; $i++) {
    echo $i . "<br>";
}
?>
```

**7.** Write a PHP program that takes a number (say 7) and prints its multiplication table (up to 10).

```
<?php
$n = 7;
for ($i = 1; $i <= 10; $i++) {
    echo "$n × $i = " . ($n * $i) . "<br>";
}
?>
```

**8.** Write a PHP program using a loop to calculate the sum of the first 20 natural numbers.

```
<?php
$total = 0;
for ($i = 1; $i <= 20; $i++) {
    $total += $i;
}
echo "Sum of first 20 natural numbers = $total";
?>
```

**9.** Write a program that calculates the factorial of a number using a loop.

```
<?php
$number = 6;
$fact = 1;
for ($i = $number; $i > 0; $i--) {
    $fact *= $i;
}
echo "Factorial of $number is $fact";
?>
```

**10.** Write a program that prints the Fibonacci series up to 10 terms.

```
<?php

$a = 0;

$b = 1;

echo "$a $b ";

for ($i = 3; $i <= 10; $i++) {

    $c = $a + $b;

    echo "$c ";

    $a = $b;

    $b = $c;

}

?>
```



**11.** Write a PHP program that prints numbers from 10 down to 1 using a loop.

```
<?php
for ($i = 10; $i >= 1; $i--) {
    echo $i . " ";
}
?>
```

**12.** Write a PHP program to print a diamond pattern using nested loops, for example (size 5):

```

*
***
*****
*****
*****
*****
***
*
```

```
<?php
// Upper half
for ($i = 1; $i <= $size; $i++) {
    echo str_repeat("&nbsp; ", $size - $i);
    echo str_repeat("*", 2 * $i - 1);
    echo "<br>";
}

// Lower half
for ($i = $size - 1; $i >= 1; $i--) {
    echo str_repeat("&nbsp; ", $size - $i);
    echo str_repeat("*", 2 * $i - 1);
    echo "<br>";
}
?>
```

**13.** Store marks of 5 students in an array. Write a program that calculates and prints the average marks.

```
<!DOCTYPE html>
<html>
<body>
<form method="post">
<h3>Enter Marks (5 Students):</h3>
<?php for($i=1;$i<=5;$i++): ?>
    <input type="number" name="marks[]" placeholder="Student <?=$i?>" required><br><br>
<?php endfor; ?>
<input type="submit" value="Calculate">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $marks = $_POST["marks"];
    $avg = array_sum($marks) / count($marks);
    echo "Average Marks: " . round($avg, 2);
}
?>
</body>
</html>
```

**14.** Create an array to store details of employees (Name, Age, Salary). Write a program to print all employee details one by one.

```
<!DOCTYPE html>
<html>
<head>
<style>
.card {border:1px solid #aaa;padding:10px;margin:10px;border-
radius:8px;background:#f9f9f9;display:inline-block;}
</style>
</head>
<body>
<?php
$employees = [
    ["Name"=>"Ravi","Age"=>28,"Salary"=>32000],
    ["Name"=>"Sneha","Age"=>30,"Salary"=>40000],
    ["Name"=>"Arjun","Age"=>26,"Salary"=>28000]
];

foreach($employees as $emp){
    echo "<div class='card'>
    <strong>Name:</strong> {$emp['Name']}<br>
    Age: {$emp['Age']}<br>
    Salary: ₹{$emp['Salary']}
    </div>";
}
?>
</body>
</html>
```

**15.** Store information of at least 3 products (Product Name, Price, Quantity) in an array. Write a program to display all product details in a tabular format.

```
<!DOCTYPE html>
<html>
<head>
<style>
table {border-collapse:collapse;width:70%;margin:20px auto;}
td,th {border:1px solid #333;padding:8px;text-align:center;}
th {background:#333;color:white;}
</style>
</head>
<body>
<?php
$items = [
    ["Product"=>"Keyboard","Price"=>1200,"Qty"=>8],
    ["Product"=>"Mouse","Price"=>700,"Qty"=>12],
    ["Product"=>"Monitor","Price"=>15000,"Qty"=>4]
];
?>
<table>
<tr><th>Product</th><th>Price (₹)</th><th>Quantity</th></tr>
<?php foreach($items as $it): ?>
<tr>
<td><?=$it["Product"]?></td>
<td><?=$it["Price"]?></td>
<td><?=$it["Qty"]?></td>
</tr>
<?php endforeach; ?>
</table>
</body>
</html>
```

**16.** Create an array of student names. Write a program that searches for a given student name. If found, print “Student Found”, otherwise print “Not Found”.

```
<!DOCTYPE html>

<html>

<body>

<form method="post">

    <input type="text" name="query" placeholder="Enter student name" required>

    <input type="submit" value="Find">

</form>


<?php

$list = ["Rohan","Tina","Amit","Neha","Kunal"];

if ($_SERVER["REQUEST_METHOD"] == "POST") {

    $search = ucfirst(strtolower(trim($_POST["query"])));

    echo in_array($search, $list) ? "Student Found  " : "Not Found  ";

}

?>

</body>

</html>
```