

[Home](#)

[Data Structure](#)

[C](#)

[C++](#)

[C#](#)

[Java](#)

[SQL](#)

[HTML](#)

[CSS](#)

[JavaScript](#)

[Ajax](#)



Lenovo LP40 Pro TWS

Lenovo LP40 Pro TWS Earphones Wireless Bluetooth 5.1
AilExpress

Kruskal's Algorithm

In this article, we will discuss Kruskal's algorithm. Here, we will also see the complexity, working, example, and implementation of the Kruskal's algorithm.

But before moving directly towards the algorithm, we should first understand the basic terms such as spanning tree and minimum spanning tree.

Spanning tree - A spanning tree is the subgraph of an undirected connected graph.

Minimum Spanning tree - Minimum spanning tree can be defined as the spanning tree in which the sum of the weights of the edge is minimum. The weight of the spanning tree is the sum of the weights given to the edges of the spanning tree.



Bluetooth Gamepads

BROODIO Compatible Nintendo Switch Controller
AilExpress

Now, let's start with the main topic.

Kruskal's Algorithm is used to find the minimum spanning tree for a connected weighted graph. The main target of the algorithm is to find the subset of edges by using which we can traverse every vertex of the graph. It follows the greedy approach that finds an optimum solution at every stage instead of focusing on a global optimum.

How does Kruskal's algorithm work?

In Kruskal's algorithm, we start from edges with the lowest weight and keep adding the edges until the goal is reached. The steps to implement Kruskal's algorithm are listed as follows -

- First, sort all the edges from low weight to high.
- Now, take the edge with the lowest weight and add it to the spanning tree. If the edge to be added creates a cycle, then reject the edge.
- Continue to add the edges until we reach all vertices, and a minimum spanning tree is created.


The applications of Kruskal's algorithm are -

- Kruskal's algorithm can be used to layout electrical wiring among cities.
- It can be used to lay down LAN connections.

Example of Kruskal's algorithm

Now, let's see the working of Kruskal's algorithm using an example. It will be easier to understand Kruskal's algorithm using an example.

Suppose a weighted graph is -



The weight of the edges of the above graph is given in the below table -


Edge	AB	AC	AD	AE	BC	CD	DE
Weight	1	7	10	5	3	4	2

Now, sort the edges given above in the ascending order of their weights.


Edge	AB	DE	BC	CD	AE	AC	AD
Weight	1	2	3	4	5	7	10

Now, let's start constructing the minimum spanning tree.


Step 1 - First, add the edge **AB** with weight **1** to the MST.



Step 2 - Add the edge **DE** with weight **2** to the MST as it is not creating the cycle.



Step 3 - Add the edge **BC** with weight **3** to the MST, as it is not creating any cycle or loop.




Step 4 - Now, pick the edge **CD** with weight **4** to the MST, as it is not forming the cycle.



For iPhone Silicone Case

For iPhone 14 13 Pro Max Case Luxury Liquid Silicone Phone Case for iPhone 11 12 Pro Max X XR 7 8 14 Plus
AiilExpress




Step 5 - After that, pick the edge **AE** with weight **5**. Including this edge will create the cycle, so discard it.

Step 6 - Pick the edge **AC** with weight **7**. Including this edge will create the cycle, so discard it.

Step 7 - Pick the edge **AD** with weight **10**. Including this edge will also create the cycle, so discard it.

So, the final minimum spanning tree obtained from the given weighted graph by using Kruskal's algorithm is -



The cost of the MST is = $AB + DE + BC + CD = 1 + 2 + 3 + 4 = 10$.

Now, the number of edges in the above tree equals the number of vertices minus 1. So, the algorithm stops here.

Algorithm

Step 1: Create a forest F in such a way that every vertex of the graph is a separate tree.

Step 2: Create a set E that contains all the edges of the graph.

Step 3: Repeat Steps 4 and 5 **while** E is NOT EMPTY and F is not spanning

Step 4: Remove an edge from E with minimum weight

Step 5: IF the edge obtained in Step 4 connects two different trees, then add it to the forest F (**for** combining two trees into one tree).

ELSE

Discard the edge

Step 6: END

Complexity of Kruskal's algorithm

Now, let's see the time complexity of Kruskal's algorithm.

- **Time Complexity**

The time complexity of Kruskal's algorithm is $O(E \log E)$ or $O(V \log V)$, where E is the no. of edges, and V is the no. of vertices.

Implementation of Kruskal's algorithm

Now, let's see the implementation of kruskal's algorithm.

Program: Write a program to implement kruskal's algorithm in C++.

```
#include <iostream>
#include <algorithm>
using namespace std;
const int MAX = 1e4 + 5;
int id[MAX], nodes, edges;
pair <long long, pair<int, int> > p[MAX];
void init()
{
    for(int i = 0; i < MAX; ++i)
        id[i] = i;
}
int root(int x)
```

```
{
    while(id[x] != x)
    {
        id[x] = id[id[x]];
        x = id[x];
    }
    return x;
}

void union1(int x, int y)
{
    int p = root(x);
    int q = root(y);
    id[p] = id[q];
}

long long kruskal(pair<long long, pair<int, int> > p[])
{
    int x, y;
    long long cost, minimumCost = 0;
    for(int i = 0; i < edges; ++i)
    {
        x = p[i].second.first;
        y = p[i].second.second;
        cost = p[i].first;
        if(root(x) != root(y))
        {
            minimumCost += cost;
            union1(x, y);
        }
    }
    return minimumCost;
}

int main()
{
    int x, y;
    long long weight, cost, minimumCost;
    init();
    cout << "Enter Nodes and edges";
    cin >> nodes >> edges;
```



```
for(int i = 0; i < edges; ++i)
{
    cout << "Enter the value of X, Y and edges";
    cin >> x >> y >> weight;
    p[i] = make_pair(weight, make_pair(x, y));
}
sort(p, p + edges);
minimumCost = kruskal(p);
cout << "Minimum cost is " << minimumCost << endl;
return 0;
}
```

Output

```
Enter Nodes and edges 5 7
Enter the value of X, Y and edges 1 2 1
Enter the value of X, Y and edges 1 3 7
Enter the value of X, Y and edges 1 4 10
Enter the value of X, Y and edges 1 5 5
Enter the value of X, Y and edges 2 3 3
Enter the value of X, Y and edges 3 4 4
Enter the value of X, Y and edges 4 5 2
Minimum cost is 10
```

So, that's all about the article. Hope the article will be helpful and informative to you.

[< Prev](#)[Next >](#)

 Youtube For Videos Join Our Youtube Channel: [Join Now](#)

Feedback

- Send your Feedback to feedback@javatpoint.com

Help Others, Please Share



Learn Latest Tutorials

 Splunk tutorial

Splunk

 SPSS tutorial

SPSS

 Swagger
tutorial

Swagger

 T-SQL tutorial

Transact-SQL

 Tumblr tutorial


Tumblr

 React tutorial

ReactJS

 Regex tutorial

Regex

 Reinforcement
learning tutorial

Reinforcement
Learning

 R Programming
tutorial

R Programming

 RxJS tutorial

RxJS

 React Native
tutorial

React Native

 Python Design
Patterns

Python Design
Patterns

 Python Pillow
tutorial

Python Pillow

 Python Turtle
tutorial

Python Turtle

 Keras tutorial

Keras

Preparation

 Aptitude

Aptitude

 Logical
Reasoning

Reasoning

 Verbal Ability

Verbal Ability

 Interview
Questions

Interview Questions



Company
Interview
Questions

Company Questions

Trending Technologies



Artificial
Intelligence

Artificial
Intelligence



AWS Tutorial

AWS



Selenium
tutorial

Selenium



Cloud
Computing

Cloud Computing



Hadoop tutorial

Hadoop



ReactJS
Tutorial

ReactJS



Data Science
Tutorial

Data Science



Angular 7
Tutorial

Angular 7



Blockchain
Tutorial

Blockchain



Git Tutorial

Git



Machine
Learning Tutorial

Machine Learning



DevOps
Tutorial

DevOps

B.Tech / MCA



DBMS tutorial

DBMS



Data Structures
tutorial

Data Structures



DAA tutorial

DAA



Operating
System

Operating System



Computer
Network tutorial

Computer Network



Compiler
Design tutorial

Compiler Design













Computer
Organization and
Architecture

Computer
Organization



Discrete
Mathematics
Tutorial

Discrete
Mathematics

 **Ethical Hacking**
Ethical Hacking **Computer Graphics Tutorial**
Computer Graphics **Software Engineering**
Software Engineering **html tutorial**
Web Technology **Cyber Security tutorial**
Cyber Security **Automata Tutorial**
Automata **C Language tutorial**
C Programming **C++ tutorial**
C++ **Java tutorial**
Java **.Net Framework tutorial**
.Net **Python tutorial**
Python **List of Programs**
Programs **Control Systems tutorial**
Control System **Data Mining Tutorial**
Data Mining **Data Warehouse Tutorial**
Data Warehouse



Wired Gamepads

Official Nintendo Switch Controller

SS