


Exercise 1: Configuring a Basic Spring Application

File Structure:



Code:

BookRepository.java:

```
package com.library.repository;

public class BookRepository {

    public void showRepository() {
        System.out.println("Inside Book Repository");
    }
}
```

```
}  
}
```

BoorSerice.java

```
package com.library.service;  
  
public class BookService {  
  
    public void showService() {  
        System.out.println("Inside Book Service");  
    }  
}
```

Pom.xml:

```
<?xml version="1.0" encoding="UTF-8"?>  
<project xmlns="http://maven.apache.org/POM/4.0.0"  
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
    xsi:schemaLocation="http://maven.apache.org/POM/4.0.0  
http://maven.apache.org/xsd/maven-4.0.0.xsd">  
    <modelVersion>4.0.0</modelVersion>  
  
    <groupId>org.example</groupId>  
    <artifactId>Library-Management</artifactId>  
    <version>1.0-SNAPSHOT</version>  
  
    <properties>  
        <maven.compiler.source>25</maven.compiler.source>  
        <maven.compiler.target>25</maven.compiler.target>  
        <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>  
    </properties>  
  
    <dependencies>  
  
        <dependency>  
            <groupId>org.springframework</groupId>  
            <artifactId>spring-context</artifactId>  
            <version>5.3.30</version>  
        </dependency>  
  
    </dependencies>  
  
</project>
```

ApplicationContext.xml:

```
<?xml version="1.0" encoding="UTF-8"?>  
  
<beans xmlns="http://www.springframework.org/schema/beans"  
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
```

```
    xsi:schemaLocation="
    http://www.springframework.org/schema/beans
    https://www.springframework.org/schema/beans/spring-beans.xsd">

    <bean id="bookRepository"
        class="com.library.repository.BookRepository"/>

    <bean id="bookService"
        class="com.library.service.BookService"/>

</beans>
```

Main.java

```
package com.library;

import com.library.repository.BookRepository;
import com.library.service.BookService;
import org.springframework.context.ApplicationContext;
import org.springframework.context.support.ClassPathXmlApplicationContext;

public class Main {

    public static void main(String[] args) {
        ApplicationContext ctx =
            new ClassPathXmlApplicationContext("applicationContext.xml");

        BookService bookService =
            (BookService) ctx.getBean("bookService");

        bookService.showService();
        BookRepository bookRepository = new BookRepository();
        bookRepository.showRepository();
    }
}
```

OUTPUT:

